R3850-1.5(W)A

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX

LENGTH OF STAY BY DIAGNOSIS

UNITED STATES

Northeastern REGION

1981



Length of Stay by Diagnosis, Northeastern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963 and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

- a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.
- b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (≫ 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158747	3.7	13	1	1	3	4	6	8	17
20-34	137151	4.4	28	1	1	3	4	7	11	28
35-49	50358	6.2	43	1	1	4	7	13	17	34
50-64	45133	7.1	47	1	2	5	9	14	19	35
65+	42982	8.5	71	1	2	6	11	17	23	47
B. *Operated*										
0-19 YRS	92922	3.1	13	<1	<1	2	4	6	8	18
20-34	182120	3.7	13	<1	1	3	5	7	9	17
35-49	87329	4.6	24	<1	1	3	6	10	13	24
50-64	82357	6.1	41	1	2	4	8	13	18	31
65+	74289	7.9	73	1	2	5	10	18	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103488	5.1	36	1	2	4	6	9	13	32
20-34	75612	6.7	58	1	1	5	8	14	20	41
35-49	80196	7.9	55	1	2	6	10	16	21	39
50-64	152521	9.1	69	2	2	7	11	18	23	45
65+	302901	11.9	120	2	3	9	15	23	33	76
B. *Operated*										
0-19 YRS	46428	5.4	76	<1	1	3	6	11	19	53
20-34	129961	5.8	48	<1	1	4	7	10	16	39
35-49	98532	7.6	78	1	1	5	9	16	23	50
50-64	127535	10.9	133	2	2	8	14	24	33	68
65+	183337	15.5	215	2	3	11	21	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434371	5.0	33	1	1	3	5	10	14	30
B. *Operated*	519017	4.7	31	<1	1	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	714718	9.3	89	1	2	7	12	19	26	57
B. *Operated*	585793	10.2	142	1	2	6	13	24	35	73
1. SINGLE DX	953388	4.9	32	<1	1	3	6	10	14	29
2. MULTIPLE DX	1300511	9.7	113	1	2	7	12	21	30	65
A. NOT OPERATED	1149089	7.7	72	1	2	5	9	16	22	48
B. OPERATED	1104810	7.6	97	<1	1	4	9	18	26	57
TOTAL 0-19 YRS	401585	4.1	27	<1	1	3	5	7	10	27
20-34	524844	4.8	34	<1	1	3	6	9	13	30
35-49	316415	6.6	54	1	1	5	8	14	19	38
50-64	407546	8.8	84	1	2	6	11	18	25	50
65+	603509	12.3	146	2	3	9	15	26	37	81
GRAND TOTAL	**2253899**	**7.7**	**85**	**1**	**1**	**5**	**9**	**17**	**24**	**53**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89599	3.9	22	1	1	3	4	7	10	23
20-34	137151	4.4	28	1	1	3	4	7	11	28
35-49	50358	5.2	43	1	1	4	7	13	17	34
50-64	45133	7.1	47	1	2	5	9	14	19	35
65+	42982	8.5	71	1	2	6	11	17	23	47
B. *Operated*										
0-19 YRS	92886	3.1	13	<1	<1	2	4	6	8	18
20-34	182120	3.7	13	<1	1	3	5	7	9	17
35-49	87329	4.6	24	<1	1	3	6	10	13	24
50-64	82357	6.1	41	1	2	4	8	13	18	31
65+	74289	7.9	73	1	2	5	10	18	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67870	4.9	39	1	1	3	6	9	13	33
20-34	75612	6.7	58	1	1	5	8	14	20	41
35-49	80196	7.9	55	1	2	6	10	16	21	39
50-64	152521	9.1	69	2	2	7	11	18	23	45
65+	302901	11.9	120	2	3	9	15	23	33	76
B. *Operated*										
0-19 YRS	45498	5.1	65	<1	1	3	5	11	17	48
20-34	129961	5.8	48	<1	1	4	7	10	16	39
35-49	98532	7.6	78	1	1	5	9	16	23	50
50-64	127535	10.9	133	2	2	8	14	24	33	68
65+	183337	15.5	215	2	3	11	21	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365223	5.3	39	1	1	3	6	11	15	32
B. *Operated*	518981	4.7	31	<1	1	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	679100	9.5	92	1	2	7	12	19	27	58
B. *Operated*	584863	10.2	141	1	2	6	13	24	35	73
1. SINGLE DX	884204	5.0	34	<1	1	3	6	10	15	29
2. MULTIPLE DX	1263963	9.8	115	1	2	7	12	21	31	66
A. NOT OPERATED	1044323	8.0	77	1	2	5	10	17	23	50
B. OPERATED	1103844	7.6	97	<1	1	4	9	18	26	57
TOTAL 0-19 YRS	295853	4.0	31	<1	1	3	4	8	11	28
20-34	524844	4.8	34	<1	1	3	6	9	13	30
35-49	316415	6.6	54	1	1	5	8	14	19	38
50-64	407546	8.8	84	1	2	6	11	18	25	50
65+	603509	12.3	146	2	3	9	15	26	37	81
GRAND TOTAL	**2148167**	**7.8**	**87**	**1**	**1**	**5**	**9**	**17**	**25**	**54**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2069	3.5	6	1	1	3	4	6	8	14
20-34	762	3.7	7	1	1	3	5	7	9	13
35-49	281	4.1	9	1	1	3	5	8	10	15
50-64	191	4.4	12	1	1	4	6	9	11	17
65+	164	4.9	16	1	1	4	6	10	12	18
B. *Operated*										
0-19 YRS	33	7.1	23	2	3	6	9	10	19	25
20-34	58	6.7	14	2	3	6	8	11	13	23
35-49	20	6.0	26	1	2	4	7	11	18	24
50-64	15	11.3	48	3	5	10	15	20	27	29
65+	8	16.4	71	2	4	16	23	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1852	4.2	8	1	2	4	5	8	10	15
20-34	599	4.4	11	1	2	3	6	9	10	17
35-49	392	5.1	12	1	2	4	7	9	11	19
50-64	486	5.8	21	1	2	5	7	11	15	23
65+	885	7.9	48	2	3	6	9	15	21	40
B. *Operated*										
0-19 YRS	31	8.0	85	1	2	6	8	15	26	50
20-34	59	8.4	34	2	3	7	10	15	22	30
35-49	50	13.4	192	3	4	9	18	30	36	99+
50-64	48	11.1	63	4	4	9	13	19	23	50
65+	62	16.5	132	4	6	14	21	35	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3467	3.7	8	1	1	3	5	7	9	15
B. *Operated*	134	7.8	31	2	3	6	9	14	22	27
2. MULTIPLE DX										
A. *Not Operated*	4214	5.3	20	1	2	4	6	10	13	23
B. *Operated*	250	11.9	111	3	4	9	16	24	34	99
1. SINGLE DX	3601	3.9	9	1	1	3	5	7	9	16
2. MULTIPLE DX	4464	5.7	28	1	2	4	7	11	15	28
A. NOT OPERATED	7681	4.6	15	1	2	4	6	9	11	20
B. OPERATED	384	10.4	87	2	3	8	12	21	28	77
TOTAL 0-19 YRS	3985	3.9	8	1	1	3	5	7	9	15
20-34	1478	4.3	11	1	1	3	5	8	10	17
35-49	743	5.3	28	1	2	4	6	10	13	24
50-64	740	5.9	24	1	2	5	7	11	16	24
65+	1119	8.0	54	2	2	6	9	16	22	42
GRAND TOTAL	**8065**	**4.9**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.1	37	3	3	5	12	17	21	24
20-34	44	16.4	134	4	5	13	22	32	34	62
35-49	50	19.5	155	3	5	16	29	37	41	58
50-64	23	17.3	137	5	7	15	21	31	46	54
65+	36	13.4	104	1	2	11	19	29	30	45
B. *Operated*										
0-19 YRS	6	9.0	18	4	4	9	10	15	16	16
20-34	23	19.0	250	1	2	14	26	45	54	59
35-49	27	12.1	89	2	2	9	18	32	41	99+
50-64	33	16.5	178	3	5	12	20	40	49	58
65+	24	16.1	227	2	2	13	18	28	58	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	13	2	2	7	9	12	14	14
20-34	49	20.5	272	3	5	16	25	44	55	80
35-49	80	22.7	327	3	6	17	32	51	74	99+
50-64	87	21.7	284	5	6	16	30	56	71	99+
65+	108	19.5	237	3	5	16	26	43	53	99+
B. *Operated*										
0-19 YRS	3	12.0	19	7	7	14	15	15	15	15
20-34	28	25.6	529	3	7	17	31	55	85	99
35-49	47	19.0	94	3	7	18	25	35	39	99+
50-64	64	20.1	268	4	5	17	24	51	80	99+
65+	84	26.8	352	4	8	23	36	51	61	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	15.8	133	3	4	13	22	31	39	57
B. *Operated*	113	15.5	176	2	3	11	20	35	51	77
2. MULTIPLE DX										
A. *Not Operated*	334	20.6	274	3	5	16	28	46	68	99+
B. *Operated*	226	22.9	301	4	7	19	31	44	61	99+
1. SINGLE DX	286	15.7	149	2	3	13	21	32	41	61
2. MULTIPLE DX	560	21.5	286	3	6	17	29	45	67	99+
A. NOT OPERATED	507	19.0	231	3	4	15	25	41	56	99+
B. OPERATED	339	20.4	271	3	5	16	26	42	57	99+
TOTAL 0-19 YRS	39	8.2	27	3	3	7	11	15	17	24
20-34	144	20.0	280	3	5	15	26	42	55	85
35-49	204	19.7	209	2	5	17	27	40	56	99+
50-64	207	19.9	247	4	6	15	25	46	67	99+
65+	252	20.7	276	3	4	17	28	43	55	99
GRAND TOTAL	**846**	**19.6**	**247**	**3**	**5**	**15**	**25**	**41**	**57**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	16.7	5	14	14	18	18	18	18	18
20-34	5	7.2	55	2	2	4	10	20	20	20
35-49	5	5.8	41	1	1	3	8	17	17	17
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	4	8.5	55	2	2	6	13	19	19	19
B. *Operated*										
0-19 YRS	10	9.3	234	<1	<1	2	10	35	49	49
20-34	13	8.8	98	1	2	4	16	23	30	32
35-49	12	13.0	119	2	3	7	22	30	31	31
50-64	14	17.4	443	2	2	11	20	35	74	85
65+	9	9.1	65	<1	1	6	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	7	13.9	49	5	6	15	16	25	27	27
35-49	8	14.9	235	2	3	10	18	41	49	49
50-64	9	13.8	261	2	2	6	21	41	51	51
65+	16	16.2	118	4	5	14	19	33	42	46
B. *Operated*										
0-19 YRS	3	9.7	40	6	6	6	14	17	17	17
20-34	20	18.0	135	2	4	17	27	33	39	44
35-49	14	16.2	132	5	5	12	30	37	84	99+
50-64	16	22.9	190	7	9	23	34	50	83	99+
65+	19	29.5	541	2	3	32	67	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.7	45	1	2	7	16	19	20	20
B. *Operated*	58	11.9	203	<1	1	6	20	27	32	82
2. MULTIPLE DX										
A. *Not Operated*	42	14.9	145	3	4	12	19	29	47	51
B. *Operated*	72	21.4	271	3	5	18	33	67	99+	99+
1. SINGLE DX	77	11.1	165	1	2	6	18	22	31	75
2. MULTIPLE DX	114	19.0	233	3	4	16	29	51	89	99+
A. NOT OPERATED	61	13.0	121	2	3	10	18	25	39	51
B. OPERATED	130	17.2	262	1	2	13	28	48	83	99+
TOTAL 0-19 YRS	18	11.1	145	<1	<1	6	18	21	38	49
20-34	45	13.5	117	1	2	11	21	28	33	44
35-49	39	13.6	138	2	3	10	21	34	43	99+
50-64	41	18.3	286	2	3	12	28	44	65	99+
65+	48	19.5	335	2	3	16	32	73	99+	99+
GRAND TOTAL	**191**	**15.8**	**220**	**2**	**2**	**12**	**22**	**39**	**56**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	2.9	2	1	1	3	3	4	5	7
20-34	70	3.6	3	2	2	3	4	5	7	11
35-49	18	3.6	3	1	2	3	4	7	7	7
50-64	4	3.5	4	1	1	4	5	5	5	5
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	24	1.6		1	1	2	2	2	2	2
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	363	3.8	7	1	2	3	4	6	9	15
20-34	93	4.2	9	2	2	4	5	6	8	21
35-49	25	5.5	9	2	2	4	8	10	11	11
50-64	30	6.0	14	3	3	5	7	9	16	19
65+	19	6.7	38	2	2	4	7	16	23	26
B. *Operated*										
0-19 YRS	11	3.1	3	1	1	2	4	6	6	6
20-34	4	8.0	5	6	6	8	10	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	20.0		20	20	20	20	20	20	20
65+	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	3.1	2	1	2	3	4	5	6	9
B. *Operated*	30	1.6		1	1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	530	4.2	9	1	2	4	5	7	9	18
B. *Operated*	19	5.1	20	1	2	4	6	10	16	20
1. SINGLE DX	395	3.0	2	1	1	3	4	4	6	9
2. MULTIPLE DX	549	4.2	10	1	2	4	5	7	10	19
A. NOT OPERATED	895	3.7	7	1	2	3	4	6	8	15
B. OPERATED	49	3.0	10	1	1	2	3	6	10	20
TOTAL 0-19 YRS	669	3.3	5	1	1	3	4	5	7	14
20-34	173	3.9	7	2	2	3	5	6	8	11
35-49	44	4.7	7	2	2	4	6	9	10	11
50-64	35	6.1	19	2	3	5	7	10	18	20
65+	23	6.3	33	2	2	4	7	13	21	26
GRAND TOTAL	**944**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	5.8	19	2	2	5	7	10	13	22
20-34	22	9.1	54	1	2	8	12	18	27	32
35-49	10	7.0	37	2	2	5	9	17	22	22
50-64	22	10.0	52	2	3	7	14	21	25	29
65+	68	12.7	48	4	6	10	16	23	28	33
B. *Operated*										
0-19 YRS	4	14.5	212	4	4	9	23	36	36	36
20-34	3	7.0	7	4	4	8	9	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64	6	19.2	135	6	6	18	24	37	38	38
65+	4	35.8	215	14	14	41	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	7.6	37	2	2	6	10	14	20	32
20-34	96	13.6	131	4	4	9	17	32	41	50
35-49	99	11.4	62	3	4	9	14	25	31	68
50-64	331	14.7	123	4	5	11	19	30	35	55
65+	1301	17.1	185	5	7	14	19	31	44	83
B. *Operated*										
0-19 YRS	30	18.5	227	5	5	15	22	37	50	71
20-34	39	18.9	282	2	4	14	26	34	64	74
35-49	41	23.5	265	7	8	25	34	87	99+	99+
50-64	113	24.7	330	7	9	18	31	51	71	99+
65+	299	27.2	313	9	11	24	36	61	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	7.5	36	2	2	6	9	15	19	31
B. *Operated*	18	19.3	216	4	5	12	36	42	44	46
2. MULTIPLE DX										
A. *Not Operated*	2143	14.9	197	4	5	12	18	29	38	78
B. *Operated*	522	25.3	312	7	9	21	34	56	82	99+
1. SINGLE DX	387	8.1	50	2	3	6	10	16	22	39
2. MULTIPLE DX	2665	16.9	204	4	5	13	20	34	48	96
A. NOT OPERATED	2512	13.8	146	3	4	11	17	27	36	75
B. OPERATED	540	25.1	309	7	8	21	34	55	80	99+
TOTAL 0-19 YRS	597	7.4	47	2	2	5	9	14	21	38
20-34	160	14.1	163	3	4	9	18	31	40	71
35-49	151	14.4	145	3	5	10	21	33	50	99+
50-64	472	16.9	189	4	5	13	22	34	46	88
65+	1672	18.8	219	5	7	14	21	37	53	96
GRAND TOTAL	3052	15.8	193	3	4	12	19	33	46	92

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	8.2	26	2	2	8	11	15	17	24
20-34	41	7.3	31	3	3	6	9	12	19	31
35-49	29	7.0	11	3	3	6	9	13	14	15
50-64	39	7.1	17	2	3	6	9	14	16	18
65+	23	9.1	35	3	4	6	12	18	22	25
B. *Operated*										
0-19 YRS	14	8.4	30	<1	1	8	10	13	21	23
20-34	5	16.2	120	2	2	21	23	29	29	29
35-49	2	46.5	4141	1	1	46	92	92	92	92
50-64	8	11.1	226	2	2	5	11	37	47	47
65+	4	15.8	30	11	11	14	20	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	8.5	25	2	3	7	11	16	19	22
20-34	51	9.2	36	3	3	7	11	19	21	28
35-49	51	13.0	77	4	5	9	18	27	30	45
50-64	93	12.6	122	3	4	9	16	29	37	83
65+	152	14.1	129	4	4	12	18	28	37	84
B. *Operated*										
0-19 YRS	11	12.5	31	6	6	13	16	21	23	23
20-34	13	18.3	128	5	7	16	30	42	87	99+
35-49	23	22.0	159	2	5	19	34	39	42	45
50-64	21	24.1	539	4	5	17	33	81	92	99+
65+	40	26.2	335	7	8	20	34	54	69	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	7.9	25	2	3	7	11	14	17	24
B. *Operated*	33	13.4	292	1	2	9	15	24	44	92
2. MULTIPLE DX										
A. *Not Operated*	487	11.6	88	3	4	9	15	22	29	58
B. *Operated*	108	22.6	290	5	7	18	33	43	76	99+
1. SINGLE DX	412	8.4	48	2	3	7	11	15	18	30
2. MULTIPLE DX	595	13.6	142	3	4	10	17	28	37	83
A. NOT OPERATED	866	10.0	63	2	3	8	13	19	24	45
B. OPERATED	141	20.4	304	2	5	16	28	40	67	99+
TOTAL 0-19 YRS	412	8.4	26	2	3	8	11	15	18	23
20-34	110	9.9	59	3	3	7	12	22	29	61
35-49	105	14.0	162	3	4	9	18	30	37	66
50-64	161	12.7	177	3	4	8	16	29	46	98
65+	219	15.8	180	4	5	12	20	32	41	81
GRAND TOTAL	1007	11.4	110	2	3	9	14	22	32	67

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	4.2	7	1	2	4	5	8	10	13
20-34	270	5.1	12	2	2	4	6	9	11	21
35-49	63	5.8	13	1	2	5	7	10	13	18
50-64	7	6.4	14	2	2	6	8	12	13	13
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	4	12.8	128	2	2	13	22	23	23	23
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	5.2	11	1	2	4	7	10	12	15
20-34	92	7.0	16	2	3	6	9	13	15	20
35-49	31	7.7	41	2	3	6	8	13	17	37
50-64	19	7.8	24	3	3	6	11	16	18	19
65+	13	12.6	55	5	6	12	15	22	30	32
B. *Operated*										
0-19 YRS	5	9.6	32	4	4	9	13	18	18	18
20-34	8	10.5	44	3	4	8	15	21	22	22
35-49	4	14.5	56	8	8	13	20	24	24	24
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	46.5	1256	8	8	49	76	80	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	4.7	10	1	2	4	6	8	10	15
B. *Operated*	7	9.7	81	2	2	4	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	300	6.5	21	2	2	5	8	12	14	21
B. *Operated*	22	17.3	412	3	4	9	18	39	76	80
1. SINGLE DX	791	4.7	10	1	2	4	6	9	10	16
2. MULTIPLE DX	322	7.2	54	2	2	6	9	13	17	33
A. NOT OPERATED	1084	5.2	13	1	2	4	7	10	12	17
B. OPERATED	29	15.4	338	3	4	9	19	25	73	80
TOTAL 0-19 YRS	596	4.6	9	1	2	4	6	9	10	14
20-34	372	5.7	15	2	2	5	7	10	14	22
35-49	99	6.8	26	2	2	6	8	12	16	31
50-64	27	7.3	21	3	3	6	9	14	17	19
65+	19	19.1	462	5	5	12	19	57	77	80
GRAND TOTAL	**1113**	**5.5**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	3.5	5	1	1	3	4	6	7	11
20-34	80	5.3	11	2	2	5	6	9	10	22
35-49	23	4.7	11	1	2	4	6	8	11	16
50-64	68	6.9	37	1	2	6	8	11	16	39
65+	114	8.1	37	2	3	6	10	15	18	34
B. *Operated*										
0-19 YRS	3	6.3	8	3	3	8	8	8	8	8
20-34	6	5.2	19	<1	<1	4	7	12	13	13
35-49	4	9.8	54	2	2	10	16	17	17	17
50-64	9	5.0	10	2	2	4	6	10	12	12
65+	3	11.0	91	2	2	10	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	505	3.9	6	1	2	3	5	6	9	13
20-34	96	6.0	38	2	2	5	6	10	16	39
35-49	46	8.9	63	2	3	6	10	18	30	38
50-64	187	8.6	40	2	3	7	11	17	24	29
65+	624	12.6	125	3	4	9	15	25	35	65
B. *Operated*										
0-19 YRS	10	7.3	20	3	3	6	8	14	18	18
20-34	10	17.3	322	1	3	11	22	45	62	62
35-49	12	9.5	39	2	3	7	14	18	21	22
50-64	16	11.2	68	1	2	9	18	24	26	27
65+	90	17.8	252	3	4	14	24	34	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	711	4.8	17	1	2	4	6	9	11	25
B. *Operated*	25	6.7	28	1	2	5	9	15	18	21
2. MULTIPLE DX										
A. *Not Operated*	1458	8.5	80	2	2	6	10	18	25	55
B. *Operated*	138	15.5	211	2	3	12	20	28	43	88
1. SINGLE DX	736	4.8	18	1	2	4	6	9	12	25
2. MULTIPLE DX	1596	9.1	95	2	2	6	11	19	27	62
A. NOT OPERATED	2169	7.3	63	2	2	5	9	15	21	44
B. OPERATED	163	14.1	193	2	3	11	18	27	42	85
TOTAL 0-19 YRS	944	3.8	6	1	2	3	4	6	8	13
20-34	192	6.3	46	2	2	5	7	10	16	41
35-49	85	7.9	48	2	2	5	9	16	23	36
50-64	280	8.2	41	2	3	6	10	17	23	29
65+	831	12.5	132	3	3	9	15	25	35	74
GRAND TOTAL	**2332**	**7.8**	**75**	**2**	**2**	**5**	**9**	**16**	**24**	**51**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	7.5	19	2	2	7	10	14	15	20
20-34	499	8.7	26	2	3	8	11	15	18	27
35-49	157	10.4	36	4	5	10	12	17	21	36
50-64	85	10.5	37	3	4	9	13	19	24	30
65+	37	9.6	24	3	4	8	12	19	20	20
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	23	9.7	63	2	2	7	14	21	25	29
35-49	12	8.6	51	1	2	6	14	20	22	22
50-64	10	18.4	685	2	2	9	15	62	87	87
65+	4	13.8	43	4	4	16	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	9.3	107	2	3	7	11	13	19	70
20-34	248	11.1	78	3	4	9	13	21	27	37
35-49	123	11.6	64	4	4	10	14	24	25	42
50-64	133	12.5	70	3	4	11	15	24	31	44
65+	115	14.1	78	5	5	13	17	24	30	77
B. *Operated*										
0-19 YRS	4	9.8	88	1	1	8	17	22	22	22
20-34	31	15.9	116	6	7	14	19	27	28	62
35-49	23	15.6	218	1	2	11	19	38	55	57
50-64	33	16.4	174	3	3	14	19	30	38	71
65+	24	26.1	384	7	11	16	38	64	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	9.0	29	2	3	8	11	15	19	27
B. *Operated*	51	11.3	180	2	2	8	15	21	29	86
2. MULTIPLE DX										
A. *Not Operated*	690	11.8	79	3	4	10	15	23	27	46
B. *Operated*	115	17.9	221	3	6	14	21	38	58	89
1. SINGLE DX	983	9.1	37	2	3	8	11	16	19	29
2. MULTIPLE DX	805	12.6	103	3	4	10	15	24	30	63
A. NOT OPERATED	1622	10.2	52	3	4	9	13	18	24	36
B. OPERATED	166	15.9	216	2	3	12	19	32	54	86
TOTAL 0-19 YRS	231	8.1	48	2	2	7	11	14	16	31
20-34	801	9.7	49	2	3	8	12	17	23	31
35-49	315	11.2	62	3	4	10	13	21	25	44
50-64	261	12.5	97	3	4	10	15	24	30	47
65+	180	14.8	128	4	5	12	18	27	39	95
GRAND TOTAL	**1788**	**10.7**	**70**	**2**	**4**	**9**	**13**	**19**	**25**	**43**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	702	4.8	9	2	2	4	6	8	10	14
20-34	204	6.1	14	2	2	5	8	12	13	18
35-49	34	7.0	11	2	3	6	9	12	14	14
50-64	10	6.6	5	2	3	7	8	9	10	10
65+										
B. *Operated*										
0-19 YRS	9	4.6	14	2	2	3	5	11	14	14
20-34	5	8.0	9	3	3	9	10	11	11	11
35-49	2	13.0	72	7	7	13	19	19	19	19
50-64	2	14.5	25	11	11	14	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	5.3	12	2	2	5	7	9	11	17
20-34	182	6.0	16	2	2	5	8	11	13	19
35-49	27	6.1	16	2	2	5	8	13	15	17
50-64	16	8.3	26	2	2	7	12	13	18	20
65+	4	6.5	11	4	4	6	9	11	11	11
B. *Operated*										
0-19 YRS	14	10.6	108	3	3	8	11	22	38	43
20-34	16	9.8	41	1	2	10	14	19	22	23
35-49	6	13.3	134	4	4	9	17	33	35	35
50-64	3	10.7	10	7	7	12	13	13	13	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	5.1	11	2	2	4	6	9	11	17
B. *Operated*	18	7.6	28	2	2	6	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*	831	5.5	13	2	2	5	7	10	12	18
B. *Operated*	39	10.7	73	2	2	9	13	20	30	43
1. SINGLE DX	968	5.2	11	2	2	4	6	9	11	17
2. MULTIPLE DX	870	5.8	17	2	2	5	7	11	13	21
A. NOT OPERATED	1781	5.3	12	2	2	5	7	9	12	17
B. OPERATED	57	9.7	60	2	2	8	12	19	22	42
TOTAL 0-19 YRS	1327	5.1	12	2	2	4	6	9	10	17
20-34	407	6.2	16	2	2	5	8	12	14	19
35-49	69	7.4	27	2	3	6	9	14	17	32
50-64	31	8.4	20	2	3	7	12	13	18	20
65+	4	6.5	11	4	4	6	9	11	11	11
GRAND TOTAL	**1838**	**5.5**	**14**	**2**	**2**	**5**	**7**	**10**	**12**	**19**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	338	1.9	2	<1	<1	2	2	3	4	8
20-34	930	2.1	2	<1	<1	2	2	4	5	8
35-49	180	2.3	2	<1	<1	2	3	4	5	9
50-64	66	2.1	2	<1	<1	2	3	4	5	6
65+	15	3.3	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	10	1.8	1	<1	<1	1	3	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	49	3.4	14	<1	<1	2	4	6	7	26
20-34	231	2.9	5	<1	<1	2	4	5	8	12
35-49	78	4.1	15	<1	<1	3	5	9	11	20
50-64	38	3.2	5	<1	<1	2	4	7	8	10
65+	24	7.2	95	1	2	4	7	18	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.1	3	1	1	3	4	6	7	7
B. *Operated*	1529	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	18	2.7	13	<1	<1	1	3	7	12	15
B. *Operated*	420	3.5	14	<1	<1	2	4	7	9	19
1. SINGLE DX	1539	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX	438	3.4	14	<1	<1	2	4	7	9	19
A. NOT OPERATED	28	2.9	9	<1	<1	2	3	6	9	15
B. OPERATED	1949	2.4	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	395	2.0	4	<1	<1	2	2	3	5	8
20-34	1176	2.3	3	<1	<1	2	3	4	5	10
35-49	259	2.9	7	<1	<1	2	3	5	8	12
50-64	106	2.5	3	<1	<1	2	3	5	6	9
65+	41	6.0	62	<1	2	4	7	12	19	47
GRAND TOTAL	**1977**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1799	3.1	3	1	1	3	4	5	6	9
20-34	382	4.2	22	1	1	3	5	8	9	18
35-49	156	4.6	11	1	2	4	5	8	11	17
50-64	122	4.8	8	1	2	4	6	9	11	13
65+	94	5.4	19	2	2	4	7	10	13	26
B. *Operated*										
0-19 YRS	49	3.4	7	<1	1	3	4	6	8	15
20-34	30	4.9	23	<1	<1	3	7	11	16	21
35-49	12	5.9	17	1	2	5	8	13	14	14
50-64	10	7.8	23	3	3	7	10	15	17	17
65+	4	8.5	25	3	3	8	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1575	3.7	12	1	1	3	4	6	8	14
20-34	484	4.9	12	1	2	4	6	8	11	17
35-49	315	5.5	20	1	2	4	7	10	13	22
50-64	420	6.5	27	2	2	5	8	13	16	25
65+	785	8.7	68	2	3	6	10	16	22	43
B. *Operated*										
0-19 YRS	40	7.7	124	1	2	5	8	17	45	99+
20-34	45	9.4	54	1	2	8	13	19	23	34
35-49	32	10.5	31	3	4	9	14	18	22	23
50-64	47	14.9	183	4	5	10	19	35	54	99+
65+	38	12.4	22	4	6	13	16	19	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2553	3.5	8	1	1	3	4	6	8	12
B. *Operated*	105	4.7	17	<1	1	3	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	3579	5.5	30	1	2	4	6	10	14	27
B. *Operated*	202	11.1	93	2	3	9	14	21	27	87
1. SINGLE DX	2658	3.6	8	1	1	3	4	6	8	12
2. MULTIPLE DX	3781	5.8	35	1	2	4	7	11	15	29
A. NOT OPERATED	6132	4.7	22	1	2	4	5	8	12	22
B. OPERATED	307	8.9	76	1	2	7	12	18	22	71
TOTAL 0-19 YRS	3463	3.5	9	1	1	3	4	6	7	12
20-34	941	4.8	20	1	2	4	6	9	11	21
35-49	515	5.6	20	1	2	4	7	11	14	22
50-64	599	6.8	41	2	2	5	8	13	17	39
65+	921	8.5	62	2	3	6	10	16	21	39
GRAND TOTAL	**6439**	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	11	2	2	5	7	10	13	15
20-34	41	5.4	13	1	2	5	7	10	14	17
35-49	20	4.6	5	1	2	4	6	7	9	10
50-64	7	9.1	12	5	5	9	11	14	15	15
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.4	21	2	3	6	8	15	16	16
20-34	15	5.7	9	2	4	5	6	12	13	13
35-49	6	6.2	41	2	2	4	6	18	19	19
50-64	5	9.0	53	2	2	8	12	21	21	21
65+	6	7.7	7	5	5	7	10	11	11	11
B. *Operated*										
0-19 YRS										
20-34	2	19.0	200	9	9	19	29	29	29	29
35-49										
50-64										
65+	1	34.0		34	34	34	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.5	11	1	2	5	7	10	14	16
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	42	6.9	20	2	3	5	8	14	17	21
B. *Operated*	3	24.0	175	9	9	29	33	34	34	34
1. SINGLE DX	104	5.5	11	1	2	5	7	10	14	16
2. MULTIPLE DX	45	8.0	45	2	3	5	9	16	23	34
A. NOT OPERATED	145	5.9	14	2	2	5	7	11	14	19
B. OPERATED	4	18.8	227	3	3	19	31	34	34	34
TOTAL 0-19 YRS	44	6.0	13	2	2	5	7	11	15	16
20-34	58	5.9	21	1	2	5	7	12	14	28
35-49	27	4.9	12	2	2	4	6	8	11	19
50-64	12	9.1	26	2	4	8	11	17	20	21
65+	8	10.1	104	1	2	7	10	27	34	34
GRAND TOTAL	**149**	**6.2**	**23**	**2**	**2**	**5**	**7**	**12**	**15**	**29**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	6.4	11	2	2	6	9	11	13	14
20-34	148	6.2	16	2	3	5	7	11	15	23
35-49	31	6.6	53	<1	1	5	8	14	15	39
50-64	13	5.0	28	<1	<1	2	7	13	17	18
65+	9	4.8	23	<1	<1	3	8	12	14	14
B. *Operated*										
0-19 YRS	18	3.1	10	<1	<1	2	3	8	11	12
20-34	96	2.8	7	<1	<1	2	3	6	10	13
35-49	19	3.4	10	<1	<1	2	4	9	11	12
50-64	10	3.6	15	<1	1	2	3	10	14	14
65+	4	9.5	70	2	2	8	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.9	12	2	3	7	9	13	13	14
20-34	94	6.8	27	1	2	6	9	14	18	25
35-49	37	9.0	28	2	2	8	13	17	18	20
50-64	20	7.3	91	<1	1	4	9	18	30	41
65+	35	15.2	205	2	3	12	18	44	61	99+
B. *Operated*										
0-19 YRS	11	5.3	28	<1	<1	3	8	13	18	18
20-34	37	6.6	84	<1	1	4	7	12	23	52
35-49	30	10.3	347	<1	1	5	11	18	48	96
50-64	16	12.6	167	1	2	9	15	37	39	39
65+	15	14.8	352	2	2	8	20	68	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	6.2	19	1	2	5	8	11	14	22
B. *Operated*	147	3.2	11	<1	<1	2	3	6	11	14
2. MULTIPLE DX										
A. *Not Operated*	251	8.3	60	1	2	6	10	17	20	45
B. *Operated*	109	9.5	203	<1	1	5	10	22	41	98
1. SINGLE DX	421	5.1	18	<1	1	4	7	11	13	19
2. MULTIPLE DX	360	8.7	103	1	2	6	10	17	23	71
A. NOT OPERATED	525	7.2	40	1	2	6	9	14	18	40
B. OPERATED	256	5.9	102	<1	<1	3	6	13	19	70
TOTAL 0-19 YRS	167	6.1	14	1	2	6	9	11	13	14
20-34	375	5.5	25	<1	1	4	7	11	15	25
35-49	117	7.8	116	<1	1	6	10	15	18	64
50-64	59	7.6	92	<1	1	4	10	17	36	41
65+	63	13.3	212	1	2	10	17	41	69	99+
GRAND TOTAL	**781**	**6.8**	**60**	**<1**	**1**	**5**	**9**	**14**	**18**	**45**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.1	5	2	2	4	5	7	8	12
20-34	14	12.6	324	<1	<1	5	15	37	57	63
35-49	4	5.3	11	<1	<1	5	7	9	9	9
50-64	3	18.3	549	1	1	9	36	45	45	45
65+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
0-19 YRS	4	6.8	118	1	1	2	12	23	23	23
20-34	4	3.5	19	1	1	2	6	10	10	10
35-49	13	6.5	45	<1	1	3	10	14	23	25
50-64	10	3.1	10	<1	<1	2	3	8	12	12
65+	7	8.0	55	1	2	5	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	12	1	2	4	6	7	10	21
20-34	18	5.3	8	<1	1	6	7	9	11	11
35-49	34	7.8	238	<1	<1	4	6	13	24	90
50-64	36	12.1	211	2	3	8	14	24	50	71
65+	61	12.5	156	3	4	8	14	25	41	65
B. *Operated*										
0-19 YRS	4	10.5	12	7	7	10	13	15	15	15
20-34	13	15.6	172	3	6	11	20	34	48	51
35-49	14	19.9	459	1	3	13	31	43	73	81
50-64	20	15.4	162	1	2	14	22	43	72	99+
65+	16	11.3	84	1	2	11	[illegible]	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	7.4	127	<1	1	4	6	14	33	62
B. *Operated*	38	5.6	41	<1	1	3	9	15	22	25
2. MULTIPLE DX										
A. *Not Operated*	191	9.2	144	1	2	6	9	19	27	69
B. *Operated*	67	15.1	198	2	3	12	[illegible]	39	81	99+
1. SINGLE DX	91	6.7	91	<1	1	4	7	14	25	56
2. MULTIPLE DX	258	10.7	164	1	2	7	12	25	39	99
A. NOT OPERATED	244	8.8	140	1	2	5	9	17	30	66
B. OPERATED	105	11.6	161	1	1	9	17	31	49	99+
TOTAL 0-19 YRS	80	4.9	15	1	2	4	6	8	12	22
20-34	49	10.0	157	<1	<1	7	10	28	35	63
35-49	65	10.0	253	<1	<1	5	10	25	36	89
50-64	69	12.0	188	1	2	8	15	29	49	94
65+	86	11.8	131	2	3	8	15	25	48	99+
GRAND TOTAL	**349**	**9.7**	**148**	**1**	**1**	**6**	**11**	**23**	**35**	**90**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	7	1	1	4	5	6	10	12
20-34	13	4.5	8	<1	1	4	6	9	10	10
35-49	6	7.2	13	1	1	8	10	11	11	11
50-64	4	6.5	32	3	3	4	10	15	15	15
65+	3	6.7	24	1	1	9	10	10	10	10
B. *Operated*										
0-19 YRS	9	5.1	4	4	4	4	5	8	10	10
20-34	12	11.1	40	3	3	11	17	19	20	20
35-49	4	7.0	11	3	3	7	9	11	11	11
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	24	<1	<1	2	9	12	13	13
20-34	10	8.0	28	1	1	8	11	16	17	17
35-49	6	7.8	10	4	4	8	11	11	11	11
50-64	4	6.8	10	4	4	6	9	11	11	11
65+	4	13.0	7	10	10	13	15	16	16	16
B. *Operated*										
0-19 YRS	17	5.2	20	2	2	4	6	8	16	21
20-34	11	12.7	114	1	3	11	15	27	40	41
35-49	12	14.5	140	2	5	11	16	29	46	49
50-64	7	22.1	546	2	2	21	34	60	66	66
65+	2	34.5	365	21	21	34	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.0	12	1	1	4	6	10	11	15
B. *Operated*	27	8.8	36	3	3	6	12	18	21	24
2. MULTIPLE DX										
A. *Not Operated*	31	7.7	23	<1	1	7	11	14	16	17
B. *Operated*	49	12.8	192	2	2	8	15	31	48	66
1. SINGLE DX	69	6.5	25	1	1	5	9	14	18	23
2. MULTIPLE DX	80	10.8	131	1	2	8	13	21	39	61
A. NOT OPERATED	73	6.1	18	1	1	5	10	12	15	17
B. OPERATED	76	11.4	139	2	3	7	15	21	40	62
TOTAL 0-19 YRS	49	4.7	13	1	1	4	5	9	12	21
20-34	46	8.9	54	1	1	6	13	18	19	41
35-49	28	10.4	76	2	3	10	11	16	23	49
50-64	16	13.4	291	2	3	5	18	36	58	66
65+	10	16.5	164	1	5	13	21	36	48	48
GRAND TOTAL	**149**	**8.8**	**86**	**1**	**2**	**6**	**11**	**17**	**21**	**49**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	6.2	28	1	2	4	7	14	16	24
20-34	50	5.4	17	1	2	5	7	9	12	26
35-49	38	7.3	23	1	2	6	10	13	18	21
50-64	15	9.1	56	2	3	8	13	19	26	29
65+	3	10.0	7	7	7	11	12	12	12	12
B. *Operated*										
0-19 YRS	9	3.4	9	1	1	2	6	8	9	9
20-34	159	5.5	21	1	2	4	7	11	14	23
35-49	117	6.8	48	1	2	4	9	15	18	44
50-64	52	8.4	60	1	2	6	11	16	27	37
65+	17	11.7	103	2	3	9	13	30	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.8	25	<1	2	6	9	13	18	23
20-34	67	8.0	61	2	2	6	9	14	28	46
35-49	91	12.1	112	2	3	10	16	24	35	56
50-64	58	11.0	58	2	3	11	14	18	26	40
65+	46	15.4	172	4	4	12	18	30	38	74
B. *Operated*										
0-19 YRS	6	7.8	30	2	2	7	12	15	15	15
20-34	91	10.0	48	2	2	9	13	19	22	33
35-49	97	13.2	161	2	2	11	17	32	43	84
50-64	58	14.4	247	2	3	9	17	37	51	99+
65+	25	20.9	177	2	3	17	33	36	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	6.6	26	1	2	5	9	13	17	26
B. *Operated*	354	6.6	42	1	2	4	9	13	17	35
2. MULTIPLE DX										
A. *Not Operated*	299	10.8	95	2	3	8	14	21	30	49
B. *Operated*	277	13.0	148	2	2	10	17	31	39	87
1. SINGLE DX	489	6.6	37	1	2	5	9	13	17	33
2. MULTIPLE DX	576	11.9	121	2	3	9	15	25	35	64
A. NOT OPERATED	434	9.5	77	2	2	7	12	19	26	44
B. OPERATED	631	9.4	98	2	2	6	12	20	32	50
TOTAL 0-19 YRS	81	6.3	25	1	1	5	8	14	15	24
20-34	367	7.1	38	1	2	5	9	14	18	33
35-49	343	10.1	102	2	2	7	13	21	32	60
50-64	183	11.2	123	2	2	9	14	21	36	83
65+	91	16.1	163	3	4	12	22	34	36	64
GRAND TOTAL	**1065**	**9.4**	**90**	**2**	**2**	**7**	**12**	**19**	**29**	**48**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	8.0		8	8	8	8	8	8	8
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64	3	5.3	9	2	2	6	7	8	8	8
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	32	2	2	5	11	13	13	13
20-34	3	15.0	103	4	4	17	22	24	24	24
35-49	5	5.2	17	2	2	3	7	12	12	12
50-64	7	9.3	23	4	4	9	14	15	15	15
65+	5	12.4	42	2	2	15	16	19	19	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	11.7	228	2	2	7	9	39	42	42
50-64	9	14.1	406	2	3	6	14	47	66	66
65+	9	14.8	79	2	5	11	19	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.0	14	2	2	6	8	11	13	13
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	23	9.5	41	2	2	9	15	17	21	24
B. *Operated*	26	12.8	213	2	2	9	16	33	47	66
1. SINGLE DX	11	5.6	12	2	2	6	8	10	13	13
2. MULTIPLE DX	49	11.3	132	2	2	9	15	19	34	66
A. NOT OPERATED	32	8.5	35	2	2	7	13	16	19	24
B. OPERATED	28	12.2	203	2	2	8	14	30	44	66
TOTAL 0-19 YRS	6	4.3	19	2	2	2	5	12	13	13
20-34	6	10.5	70	2	2	8	17	23	24	24
35-49	15	8.1	100	2	2	6	9	13	35	42
50-64	19	10.9	200	2	3	6	12	17	45	66
65+	14	13.9	63	2	2	13	19	21	31	34
GRAND TOTAL	**60**	**10.2**	**114**	**2**	**2**	**8**	**13**	**19**	**29**	**64**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	7.8	17	1	1	9	10	12	12	12
35-49	11	4.5	10	1	1	3	7	10	10	10
50-64	67	6.9	70	1	1	4	7	17	26	41
65+	48	8.9	57	1	2	7	12	19	29	99+
B. *Operated*										
0-19 YRS	4	6.3	30	2	2	4	10	14	14	14
20-34	27	5.7	16	1	2	5	7	11	14	18
35-49	93	7.7	118	1	2	5	8	16	27	66
50-64	341	8.9	116	1	2	5	11	19	28	70
65+	301	8.0	100	1	2	5	9	16	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	10	7.7	36	2	2	7	9	16	23	23
35-49	28	7.8	60	<1	<1	5	10	21	24	30
50-64	170	10.5	156	<1	1	7	11	28	38	59
65+	159	11.7	155	2	2	7	15	28	39	68
B. *Operated*										
0-19 YRS	2	18.5	145	10	10	27	82	99+	99+	99+
20-34	17	18.5	321	1	2	12	28	42	60	69
35-49	95	18.4	356	1	2	14	25	41	82	99+
50-64	422	15.8	287	2	2	10	20	41	61	99+
65+	470	17.1	320	2	2	11	21	44	60	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	7.4	59	1	1	5	10	16	25	51
B. *Operated*	766	8.3	106	1	2	5	10	17	27	62
2. MULTIPLE DX										
A. *Not Operated*	370	10.6	145	<1	2	7	13	26	37	59
B. *Operated*	1006	16.7	309	2	2	11	21	43	62	99+
1. SINGLE DX	900	8.1	99	1	2	5	10	17	27	61
2. MULTIPLE DX	1376	15.1	272	2	2	10	19	38	54	97
A. NOT OPERATED	504	9.8	124	1	2	6	11	23	34	57
B. OPERATED	1772	13.1	239	2	2	8	16	33	50	92
TOTAL 0-19 YRS	11	6.7	62	<1	1	4	12	49	93	99+
20-34	60	9.9	132	1	2	7	11	22	33	66
35-49	227	12.0	233	1	2	7	15	28	42	98
50-64	1000	11.9	203	1	2	7	15	29	43	83
65+	978	13.0	229	2	2	8	16	34	48	80
GRAND TOTAL	**2276**	**12.3**	**215**	**1**	**2**	**7**	**15**	**30**	**45**	**83**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	8.8	39	5	5	6	12	18	18	18
50-64	37	9.4	88	1	1	7	11	25	34	38
65+	41	8.8	101	1	2	6	9	13	38	49
B. *Operated*										
0-19 YRS										
20-34	2	19.0		19	19	19	19	19	19	19
35-49	21	18.9	323	2	3	12	22	45	64	71
50-64	63	14.8	194	1	2	11	20	29	48	68
65+	120	16.9	208	2	3	14	23	34	47	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	7.0	6	3	4	7	8	10	12	12
50-64	64	16.6	355	2	2	11	20	50	64	99+
65+	122	13.3	131	1	3	10	17	34	39	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	24	23.9	348	2	5	20	26	56	62	68
50-64	158	21.9	287	3	5	19	31	48	64	99+
65+	234	22.7	339	2	5	18	31	53	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	9.1	91	1	2	6	10	18	35	47
B. *Operated*	206	16.5	213	2	3	14	23	34	48	70
2. MULTIPLE DX										
A. *Not Operated*	197	14.0	201	1	3	10	17	34	44	98
B. *Operated*	416	22.4	318	2	5	19	31	51	62	99+
1. SINGLE DX	288	14.4	189	2	2	10	20	33	43	68
2. MULTIPLE DX	613	19.7	296	2	4	15	27	45	59	99+
A. NOT OPERATED	279	12.6	173	1	2	8	15	31	40	92
B. OPERATED	622	20.5	291	2	3	17	27	47	58	99
TOTAL 0-19 YRS										
20-34	2	19.0		19	19	19	19	19	19	19
35-49	60	18.0	291	2	4	12	21	47	59	71
50-64	322	18.0	276	2	2	14	24	42	56	99+
65+	517	18.0	262	2	3	13	25	41	56	95
GRAND TOTAL	**901**	**18.0**	**267**	**2**	**3**	**13**	**24**	**41**	**56**	**98**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	13	13.8	136	1	2	12	22	32	35	36
50-64	24	8.7	163	1	1	4	13	15	31	63
65+	47	9.5	88	1	2	7	13	17	28	52
B. *Operated*										
0-19 YRS										
20-34	4	12.0	18	8	8	11	15	18	18	18
35-49	17	13.8	70	4	5	11	17	28	33	34
50-64	87	18.0	134	3	7	15	21	33	41	64
65+	169	18.7	114	2	7	18	25	32	35	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	8.8	29	3	3	7	14	15	15	15
35-49	49	7.3	42	1	1	6	8	20	26	99+
50-64	121	11.8	115	1	2	8	15	26	33	54
65+	307	12.2	122	2	2	9	16	25	35	57
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	11	21.9	242	1	6	20	28	47	53	54
35-49	66	23.6	247	7	9	18	31	52	65	95
50-64	340	22.2	222	6	8	18	27	41	54	83
65+	816	24.2	218	7	9	21	31	45	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.8	115	1	1	7	13	20	32	59
B. *Operated*	277	18.1	117	3	7	17	23	32	37	65
2. MULTIPLE DX										
A. *Not Operated*	483	11.6	113	1	2	9	15	24	33	58
B. *Operated*	1234	23.6	221	6	9	20	30	44	57	96
1. SINGLE DX	363	16.1	129	1	3	14	21	31	35	62
2. MULTIPLE DX	1717	20.2	220	3	5	17	27	41	53	87
A. NOT OPERATED	569	11.3	113	1	2	8	15	24	33	59
B. OPERATED	1511	22.6	206	6	9	20	29	42	55	91
TOTAL 0-19 YRS	2	16.0	128	8	8	16	24	24	24	24
20-34	22	15.6	169	2	3	12	20	33	47	54
35-49	145	16.0	198	2	3	12	24	35	53	99+
50-64	572	18.8	204	2	5	16	24	36	51	70
65+	1339	20.3	207	3	5	17	27	40	49	86
GRAND TOTAL	**2080**	**19.5**	**206**	**2**	**5**	**17**	**26**	**38**	**50**	**81**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.3	12	1	1	4	7	8	8	8
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	2	17.0	8	15	15	17	19	19	19	19
35-49	3	37.0	859	14	14	27	59	70	70	70
50-64	11	20.6	188	5	9	17	22	44	52	53
65+	12	17.3	35	10	11	16	23	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	11.0	16	7	7	11	14	15	15	15
65+	15	9.3	48	1	3	6	15	21	21	21
B. *Operated*										
0-19 YRS										
20-34	3	19.3	112	8	8	21	27	29	29	29
35-49	26	17.3	85	4	10	15	21	35	39	41
50-64	56	22.0	254	7	9	16	29	38	51	95
65+	82	27.5	252	8	12	23	38	50	58	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	13	1	1	4	8	10	10	10
B. *Operated*	28	20.7	184	9	11	17	23	35	55	70
2. MULTIPLE DX										
A. *Not Operated*	21	8.9	39	2	3	6	12	20	21	21
B. *Operated*	167	23.9	236	7	9	19	32	44	55	78
1. SINGLE DX	33	18.4	188	4	5	15	22	29	51	70
2. MULTIPLE DX	188	22.3	236	4	7	18	30	43	52	75
A. NOT OPERATED	26	8.2	35	1	3	6	11	20	21	21
B. OPERATED	195	23.5	229	7	10	19	30	43	54	76
TOTAL 0-19 YRS										
20-34	6	16.0	82	4	4	17	21	28	29	29
35-49	31	18.5	176	4	5	15	22	37	41	70
50-64	73	20.6	237	5	8	15	28	38	51	90
65+	111	23.6	244	4	6	19	32	45	55	71
GRAND TOTAL	**221**	**21.7**	**230**	**4**	**7**	**17**	**28**	**42**	**52**	**73**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	2	14.0	72	8	8	14	20	20	20	20
35-49	26	6.3	42	1	1	5	6	8	18	36
50-64	47	6.1	44	1	1	5	7	11	13	45
65+	109	8.8	68	2	2	6	10	17	25	46
B. *Operated*										
0-19 YRS										
20-34	9	13.6	17	5	7	15	16	17	17	17
35-49	99	13.7	39	5	9	13	15	18	22	45
50-64	461	14.0	45	3	8	13	16	21	25	39
65+	927	16.6	82	4	9	15	20	27	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	9.3	68	1	1	8	14	22	24	24
35-49	43	6.4	29	1	2	5	7	17	20	23
50-64	327	10.2	95	1	2	7	13	22	32	49
65+	758	11.6	127	2	3	8	14	25	35	58
B. *Operated*										
0-19 YRS	6	23.0	1375	3	3	9	16	90	98	98
20-34	28	16.1	90	7	8	13	19	35	38	39
35-49	193	17.6	99	6	9	15	22	30	35	55
50-64	1398	19.4	154	8	10	16	23	33	42	73
65+	4161	22.7	182	8	11	19	28	41	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	7.8	59	1	2	6	8	15	21	43
B. *Operated*	1496	15.6	69	3	9	14	18	25	31	49
2. MULTIPLE DX										
A. *Not Operated*	1136	11.0	115	2	2	7	14	24	33	57
B. *Operated*	5786	21.7	176	8	10	18	26	39	49	84
1. SINGLE DX	1682	14.7	74	2	5	13	18	24	31	48
2. MULTIPLE DX	6922	19.9	181	4	6	17	25	37	47	83
A. NOT OPERATED	1322	10.5	108	2	2	7	13	23	32	55
B. OPERATED	7282	20.4	160	7	10	17	25	36	46	80
TOTAL 0-19 YRS	8	18.4	1055	3	3	6	13	73	98	98
20-34	47	14.4	74	3	6	12	18	25	37	39
35-49	361	14.4	88	3	4	13	17	27	32	50
50-64	2233	16.6	135	3	5	14	20	30	38	66
65+	5955	20.1	175	4	7	17	25	38	47	83
GRAND TOTAL	**8604**	**18.9**	**165**	**3**	**6**	**16**	**23**	**35**	**45**	**78**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	15	6.5	100	<1	1	3	7	12	34	41
50-64	26	7.0	75	1	2	4	6	18	26	42
65+	77	9.9	129	1	2	6	10	21	35	59
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	13	13.0	41	2	2	16	17	21	22	22
35-49	82	14.6	124	2	3	14	19	24	30	62
50-64	432	15.2	75	3	4	14	19	26	30	55
65+	651	16.4	115	3	4	15	21	28	36	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	17.0	149	6	6	16	27	29	29	29
35-49	23	8.3	52	1	2	6	10	15	24	35
50-64	186	10.8	135	1	2	7	14	23	30	70
65+	476	12.8	172	2	2	9	16	29	41	86
B. *Operated*										
0-19 YRS										
20-34	23	15.2	51	2	4	17	20	27	99+	99+
35-49	137	16.7	93	3	6	16	21	28	33	83
50-64	849	20.2	160	5	9	18	24	35	45	80
65+	1979	23.2	233	5	8	20	29	43	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	8.8	113	1	2	5	10	20	35	56
B. *Operated*	1180	15.8	100	3	4	15	20	27	34	55
2. MULTIPLE DX										
A. *Not Operated*	690	12.1	159	2	2	8	15	26	38	75
B. *Operated*	2988	22.0	208	5	8	19	27	40	53	98
1. SINGLE DX	1299	15.1	106	2	3	14	19	27	34	54
2. MULTIPLE DX	3678	20.1	213	3	5	17	26	38	52	93
A. NOT OPERATED	809	11.6	153	1	2	8	14	25	37	70
B. OPERATED	4168	20.2	185	4	6	18	25	37	49	90
TOTAL 0-19 YRS	3	8.3	42	2	2	8	13	15	15	15
20-34	41	14.4	57	2	3	16	19	26	54	99+
35-49	257	14.7	108	2	3	14	19	26	31	63
50-64	1493	17.3	144	3	4	15	22	30	41	76
65+	3183	19.9	216	3	5	17	26	38	52	91
GRAND TOTAL	**4977**	**18.8**	**190**	**3**	**4**	**16**	**24**	**36**	**47**	**88**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8		<1	<1	2	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	16	7.4	44	1	1	6	8	20	24	25
50-64	36	10.4	68	1	3	8	14	20	28	39
65+	35	9.6	66	2	3	8	11	16	21	47
B. *Operated*										
0-19 YRS	5	13.8	5	11	11	13	15	17	17	17
20-34	5	16.2	60	8	8	14	19	29	29	29
35-49	25	17.7	120	1	2	18	26	31	36	39
50-64	54	18.9	254	3	4	13	24	42	61	65
65+	88	18.4	164	1	3	17	25	34	40	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	4	<1	1	2	4	6	8	8
20-34	16	8.7	74	1	1	5	13	23	28	30
35-49	31	7.4	39	<1	1	6	10	16	22	23
50-64	90	8.4	62	1	1	6	11	19	28	36
65+	173	11.9	114	2	3	9	14	23	36	45
B. *Operated*										
0-19 YRS	3	9.7	25	5	5	12	57	99+	99+	99+
20-34	7	12.9	43	7	7	10	19	23	23	23
35-49	39	23.2	256	5	8	19	28	53	71	99+
50-64	165	22.4	212	6	8	18	29	44	55	73
65+	432	23.9	215	6	9	21	30	42	55	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	9.1	62	1	2	7	11	18	25	44
B. *Operated*	177	18.3	176	1	4	15	24	35	45	64
2. MULTIPLE DX										
A. *Not Operated*	324	10.0	90	1	2	7	13	21	30	43
B. *Operated*	646	23.3	216	6	8	20	30	42	56	88
1. SINGLE DX	270	15.1	156	1	3	12	20	30	39	62
2. MULTIPLE DX	970	18.8	213	2	4	16	25	39	49	78
A. NOT OPERATED	417	9.8	84	1	2	7	13	20	29	43
B. OPERATED	823	22.2	211	5	8	19	28	41	55	79
TOTAL 0-19 YRS	27	5.5	26	<1	1	3	10	15	25	99+
20-34	29	11.0	67	1	2	9	15	24	29	30
35-49	111	15.3	181	1	2	13	22	31	42	83
50-64	345	16.9	201	2	3	14	22	37	51	67
65+	728	19.7	207	3	5	17	26	39	48	77
GRAND TOTAL	**1240**	**18.0**	**203**	**2**	**4**	**15**	**24**	**37**	**47**	**73**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	9	9.3	59	3	3	4	18	20	22	22
50-64	53	8.8	66	1	2	6	9	22	30	35
65+	52	10.1	58	1	3	8	13	21	23	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	16.4	16	11	12	16	20	21	22	22
50-64	66	18.1	214	2	3	15	23	29	43	89
65+	79	23.7	211	4	6	22	30	44	52	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	44	7.7	38	2	2	6	9	17	24	28
50-64	137	9.8	65	1	2	7	12	22	26	41
65+	318	12.3	138	2	3	9	16	26	34	81
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	4	13.3	66	4	4	13	19	23	23	23
35-49	65	22.3	211	6	9	20	28	39	54	77
50-64	277	24.5	232	7	9	21	30	41	54	90
65+	621	24.6	187	8	11	22	31	41	56	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	9.4	61	1	2	7	12	21	24	35
B. *Operated*	153	20.9	209	2	5	19	25	41	47	68
2. MULTIPLE DX										
A. *Not Operated*	504	11.1	110	2	3	8	15	24	28	67
B. *Operated*	968	24.4	201	7	10	21	30	41	55	75
1. SINGLE DX	268	16.0	177	2	3	13	22	31	41	66
2. MULTIPLE DX	1472	19.9	210	3	5	17	26	37	50	74
A. NOT OPERATED	619	10.8	102	2	3	8	14	23	28	60
B. OPERATED	1121	23.9	204	7	10	21	30	41	54	73
TOTAL 0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34	9	8.9	49	2	3	5	13	20	23	23
35-49	126	15.9	174	2	3	13	22	30	41	63
50-64	533	18.4	217	2	4	16	25	36	46	74
65+	1070	20.2	204	3	5	18	27	37	52	70
GRAND TOTAL	**1740**	**19.3**	**206**	**3**	**4**	**17**	**26**	**37**	**48**	**70**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	70	5.6	51	1	1	3	7	12	20	42
50-64	276	6.9	88	1	1	4	9	14	20	37
65+	321	9.7	119	1	1	7	12	20	32	47
B. *Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	12	15.7	82	6	6	13	19	30	36	37
35-49	179	13.1	86	2	3	11	17	23	30	49
50-64	820	13.3	107	2	3	11	17	25	30	56
65+	808	13.9	121	2	3	11	19	28	36	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	10.0	147	1	1	6	12	30	40	44
35-49	299	10.3	127	1	2	6	13	25	36	66
50-64	1405	10.5	111	1	2	7	14	23	33	52
65+	1990	13.0	139	2	3	10	17	28	38	65
B. *Operated*										
0-19 YRS	4	12.3	14	8	8	12	15	17	17	17
20-34	20	20.0	149	8	9	18	23	39	49	53
35-49	442	16.2	112	3	4	14	21	30	36	55
50-64	2223	17.4	158	3	5	15	22	33	43	72
65+	2986	18.7	180	3	5	16	24	36	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	8.1	101	1	1	5	10	17	26	46
B. *Operated*	1821	13.6	111	2	3	11	18	26	33	55
2. MULTIPLE DX										
A. *Not Operated*	3711	11.8	129	1	2	8	15	27	36	59
B. *Operated*	5675	18.0	166	3	5	15	23	34	45	75
1. SINGLE DX	2491	12.1	114	1	2	10	16	24	31	53
2. MULTIPLE DX	9386	15.6	161	2	3	13	21	32	41	68
A. NOT OPERATED	4381	11.2	126	1	2	8	15	25	35	58
B. OPERATED	7496	16.9	156	3	4	14	22	32	42	69
TOTAL 0-19 YRS	9	9.0	31	1	1	11	13	16	17	17
20-34	49	15.1	146	1	2	11	21	31	44	53
35-49	990	13.1	118	2	2	10	18	28	35	56
50-64	4724	14.0	143	2	3	11	19	29	37	63
65+	6105	15.7	164	2	3	13	21	32	42	69
GRAND TOTAL	**11877**	**14.8**	**153**	**2**	**3**	**12**	**20**	**30**	**40**	**65**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	5.7		5	5	6	6	6	6	6
35-49	11	7.0	83	1	1	5	7	19	32	33
50-64	38	5.4	30	<1	1	4	6	12	18	26
65+	26	7.2	63	<1	1	5	9	21	25	30
B. *Operated*										
0-19 YRS	5	9.2	88	1	1	7	15	24	24	24
20-34	17	9.2	125	2	2	7	11	15	37	49
35-49	83	10.4	156	1	1	9	15	21	29	74
50-64	330	9.8	131	1	1	4	15	23	31	55
65+	305	8.8	125	1	2	3	13	19	32	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	5.8	33	1	1	3	12	12	12	12
35-49	29	9.0	152	1	2	5	9	21	27	64
50-64	91	7.4	117	1	1	5	8	14	21	67
65+	83	12.6	250	1	1	8	15	38	50	99
B. *Operated*										
0-19 YRS	3	14.7	201	2	2	12	25	30	30	30
20-34	10	18.0	281	2	2	9	32	43	52	52
35-49	65	16.2	140	2	2	14	24	33	43	92
50-64	342	16.6	237	2	2	13	24	37	47	99
65+	403	17.5	281	2	2	14	23	45	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.1	45	1	1	5	6	14	23	32
B. *Operated*	740	9.4	131	1	2	4	14	22	31	58
2. MULTIPLE DX										
A. *Not Operated*	210	9.6	176	1	1	6	10	21	38	94
B. *Operated*	823	17.0	250	2	2	14	24	38	52	99+
1. SINGLE DX	821	9.1	123	1	2	4	13	22	30	54
2. MULTIPLE DX	1033	15.5	244	1	2	12	22	36	51	99+
A. NOT OPERATED	291	8.6	141	1	1	5	9	20	30	80
B. OPERATED	1563	13.4	208	1	2	10	19	31	45	94
TOTAL 0-19 YRS	13	8.4	82	1	2	5	12	25	29	30
20-34	35	10.9	159	1	2	7	12	32	45	52
35-49	188	12.0	154	1	2	10	17	27	33	82
50-64	801	12.2	185	1	2	8	18	29	39	86
65+	817	13.4	229	1	2	9	18	33	50	98
GRAND TOTAL	**1854**	**12.7**	**200**	**1**	**2**	**9**	**18**	**30**	**42**	**92**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.2	10	<1	<1	2	4	5	8	19
20-34	14	7.2	64	<1	1	5	7	17	28	31
35-49	18	4.6	21	<1	1	3	6	13	16	17
50-64	21	4.3	3	1	1	5	5	6	7	8
65+	17	6.3	29	<1	1	5	9	15	18	19
B. *Operated*										
0-19 YRS	52	7.4	33	2	3	5	10	14	21	30
20-34	44	9.3	91	<1	2	5	11	21	27	50
35-49	50	7.7	50	2	2	6	11	14	19	41
50-64	95	9.4	91	2	2	6	12	22	32	46
65+	140	10.8	136	2	2	7	14	27	33	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.0	30	1	1	4	6	10	16	31
20-34	17	10.6	269	1	1	5	8	46	52	52
35-49	9	8.2	39	2	2	5	15	18	18	18
50-64	56	11.7	276	1	2	5	15	24	48	94
65+	80	11.2	164	2	2	8	14	22	43	93
B. *Operated*										
0-19 YRS	10	15.1	103	2	5	12	19	32	33	33
20-34	25	20.7	546	4	5	11	25	52	83	94
35-49	37	15.9	152	2	3	13	23	35	53	99+
50-64	98	15.0	180	2	3	12	21	33	45	83
65+	168	16.9	241	2	3	13	21	39	49	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.7	22	<1	1	4	5	8	15	24
B. *Operated*	381	9.4	95	2	2	6	12	21	29	49
2. MULTIPLE DX										
A. *Not Operated*	204	9.9	174	1	2	5	12	21	35	86
B. *Operated*	338	16.4	231	2	3	13	22	37	50	95
1. SINGLE DX	489	8.3	83	1	2	5	11	19	27	46
2. MULTIPLE DX	542	14.0	220	2	2	9	18	32	49	94
A. NOT OPERATED	312	8.1	127	1	1	5	9	17	25	67
B. OPERATED	719	12.7	171	2	2	8	17	29	40	78
TOTAL 0-19 YRS	142	6.1	39	1	1	4	8	13	19	32
20-34	100	12.1	250	1	2	6	13	28	50	86
35-49	114	9.9	95	1	2	7	14	23	31	73
50-64	270	11.5	163	2	2	7	16	27	38	65
65+	405	13.2	190	2	2	9	17	30	42	80
GRAND TOTAL	**1031**	**11.3**	**162**	**1**	**2**	**7**	**15**	**26**	**38**	**78**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.0	7	2	2	5	8	8	8	8
35-49	13	6.8	33	1	1	5	9	16	20	21
50-64	21	8.4	114	1	2	5	8	18	37	48
65+	11	6.6	14	2	3	5	9	13	14	14
B. *Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	100	5.4	15	1	2	4	8	10	12	20
35-49	158	5.8	23	1	2	5	8	10	12	29
50-64	232	7.5	38	2	2	6	9	14	20	33
65+	169	6.9	35	1	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	8.4	37	1	1	9	13	17	18	18
35-49	33	7.2	25	1	2	6	8	14	18	22
50-64	62	10.3	171	1	2	5	14	29	38	66
65+	61	12.7	230	2	2	9	14	21	53	84
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	28	9.8	61	<1	1	8	13	23	27	28
35-49	76	9.1	52	1	2	8	11	17	23	39
50-64	172	10.2	94	2	2	8	13	19	30	62
65+	198	13.0	150	2	3	9	16	25	35	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	7.2	58	1	2	5	8	13	21	48
B. *Operated*	664	6.6	31	1	2	5	9	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	164	10.4	159	1	2	6	14	21	33	66
B. *Operated*	476	11.1	110	2	2	8	14	22	32	63
1. SINGLE DX	715	6.6	33	1	2	5	9	12	17	30
2. MULTIPLE DX	640	11.0	123	2	2	8	14	22	32	64
A. NOT OPERATED	215	9.7	137	1	2	6	12	21	30	63
B. OPERATED	1140	8.5	69	1	2	7	10	17	24	43
TOTAL 0-19 YRS	8	2.9	6	<1	<1	2	4	7	7	7
20-34	141	6.4	28	1	2	5	9	12	17	27
35-49	280	6.9	33	1	2	6	9	13	17	33
50-64	487	8.9	79	1	2	7	11	17	27	51
65+	439	10.4	122	2	2	7	13	21	29	61
GRAND TOTAL	**1355**	**8.7**	**80**	**1**	**2**	**7**	**10**	**18**	**25**	**48**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	8	5.5	17	2	2	3	9	11	12	12
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	14	12.0	137	2	3	6	19	33	35	36
B. *Operated*										
0-19 YRS	7	3.0	5	<1	<1	2	4	7	7	7
20-34	54	3.0	8	<1	<1	2	3	7	10	13
35-49	191	2.7	8	<1	<1	2	3	5	9	16
50-64	467	3.0	9	<1	<1	2	3	6	8	18
65+	828	4.0	27	<1	<1	2	4	8	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.5	19	2	2	8	11	11	11	11
35-49	7	4.7	11	<1	<1	5	7	9	10	10
50-64	15	15.2	420	1	1	11	12	42	70	80
65+	61	13.7	217	1	2	10	16	44	55	99+
B. *Operated*										
0-19 YRS	6	4.7	15	<1	<1	4	7	10	10	10
20-34	28	4.5	14	<1	<1	3	7	10	12	14
35-49	96	4.9	81	<1	<1	2	4	11	21	55
50-64	372	5.4	70	<1	1	3	6	12	19	37
65+	992	7.5	96	<1	1	3	9	18	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	8.8	94	1	2	5	10	26	34	36
B. *Operated*	1547	3.5	19	<1	<1	2	3	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	87	12.9	230	1	1	9	15	41	50	99+
B. *Operated*	1494	6.7	87	<1	1	3	8	16	23	51
1. SINGLE DX	1572	3.6	21	<1	<1	2	3	7	11	25
2. MULTIPLE DX	1581	7.1	97	<1	1	3	8	17	26	53
A. NOT OPERATED	112	12.0	201	1	2	8	15	39	47	99+
B. OPERATED	3041	5.1	55	<1	<1	2	5	12	19	38
TOTAL 0-19 YRS	14	3.9	9	<1	<1	3	7	8	9	10
20-34	86	3.7	11	<1	<1	2	5	10	11	14
35-49	302	3.6	32	<1	<1	2	3	7	11	25
50-64	856	4.3	46	<1	<1	2	4	9	14	31
65+	1895	6.2	75	<1	1	3	7	15	23	47
GRAND TOTAL	**3153**	**5.3**	**62**	**<1**	**<1**	**2**	**6**	**12**	**20**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	11	<1	<1	1	5	8	8	8
35-49	26	6.6	67	<1	1	4	7	13	28	38
50-64	55	6.8	58	1	1	5	8	14	18	49
65+	54	7.8	83	1	2	5	9	17	24	47
B. *Operated*										
0-19 YRS	4	3.8	18	1	1	2	6	10	10	10
20-34	179	6.6	44	1	2	6	8	11	14	21
35-49	894	7.2	16	2	2	7	9	11	14	18
50-64	1616	7.9	19	2	3	8	10	12	14	21
65+	1594	8.6	28	2	3	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	8.6	42	2	2	7	13	17	22	27
35-49	175	11.3	113	1	2	8	15	27	33	46
50-64	480	12.3	147	1	2	9	16	27	37	81
65+	733	13.2	164	2	3	9	17	30	42	95
B. *Operated*										
0-19 YRS	5	9.0	20	2	2	10	12	14	14	14
20-34	131	8.6	28	2	2	9	11	13	16	27
35-49	921	9.6	58	2	4	8	11	15	21	45
50-64	1996	11.4	75	3	5	9	13	19	26	52
65+	2799	12.8	99	3	5	10	15	23	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	7.0	68	1	1	4	8	15	23	47
B. *Operated*	4287	8.0	23	2	3	8	10	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1410	12.5	150	2	3	9	16	29	40	85
B. *Operated*	5852	11.7	84	3	4	9	14	20	27	61
1. SINGLE DX	4426	7.9	26	2	2	8	10	12	15	23
2. MULTIPLE DX	7262	11.9	97	3	4	9	14	22	31	65
A. NOT OPERATED	1549	12.0	145	1	2	8	15	27	39	80
B. OPERATED	10139	10.1	62	2	4	9	12	17	23	49
TOTAL 0-19 YRS	9	6.7	24	1	1	8	10	13	14	14
20-34	336	7.4	39	1	2	7	9	13	15	23
35-49	2016	8.6	47	2	2	8	10	14	18	38
50-64	4147	10.1	64	2	3	9	11	17	23	50
65+	5180	11.5	90	3	4	9	13	21	29	63
GRAND TOTAL	**11688**	**10.4**	**73**	**2**	**3**	**9**	**12**	**18**	**25**	**53**

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	3.9	5	1	1	4	5	7	8	9
35-49	34	5.8	13	2	3	5	6	11	15	18
50-64	55	5.2	17	2	2	4	6	8	10	28
65+	57	4.4	9	1	2	4	5	5	11	19
B. *Operated*										
0-19 YRS										
20-34	131	5.1	22	1	1	3	7	12	16	22
35-49	142	6.6	39	1	2	5	8	14	19	33
50-64	168	7.0	41	2	2	5	9	16	19	31
65+	114	6.3	38	2	2	4	8	12	15	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	9.1	166	1	1	6	9	21	44	53
35-49	53	8.2	65	1	2	5	9	22	26	35
50-64	97	7.7	52	1	2	6	9	16	21	40
65+	118	11.4	120	2	3	8	14	26	32	56
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	66	7.3	56	2	2	5	10	15	17	46
35-49	162	11.3	129	2	2	8	15	24	31	87
50-64	183	14.6	229	2	2	10	19	31	56	70
65+	188	14.8	250	2	3	10	19	33	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.9	13	2	2	4	5	8	12	19
B. *Operated*	555	6.3	36	1	2	4	8	13	18	33
2. MULTIPLE DX										
A. *Not Operated*	284	9.4	91	1	2	6	11	22	30	50
B. *Operated*	600	12.9	195	2	2	9	17	29	42	71
1. SINGLE DX	716	6.0	31	1	2	4	7	12	17	29
2. MULTIPLE DX	884	11.8	164	2	2	8	15	27	35	67
A. NOT OPERATED	445	7.8	67	1	2	5	9	18	26	41
B. OPERATED	1155	9.8	129	2	2	6	12	22	30	62
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	228	5.9	42	1	2	4	7	13	17	33
35-49	391	8.7	82	1	2	6	11	20	26	43
50-64	503	9.7	122	2	2	6	12	22	29	61
65+	477	10.7	154	2	2	6	12	26	34	66
GRAND TOTAL	**1600**	**9.2**	**113**	**2**	**2**	**5**	**11**	**20**	**29**	**58**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	14	3.5	5	1	1	3	4	8	8	8
50-64	57	4.0	9	1	1	4	4	7	9	18
65+	71	5.4	46	1	2	4	5	10	16	43
B. *Operated*										
0-19 YRS										
20-34	16	7.3	7	2	3	7	9	11	12	12
35-49	86	6.8	15	1	2	7	9	12	13	18
50-64	487	6.7	19	1	2	7	9	11	14	23
65+	515	7.8	48	2	2	7	10	14	17	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	22	6.5	139	<1	1	3	5	16	40	50
50-64	75	10.5	94	1	2	8	14	27	33	41
65+	169	11.4	140	2	3	7	16	28	36	94
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	8.7	103	1	2	7	9	16	34	47
35-49	165	10.1	116	1	2	8	10	18	28	68
50-64	814	9.3	67	1	2	8	12	18	25	48
65+	980	12.0	116	2	2	10	15	23	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	4.7	27	1	1	4	5	8	13	35
B. *Operated*	1104	7.2	33	1	2	7	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	267	10.7	128	1	2	7	14	28	35	70
B. *Operated*	1979	10.7	97	2	2	9	13	21	28	58
1. SINGLE DX	1248	6.9	33	1	2	7	9	12	15	26
2. MULTIPLE DX	2246	10.7	101	2	2	8	13	21	30	61
A. NOT OPERATED	411	8.6	101	1	2	5	10	20	32	62
B. OPERATED	3083	9.5	77	2	2	8	11	18	24	43
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	38	7.8	55	2	2	7	9	12	16	47
35-49	287	8.5	86	1	2	7	10	15	21	62
50-64	1433	8.3	52	1	2	7	10	16	22	41
65+	1735	10.4	99	2	2	9	13	20	29	59
GRAND TOTAL	**3494**	**9.4**	**80**	**1**	**2**	**8**	**11**	**18**	**25**	**49**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	57	3.2	15	1	1	2	3	5	10	23
50-64	197	2.9	20	<1	1	2	3	5	8	20
65+	128	3.5	17	1	1	2	3	7	14	23
B. *Operated*										
0-19 YRS	9	7.8	3	5	5	8	9	10	11	11
20-34	18	9.3	14	6	6	8	11	16	18	19
35-49	72	10.3	24	6	7	9	12	15	18	32
50-64	122	11.8	24	6	7	10	14	19	20	27
65+	69	13.5	60	4	7	12	16	22	25	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	108	<1	<1	5	5	27	29	29
20-34	21	3.7	13	<1	1	3	4	8	12	16
35-49	117	5.5	43	1	2	3	7	14	18	37
50-64	526	4.6	49	1	1	2	5	10	15	36
65+	422	6.7	83	1	1	3	8	17	27	51
B. *Operated*										
0-19 YRS	6	9.5	22	5	5	9	10	17	18	18
20-34	33	12.6	49	6	7	11	14	21	25	39
35-49	171	14.2	86	6	7	11	17	26	37	45
50-64	451	16.9	134	6	8	14	20	29	42	71
65+	429	22.3	189	8	9	20	28	41	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	3.1	18	1	1	2	3	6	9	23
B. *Operated*	290	11.5	33	6	7	10	14	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	1092	5.5	62	1	1	2	6	13	20	43
B. *Operated*	1090	18.4	156	7	8	15	23	34	45	74
1. SINGLE DX	677	6.7	42	1	1	5	10	15	18	27
2. MULTIPLE DX	2182	12.0	151	1	2	9	17	28	36	65
A. NOT OPERATED	1479	4.9	52	1	1	2	5	11	18	39
B. OPERATED	1380	17.0	138	6	7	14	21	31	42	70
TOTAL 0-19 YRS	22	8.2	33	2	4	7	9	13	22	29
20-34	76	8.9	43	1	2	8	11	16	20	35
35-49	417	9.6	72	1	2	8	12	20	27	43
50-64	1296	9.3	108	1	1	7	13	21	28	52
65+	1048	13.1	180	1	1	10	20	30	41	74
GRAND TOTAL	**2859**	**10.7**	**130**	**1**	**1**	**8**	**15**	**24**	**33**	**56**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	16	4.3	3	1	1	4	6	8	68	99+
65+	13	7.4	263	<1	1	2	4	18	53	61
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	11	5.5	54	<1	<1	2	7	19	23	23
35-49	12	6.1	34	1	1	3	9	15	19	20
50-64	35	9.2	97	2	2	5	11	23	32	44
65+	87	9.4	92	2	2	6	14	20	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	7.3	30	2	2	5	13	15	17	17
50-64	28	5.6	40	1	1	3	7	13	19	30
65+	32	8.8	65	2	2	7	10	21	29	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	20.2	584	2	2	13	29	62	62	62
35-49	21	10.4	83	1	2	7	18	24	30	32
50-64	68	14.4	152	2	3	12	20	31	48	92
65+	136	20.5	294	3	4	15	26	46	61	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.4	100	<1	1	4	6	7	48	99+
B. *Operated*	147	8.7	85	1	2	5	12	20	23	45
2. MULTIPLE DX										
A. *Not Operated*	75	6.9	49	1	2	4	9	17	23	32
B. *Operated*	231	17.7	248	2	3	14	24	38	53	97
1. SINGLE DX	181	8.1	89	1	2	4	10	19	24	67
2. MULTIPLE DX	306	15.1	221	2	2	11	20	33	48	87
A. NOT OPERATED	109	6.4	65	1	2	4	7	14	24	77
B. OPERATED	378	14.2	203	2	2	10	19	32	46	79
TOTAL 0-19 YRS	7	3.0	14	<1	<1	1	3	10	11	11
20-34	20	8.7	199	<1	<1	3	10	20	42	62
35-49	45	8.3	57	1	2	6	13	20	22	32
50-64	147	10.4	116	1	2	6	14	26	34	99+
65+	268	14.9	231	2	2	10	19	33	47	80
GRAND TOTAL	**487**	**12.5**	**183**	**2**	**2**	**8**	**17**	**29**	**44**	**79**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.0	7	4	4	7	9	10	10	10
50-64	23	8.7	57	1	1	5	13	21	24	27
65+	97	8.2	127	1	1	5	8	18	40	83
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	10	4.3	5	2	2	4	6	7	8	8
50-64	416	7.6	47	1	2	6	10	14	18	27
65+	1424	8.9	53	2	2	8	11	16	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	12	8.0	68	1	1	4	15	21	23	23
50-64	153	9.7	165	1	2	6	11	20	28	84
65+	1125	11.7	153	1	2	8	15	25	36	83
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	1	36.0		36	36	36	36	36	36	36
35-49	19	11.4	64	1	2	9	17	24	28	28
50-64	657	12.6	123	2	3	10	16	24	29	70
65+	3596	14.1	132	3	4	11	17	28	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	8.2	110	1	1	5	9	18	31	73
B. *Operated*	1853	8.6	52	2	2	7	11	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	1291	11.4	154	1	2	8	14	24	35	83
B. *Operated*	4274	13.9	131	3	4	11	17	27	36	71
1. SINGLE DX	1977	8.6	56	2	2	7	11	16	21	39
2. MULTIPLE DX	5565	13.3	137	2	3	10	17	27	36	74
A. NOT OPERATED	1415	11.1	151	1	2	8	14	24	35	83
B. OPERATED	6127	12.3	113	2	3	9	15	24	32	62
TOTAL 0-19 YRS	4	12.3	219	2	2	6	21	34	34	34
20-34	2	21.0	450	6	6	21	36	36	36	36
35-49	45	8.5	53	1	2	6	11	20	24	28
50-64	1249	10.5	107	2	2	8	13	21	27	59
65+	6242	12.4	123	2	3	9	15	25	34	67
GRAND TOTAL	**7542**	**12.1**	**120**	**2**	**3**	**9**	**15**	**24**	**32**	**66**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	21	5.7	6	2	3	5	7	9	10	12
35-49	5	4.4	2	2	2	5	5	6	6	6
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	19	7.9	69	2	3	4	9	18	28	36
20-34	129	6.7	24	2	2	5	8	13	17	24
35-49	59	7.1	26	2	2	6	9	14	16	27
50-64	27	5.8	17	2	2	5	8	12	14	17
65+	26	9.5	162	2	3	5	10	15	38	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	40	7.5	157	1	2	5	7	9	12	83
35-49	15	4.1	4	1	2	4	5	6	8	8
50-64	4	5.0	12	2	2	5	8	8	8	8
65+	8	9.0	23	2	3	8	12	16	17	17
B. *Operated*										
0-19 YRS	9	14.7	259	3	3	7	22	42	50	50
20-34	57	10.6	69	2	3	8	13	22	28	40
35-49	30	11.0	97	2	2	8	15	19	40	44
50-64	35	9.6	52	2	3	8	13	22	27	30
65+	31	16.2	311	2	3	10	17	42	51	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	7	1	1	5	6	8	9	12
B. *Operated*	260	7.1	41	2	2	5	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	69	6.7	96	2	2	5	7	9	14	70
B. *Operated*	162	11.8	129	2	3	8	15	24	34	51
1. SINGLE DX	294	6.8	37	2	2	5	8	13	17	31
2. MULTIPLE DX	231	10.2	124	2	2	7	11	20	30	57
A. NOT OPERATED	103	6.0	67	1	2	5	7	8	11	48
B. OPERATED	422	8.9	80	2	2	6	10	17	25	48
TOTAL 0-19 YRS	33	9.0	119	2	3	4	8	21	35	50
20-34	247	7.7	56	2	3	6	9	16	19	31
35-49	109	7.6	46	2	2	6	9	15	17	42
50-64	70	7.4	38	2	2	5	9	15	22	30
65+	66	12.5	221	2	3	8	13	26	48	83
GRAND TOTAL	**525**	**8.3**	**78**	**2**	**2**	**6**	**9**	**17**	**22**	**48**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	23	6.8	166	1	1	2	5	19	38	59
65+	61	8.9	131	<1	1	4	9	24	39	51
B. *Operated*										
0-19 YRS	4	5.3	12	1	1	5	8	9	9	9
20-34	32	2.9	3	1	1	3	4	5	7	8
35-49	226	4.4	20	1	1	3	5	8	12	23
50-64	1175	5.4	31	1	2	4	6	11	17	30
65+	2307	6.1	40	1	2	4	7	12	17	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	103	8.2	91	1	1	4	11	24	28	46
65+	431	12.1	164	2	2	7	15	27	42	68
B. *Operated*										
0-19 YRS	6	4.3	11	2	2	3	4	10	11	11
20-34	13	10.9	217	2	2	3	12	34	46	49
35-49	86	8.9	127	1	2	5	12	19	28	93
50-64	945	9.5	105	2	2	6	12	21	28	49
65+	3182	11.2	126	2	2	7	14	25	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	8.0	135	1	1	4	8	23	36	56
B. *Operated*	3744	5.8	36	1	2	4	7	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	537	11.3	151	1	2	7	15	27	38	65
B. *Operated*	4232	10.7	122	2	2	7	13	24	32	60
1. SINGLE DX	3832	5.8	38	1	2	4	7	12	17	33
2. MULTIPLE DX	4769	10.8	125	2	2	7	14	24	33	62
A. NOT OPERATED	625	10.8	150	1	2	6	14	27	38	64
B. OPERATED	7976	8.4	88	2	2	5	10	19	26	48
TOTAL 0-19 YRS	10	4.7	11	1	1	4	7	10	11	11
20-34	46	5.2	73	1	1	3	4	7	27	49
35-49	318	5.6	52	1	1	3	6	12	18	41
50-64	2246	7.3	70	1	2	4	9	17	24	40
65+	5981	9.3	102	2	2	6	11	21	29	54
GRAND TOTAL	**8601**	**8.6**	**92**	**1**	**2**	**5**	**10**	**19**	**27**	**52**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	18	5.9	33	<1	1	3	9	15	18	19
65+	16	7.3	52	1	1	4	11	15	24	28
B. *Operated*										
0-19 YRS	11	10.3	22	2	5	11	12	16	21	21
20-34	11	13.1	90	2	6	11	13	26	38	39
35-49	53	12.1	24	1	6	12	16	18	20	22
50-64	137	12.9	39	3	7	12	16	21	23	34
65+	171	13.6	71	2	2	13	18	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	5.8	4	3	3	6	7	7	7	7
35-49	19	13.5	279	1	2	8	15	34	58	70
50-64	121	9.0	67	1	2	6	13	21	27	38
65+	153	11.9	143	2	2	9	16	28	37	99+
B. *Operated*										
0-19 YRS	13	19.0	272	6	7	13	24	44	59	63
20-34	13	14.5	105	2	4	13	17	32	38	39
35-49	64	16.9	135	6	7	14	19	31	36	72
50-64	324	18.3	138	5	7	16	22	32	42	83
65+	502	20.7	168	5	8	18	26	37	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.3	38	1	1	4	10	15	18	28
B. *Operated*	383	13.0	52	2	4	12	17	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	300	10.7	120	1	2	8	14	24	32	99+
B. *Operated*	916	19.5	157	5	8	17	24	34	47	83
1. SINGLE DX	421	12.4	55	2	2	12	16	21	25	40
2. MULTIPLE DX	1216	17.3	162	3	4	15	22	32	44	98
A. NOT OPERATED	338	10.2	112	1	2	7	14	23	30	99+
B. OPERATED	1299	17.6	135	3	7	15	22	31	41	76
TOTAL 0-19 YRS	28	13.1	167	1	2	10	13	28	41	63
20-34	29	12.4	89	2	3	9	14	25	39	39
35-49	138	14.4	114	2	5	12	17	25	32	71
50-64	600	14.8	114	2	3	13	19	26	34	60
65+	842	17.4	158	2	4	15	23	32	44	99+
GRAND TOTAL	**1637**	**16.1**	**139**	**2**	**4**	**14**	**21**	**30**	**39**	**78**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64	3	8.0	3	6	6	9	9	9	9	9
65+	5	8.0	12	4	4	9	10	12	12	12
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	6	3.8	4	2	2	3	5	7	7	7
50-64	15	3.9	4	<1	2	3	5	6	8	9
65+	20	7.1	54	2	2	4	8	20	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	16.0		16	16	16	16	16	16	16
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	8	8.6	17	3	3	9	12	13	13	13
B. *Operated*										
0-19 YRS	4	19.0	321	2	2	16	33	42	42	42
20-34										
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	11	9.0	66	2	2	5	13	23	24	24
65+	20	12.2	105	2	2	7	20	24	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.9	9	4	4	6	9	11	12	12
B. *Operated*	46	5.2	28	1	2	3	5	9	19	26
2. MULTIPLE DX										
A. *Not Operated*	15	7.1	23	1	2	5	12	13	15	16
B. *Operated*	39	11.0	112	2	2	6	19	24	33	42
1. SINGLE DX	57	5.6	24	2	2	4	6	10	17	26
2. MULTIPLE DX	54	9.9	89	2	2	6	14	23	26	42
A. NOT OPERATED	26	7.0	16	2	3	6	10	13	14	16
B. OPERATED	85	7.9	74	2	2	4	9	22	25	41
TOTAL 0-19 YRS	11	9.3	157	2	2	4	7	31	41	42
20-34	4	6.8	44	1	1	5	11	16	16	16
35-49	12	3.3	4	1	1	3	4	6	7	7
50-64	31	6.1	30	2	2	4	8	12	23	24
65+	53	9.3	67	2	2	5	13	22	25	38
GRAND TOTAL	**111**	**7.7**	**60**	**2**	**2**	**4**	**9**	**20**	**24**	**40**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.3	38	1	1	3	4	17	19	20
20-34	22	8.0	57	1	2	5	13	19	25	30
35-49	23	12.7	265	1	2	8	12	37	59	63
50-64	59	13.4	208	1	2	8	18	34	41	78
65+	42	20.0	427	2	4	14	27	52	88	99+
B. *Operated*										
0-19 YRS	24	19.2	139	6	8	17	24	32	45	54
20-34	44	20.0	268	2	5	15	25	49	59	71
35-49	54	19.2	214	4	7	16	28	34	51	74
50-64	131	20.0	243	5	8	16	22	32	54	84
65+	52	24.6	256	7	10	20	32	42	64	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.4	132	<1	1	4	7	10	11	65
20-34	26	11.0	176	2	3	8	11	35	69	99+
35-49	38	12.8	149	2	3	10	17	42	45	99+
50-64	123	16.3	268	2	2	11	22	42	64	99+
65+	104	20.6	388	3	4	14	26	49	71	93
B. *Operated*										
0-19 YRS	32	31.1	427	8	10	27	39	76	82	99+
20-34	44	22.3	319	6	8	17	26	42	68	82
35-49	54	26.8	496	6	8	19	32	76	90	99+
50-64	95	33.8	511	6	11	26	48	71	78	92
65+	82	30.6	415	7	11	26	44	68	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	13.6	255	1	2	8	17	34	48	90
B. *Operated*	305	20.6	236	5	8	16	25	40	55	78
2. MULTIPLE DX										
A. *Not Operated*	321	15.9	289	2	3	10	20	43	66	99+
B. *Operated*	307	29.8	456	7	9	24	40	69	82	99+
1. SINGLE DX	465	18.2	253	2	3	14	23	37	54	83
2. MULTIPLE DX	628	22.7	418	2	4	17	31	59	75	99+
A. NOT OPERATED	481	15.1	278	1	2	9	20	40	62	99+
B. OPERATED	612	25.2	367	6	8	19	31	57	72	99
TOTAL 0-19 YRS	100	17.2	329	1	2	11	25	41	67	91
20-34	136	17.1	261	2	3	13	22	39	59	84
35-49	169	19.3	325	3	4	15	25	48	70	99+
50-64	408	21.1	359	2	4	16	27	50	71	92
65+	280	24.2	393	4	5	18	32	58	74	99+
GRAND TOTAL	**1093**	**20.8**	**352**	**2**	**4**	**15**	**27**	**50**	**70**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	133	2	2	15	62	99+	99+	99+
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	3	16.3	124	8	8	12	25	29	29	29
20-34	5	12.2	41	4	4	12	16	21	21	21
35-49	8	18.4	63	10	10	16	24	30	32	32
50-64	6	23.8	185	14	14	19	23	48	51	51
65+	3	14.3	37	9	9	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	18.0	677	4	4	5	31	57	57	57
20-34	6	6.5	20	1	1	6	10	13	13	13
35-49	5	9.2	56	3	3	6	12	22	22	22
50-64	7	15.4	380	2	2	10	15	50	58	58
65+	11	22.8	520	6	6	17	26	59	81	83
B. *Operated*										
0-19 YRS	9	29.7	785	5	7	16	48	76	78	78
20-34	9	29.7	393	7	7	28	47	55	59	59
35-49	7	40.9	285	28	29	33	46	70	76	76
50-64	12	28.3	173	9	12	29	39	46	47	47
65+	13	26.7	226	11	12	22	42	46	57	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	11.0	75	2	2	11	24	92	99+	99+
B. *Operated*	25	17.7	95	7	9	16	22	29	37	51
2. MULTIPLE DX										
A. *Not Operated*	33	15.6	348	2	3	9	17	46	58	83
B. *Operated*	50	30.1	342	7	10	27	42	54	74	78
1. SINGLE DX	30	16.6	95	4	7	15	23	30	50	99+
2. MULTIPLE DX	83	24.4	391	3	5	17	39	51	64	81
A. NOT OPERATED	38	15.0	311	2	2	9	18	51	72	99+
B. OPERATED	75	26.0	292	7	9	21	37	48	59	77
TOTAL 0-19 YRS	19	22.2	549	3	4	13	34	76	89	99+
20-34	20	18.4	294	2	3	12	24	47	54	59
35-49	21	23.5	289	5	6	22	31	43	61	76
50-64	25	23.6	243	2	7	18	34	47	53	58
65+	28	23.1	320	6	8	18	26	43	61	83
GRAND TOTAL	113	22.3	323	3	6	17	31	48	59	89

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.1	21	<1	<1	3	7	13	15	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	9.3	68	1	1	7	19	20	20	20
50-64	7	3.9	2	2	2	3	5	6	6	6
65+	9	7.7	124	<1	<1	3	8	26	36	36
B. *Operated*										
0-19 YRS	16	8.3	146	2	2	4	8	16	40	51
20-34	67	5.3	6	2	3	5	6	10	11	12
35-49	70	6.9	39	3	3	5	7	11	28	35
50-64	70	6.5	23	3	4	5	7	12	16	29
65+	38	9.7	32	4	5	8	11	19	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	7	<1	<1	3	5	8	9	10
20-34	7	3.4	3	<1	<1	4	5	6	6	6
35-49	13	7.0	34	2	2	5	8	16	22	23
50-64	17	8.9	40	2	3	7	12	18	21	23
65+	35	7.9	35	<1	<1	7	13	16	17	19
B. *Operated*										
0-19 YRS	19	18.5	408	1	3	10	27	43	67	83
20-34	68	7.7	30	3	3	6	9	18	21	25
35-49	62	10.5	119	3	4	7	12	17	30	66
50-64	101	11.0	110	3	4	8	11	28	37	79
65+	96	18.8	360	3	5	12	23	50	66	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	6.0	47	<1	<1	3	7	14	19	36
B. *Operated*	261	6.9	33	3	3	5	7	11	17	30
2. MULTIPLE DX										
A. *Not Operated*	92	6.7	31	<1	<1	5	9	16	18	23
B. *Operated*	346	12.8	198	3	4	8	15	29	45	75
1. SINGLE DX	302	6.7	35	2	3	5	7	12	18	33
2. MULTIPLE DX	438	11.5	169	2	3	7	13	24	38	74
A. NOT OPERATED	133	6.5	36	<1	<1	5	8	16	16	25
B. OPERATED	607	10.3	136	3	3	6	11	22	33	69
TOTAL 0-19 YRS	73	8.9	175	<1	1	4	9	19	35	76
20-34	143	6.3	19	2	3	5	7	11	16	24
35-49	151	8.4	75	3	3	6	9	16	25	51
50-64	195	8.9	73	3	4	6	10	20	29	55
65+	178	14.2	238	<1	3	9	16	30	54	74
GRAND TOTAL	740	9.6	120	2	3	6	10	20	30	67

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	11	1	1	4	7	10	11	11
20-34	17	6.9	78	1	1	4	9	13	30	38
35-49	56	6.7	60	1	1	5	7	15	18	50
50-64	220	9.3	100	1	2	6	12	21	32	57
65+	261	11.6	112	1	2	8	15	25	34	52
B. *Operated*										
0-19 YRS	12	15.1	270	1	2	8	26	37	54	57
20-34	29	9.0	181	1	1	5	9	22	36	67
35-49	95	10.5	145	1	1	6	15	25	32	67
50-64	319	10.9	135	1	2	8	14	22	36	61
65+	404	10.5	108	1	2	7	14	23	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	9.8	214	2	2	5	9	23	48	66
20-34	155	7.7	49	1	1	5	11	17	22	38
35-49	734	10.1	106	1	2	7	13	23	31	53
50-64	2793	11.6	132	1	2	8	15	26	36	56
65+	3997	13.8	163	2	3	10	18	29	39	66
B. *Operated*										
0-19 YRS	18	8.4	33	3	3	7	11	12	21	27
20-34	143	12.9	147	1	2	10	17	26	35	69
35-49	688	14.5	189	2	3	10	18	32	42	77
50-64	2359	16.7	218	2	3	13	22	36	45	84
65+	3182	17.9	231	2	4	14	24	38	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	10.0	103	1	2	7	12	22	32	52
B. *Operated*	859	10.7	126	1	2	7	14	23	34	58
2. MULTIPLE DX										
A. *Not Operated*	7702	12.5	146	2	2	9	16	28	37	63
B. *Operated*	6390	16.9	221	2	3	13	22	36	49	86
1. SINGLE DX	1421	10.4	117	1	2	7	14	23	33	55
2. MULTIPLE DX	14092	14.5	185	2	3	10	19	32	42	77
A. NOT OPERATED	8264	12.3	144	2	2	9	16	27	37	62
B. OPERATED	7249	16.2	214	2	3	12	21	35	47	84
TOTAL 0-19 YRS	61	9.8	148	2	2	5	10	25	33	65
20-34	344	10.0	108	1	1	7	13	22	29	67
35-49	1573	11.9	149	1	2	8	16	27	37	68
50-64	5691	13.6	174	2	2	10	18	30	40	72
65+	7844	15.2	191	2	3	11	20	33	45	80
GRAND TOTAL	**15513**	**14.1**	**180**	**2**	**3**	**10**	**18**	**31**	**42**	**75**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.9	43	<1	<1	1	4	9	25	28
20-34	99	3.1	21	<1	<1	2	4	5	9	29
35-49	29	4.7	17	<1	1	2	6	12	13	14
50-64	23	7.0	130	1	1	3	9	18	31	53
65+	22	11.1	198	<1	1	7	14	25	45	62
B. *Operated*										
0-19 YRS	85	8.0	38	1	2	7	10	18	21	27
20-34	227	8.4	48	1	2	7	11	18	22	32
35-49	84	9.2	112	1	2	7	11	17	24	66
50-64	54	12.1	95	2	2	9	16	27	32	45
65+	49	13.5	111	3	3	11	19	30	39	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	12	<1	1	3	7	10	11	12
20-34	81	6.9	76	<1	1	4	9	15	22	46
35-49	36	10.0	55	1	2	9	14	19	23	35
50-64	46	9.0	89	1	1	6	11	27	32	36
65+	59	10.6	117	1	2	7	13	21	31	62
B. *Operated*										
0-19 YRS	25	14.4	126	2	2	12	20	27	33	50
20-34	93	12.7	94	2	3	11	17	27	32	47
35-49	53	16.5	303	1	2	10	20	37	57	83
50-64	60	17.5	198	2	2	14	22	33	56	62
65+	89	21.0	235	4	5	18	29	37	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	4.8	60	<1	1	2	5	11	19	42
B. *Operated*	499	9.4	71	1	2	7	12	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	248	8.3	82	1	1	5	11	18	28	45
B. *Operated*	320	16.7	198	2	3	13	22	33	42	79
1. SINGLE DX	702	8.0	72	1	1	5	11	19	24	40
2. MULTIPLE DX	568	13.0	164	1	2	10	18	29	36	72
A. NOT OPERATED	451	6.7	75	<1	1	3	9	16	23	45
B. OPERATED	819	12.2	133	2	2	9	17	26	33	65
TOTAL 0-19 YRS	166	7.6	59	<1	1	5	10	19	24	28
20-34	500	7.9	65	1	1	5	11	18	24	38
35-49	202	10.6	152	1	2	8	14	23	30	78
50-64	183	12.5	145	1	2	10	17	28	35	61
65+	219	15.5	191	2	2	12	21	33	41	88
GRAND TOTAL	**1270**	**10.3**	**119**	**1**	**1**	**7**	**14**	**23**	**32**	**60**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.5	22	<1	<1	1	4	10	14	23
20-34	12	8.8	62	1	3	7	9	18	30	32
35-49	4	13.0	129	1	1	11	21	28	28	28
50-64	22	9.5	142	1	1	6	11	24	41	50
65+	59	8.3	81	<1	1	5	10	18	26	47
B. *Operated*										
0-19 YRS	66	11.8	325	<1	<1	3	14	35	50	86
20-34	11	12.5	146	2	2	6	22	31	36	37
35-49	9	10.6	162	<1	1	5	12	32	42	42
50-64	22	8.4	84	1	2	5	11	15	29	44
65+	27	10.8	65	3	3	9	17	24	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	6.0	69	<1	<1	3	7	12	21	47
20-34	10	7.3	52	2	2	5	7	18	27	27
35-49	13	9.5	43	1	1	8	13	20	21	21
50-64	102	9.9	149	<1	1	7	11	20	30	70
65+	304	11.3	138	1	1	8	15	23	35	62
B. *Operated*										
0-19 YRS	53	17.1	294	1	2	11	24	37	41	88
20-34	9	35.4	524	1	3	33	56	65	67	67
35-49	20	15.1	214	2	3	10	19	49	79	99+
50-64	66	17.0	188	4	5	13	21	42	54	94
65+	174	17.2	236	3	4	12	23	36	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	6.4	66	<1	<1	4	8	14	24	45
B. *Operated*	135	11.0	206	<1	1	5	14	28	41	79
2. MULTIPLE DX										
A. *Not Operated*	511	10.1	128	<1	1	7	13	21	32	58
B. *Operated*	322	17.5	248	2	4	12	23	37	56	99+
1. SINGLE DX	316	8.3	131	<1	<1	4	10	20	32	51
2. MULTIPLE DX	833	13.0	188	1	2	9	16	31	41	79
A. NOT OPERATED	692	9.1	115	<1	1	6	12	20	30	54
B. OPERATED	457	15.6	244	1	2	11	21	36	53	89
TOTAL 0-19 YRS	285	8.7	180	<1	<1	3	10	24	35	76
20-34	42	15.1	285	1	2	7	27	36	58	67
35-49	46	12.4	145	1	2	9	18	29	45	99+
50-64	212	11.9	164	1	2	9	15	25	45	75
65+	564	12.8	168	1	2	9	16	29	37	77
GRAND TOTAL	**1149**	**11.7**	**176**	**<1**	**1**	**8**	**15**	**27**	**39**	**78**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.0	10	<1	<1	1	5	6	11	14
20-34	29	12.2	192	1	3	6	14	34	38	58
35-49	53	6.9	102	<1	<1	4	7	19	25	52
50-64	74	7.6	120	<1	<1	4	9	21	40	91
65+	108	7.7	92	<1	1	4	10	21	27	46
B. *Operated*										
0-19 YRS	23	26.4	632	1	2	16	48	66	91	99+
20-34	20	23.8	429	3	4	11	44	50	60	70
35-49	37	24.0	327	3	4	26	38	49	53	64
50-64	32	18.7	288	2	2	11	31	48	62	99+
65+	46	17.8	244	5	6	13	19	39	62	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.5	43	<1	<1	4	6	11	20	37
20-34	26	8.9	126	<1	1	4	14	29	38	39
35-49	64	8.7	94	1	1	6	12	25	29	93
50-64	118	9.6	84	<1	1	6	11	24	29	40
65+	350	9.3	107	1	1	6	13	20	31	61
B. *Operated*										
0-19 YRS	16	26.0	560	3	4	23	40	71	74	74
20-34	32	32.0	487	3	6	32	42	61	72	94
35-49	63	30.0	563	2	3	24	47	66	78	86
50-64	101	27.5	509	3	5	23	39	64	84	99+
65+	216	22.2	426	3	5	14	30	55	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	7.3	102	<1	<1	4	8	20	31	54
B. *Operated*	158	21.5	354	2	4	13	35	51	64	98
2. MULTIPLE DX										
A. *Not Operated*	616	8.9	97	1	1	6	12	21	30	56
B. *Operated*	428	25.5	483	3	5	19	38	63	78	99+
1. SINGLE DX	467	12.1	232	<1	1	6	14	38	49	70
2. MULTIPLE DX	1044	15.7	322	1	2	9	20	40	59	92
A. NOT OPERATED	925	8.4	99	<1	1	5	11	20	30	55
B. OPERATED	586	24.4	451	3	4	17	37	57	73	99+
TOTAL 0-19 YRS	142	10.5	279	<1	<1	4	10	36	52	88
20-34	107	19.5	393	1	2	10	34	49	58	82
35-49	217	17.1	371	<1	1	8	28	47	60	82
50-64	325	15.6	315	<1	1	8	23	42	56	99+
65+	720	13.4	246	1	1	9	16	33	49	89
GRAND TOTAL	**1511**	**14.6**	**296**	**1**	**1**	**8**	**19**	**39**	**55**	**92**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.3	18	<1	1	3	6	13	15	99+
20-34	29	7.1	61	1	2	4	8	20	27	32
35-49	69	7.2	63	1	1	4	10	16	26	38
50-64	204	7.2	60	1	1	4	9	18	24	34
65+	254	8.5	88	1	1	5	11	20	26	37
B. *Operated*										
0-19 YRS	25	11.0	120	1	1	8	16	24	31	51
20-34	60	11.7	195	2	2	6	16	28	37	82
35-49	141	9.0	64	1	2	7	12	17	21	42
50-64	359	9.7	84	1	2	7	13	20	27	47
65+	386	11.5	101	2	2	9	15	23	30	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	6.8	60	1	2	4	8	14	17	44
20-34	53	6.4	48	1	1	4	8	13	19	40
35-49	108	11.8	160	1	2	8	15	30	37	62
50-64	498	11.0	171	1	1	7	14	25	36	74
65+	974	12.0	151	1	2	8	15	30	39	77
B. *Operated*										
0-19 YRS	20	13.2	86	1	3	12	17	24	32	40
20-34	32	18.1	324	2	2	12	24	46	58	81
35-49	139	17.7	229	3	5	13	22	38	51	99+
50-64	524	18.7	223	3	5	15	25	39	52	84
65+	897	20.8	271	3	5	17	27	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	7.5	70	1	1	4	10	19	26	37
B. *Operated*	971	10.5	96	1	2	8	14	21	28	49
2. MULTIPLE DX										
A. *Not Operated*	1669	11.4	153	1	2	7	14	27	38	74
B. *Operated*	1612	19.7	252	3	5	15	26	41	56	98
1. SINGLE DX	1563	9.4	89	1	2	6	13	20	27	46
2. MULTIPLE DX	3281	15.5	219	1	2	11	21	36	47	87
A. NOT OPERATED	2261	10.4	134	1	1	7	13	25	34	67
B. OPERATED	2583	16.2	213	2	3	12	21	36	47	87
TOTAL 0-19 YRS	117	8.0	74	1	1	5	12	18	25	67
20-34	174	10.5	167	1	2	6	13	25	36	76
35-49	457	12.0	152	1	2	8	15	28	37	70
50-64	1585	12.8	173	1	2	9	17	29	40	69
65+	2511	14.7	201	1	2	11	20	33	45	87
GRAND TOTAL	**4844**	**13.5**	**185**	**1**	**2**	**9**	**18**	**31**	**42**	**78**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	62	3.1	9	<1	1	2	3	6	9	16
20-34	159	3.5	5	<1	1	3	4	5	7	13
35-49	173	3.6	2	1	2	3	5	6	6	8
50-64	275	4.3	27	1	2	4	5	6	8	14
65+	193	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	6.7	8	5	5	5	9	10	10	10
B. *Operated*										
0-19 YRS	13	4.7	17	<1	1	4	6	9	15	17
20-34	32	4.3	13	<1	1	4	5	8	14	16
35-49	45	3.8	4	1	1	4	5	7	7	11
50-64	123	5.2	13	1	2	4	7	8	11	20
65+	154	7.3	58	2	2	5	8	14	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	4	1	1	3	4	7	7	7
B. *Operated*	862	3.9	12	1	2	3	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	5	4.4	14	1	1	5	6	10	10	10
B. *Operated*	367	5.8	32	1	2	4	7	9	17	31
1. SINGLE DX	868	3.9	12	1	2	3	5	6	7	13
2. MULTIPLE DX	372	5.8	32	1	2	4	7	9	17	31
A. NOT OPERATED	11	3.8	8	1	1	3	5	8	10	10
B. OPERATED	1229	4.5	19	1	2	4	5	7	9	20
TOTAL 0-19 YRS	77	3.4	10	<1	1	2	4	7	9	17
20-34	193	3.6	6	<1	1	3	5	6	7	16
35-49	219	3.6	3	1	2	3	5	6	7	8
50-64	401	4.5	22	1	2	4	5	7	9	19
65+	350	5.6	30	2	2	4	6	9	14	31
GRAND TOTAL	**1240**	**4.5**	**19**	**1**	**2**	**4**	**5**	**7**	**9**	**20**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	13	1	1	3	6	9	13	14
20-34	22	3.3	6	<1	1	2	5	7	9	10
35-49	31	1.8	1	<1	<1	1	2	3	5	5
50-64	78	2.6	5	<1	<1	2	3	6	8	12
65+	119	3.6	30	<1	1	2	3	8	10	31
B. *Operated*										
0-19 YRS	41	3.9	15	<1	1	2	6	8	14	18
20-34	80	4.8	13	1	1	3	7	10	11	17
35-49	215	3.3	11	<1	1	2	3	8	10	15
50-64	833	3.4	15	<1	1	2	3	9	12	19
65+	1056	3.7	25	1	1	2	3	8	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	9	1	1	2	7	8	9	9
20-34	13	4.9	42	1	1	3	5	13	23	25
35-49	35	6.0	22	<1	1	5	9	13	15	17
50-64	125	4.3	14	<1	1	3	6	9	11	18
65+	274	6.2	30	1	1	4	9	13	17	23
B. *Operated*										
0-19 YRS	14	4.8	18	2	2	3	7	11	15	16
20-34	83	10.0	150	1	1	7	12	25	31	68
35-49	199	6.3	37	1	1	4	9	14	18	30
50-64	845	6.8	59	1	1	3	9	15	22	36
65+	1619	8.5	99	1	2	5	11	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.1	17	<1	1	2	3	7	9	18
B. *Operated*	2225	3.6	19	1	1	2	3	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	458	5.5	25	1	1	4	8	12	16	23
B. *Operated*	2760	7.9	85	1	2	4	10	18	25	46
1. SINGLE DX	2489	3.5	19	1	1	2	3	8	12	20
2. MULTIPLE DX	3218	7.5	77	1	1	4	10	17	24	44
A. NOT OPERATED	722	4.6	24	<1	1	3	6	11	13	23
B. OPERATED	4985	5.9	60	1	1	3	8	15	20	36
TOTAL 0-19 YRS	80	4.1	14	<1	1	2	6	8	13	17
20-34	198	6.8	79	1	1	4	8	14	24	47
35-49	480	4.7	25	<1	1	2	6	11	15	26
50-64	1881	4.9	37	1	1	2	6	12	16	30
65+	3068	6.5	70	1	1	3	8	16	22	43
GRAND TOTAL	**5707**	**5.8**	**56**	**1**	**1**	**3**	**8**	**14**	**19**	**35**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0		1	1	2	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.8	2	2	2	2	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	47	2.8	9	1	1	2	2	5	11	16
20-34	65	2.7	7	<1	<1	2	3	7	8	12
35-49	80	4.2	15	<1	<1	2	6	9	12	18
50-64	91	4.4	15	<1	1	2	7	11	13	15
65+	58	5.6	30	<1	1	3	8	14	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	5.0	5	3	3	4	6	8	8	8
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	6	5.8	29	1	1	3	11	14	14	14
65+	4	20.3	219	10	10	14	29	42	42	42
B. *Operated*										
0-19 YRS	9	4.3	30	1	1	2	6	14	16	16
20-34	18	7.4	51	<1	1	5	11	13	23	29
35-49	36	7.8	66	2	2	5	10	14	29	37
50-64	68	9.8	123	1	2	5	13	25	37	51
65+	80	10.9	138	1	2	8	14	23	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	1	1	1	2	2	3	4	5
B. *Operated*	341	4.0	16	<1	<1	2	5	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	20	7.4	90	1	1	4	10	15	29	42
B. *Operated*	211	9.4	110	1	2	5	12	21	31	50
1. SINGLE DX	357	3.9	16	<1	1	2	5	10	13	19
2. MULTIPLE DX	231	9.3	108	1	2	5	12	20	31	50
A. NOT OPERATED	36	5.0	56	1	1	2	5	12	16	42
B. OPERATED	552	6.1	59	<1	1	3	8	14	19	38
TOTAL 0-19 YRS	66	2.9	11	1	1	2	2	5	12	16
20-34	88	3.7	19	<1	<1	2	4	9	12	23
35-49	121	5.2	32	<1	<1	3	7	11	14	33
50-64	169	6.6	65	1	1	3	9	15	19	47
65+	144	8.9	104	1	2	5	12	19	26	50
GRAND TOTAL	**588**	**6.0**	**59**	**<1**	**1**	**3**	**8**	**14**	**19**	**40**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	1	<1	<1	2	3	4	4	4
20-34	6	3.2	1	2	2	3	4	5	5	5
35-49	6	3.2	2	2	2	3	4	5	5	5
50-64	5	6.4	55	<1	<1	5	9	19	19	19
65+	3	11.0	103	2	2	9	19	22	22	22
B. *Operated*										
0-19 YRS	748	3.2	7	<1	1	3	4	5	7	16
20-34	989	2.8	6	<1	<1	2	3	5	7	11
35-49	1104	2.5	6	<1	<1	2	3	4	5	13
50-64	1149	2.8	6	<1	<1	2	3	5	6	12
65+	446	3.6	17	<1	1	2	4	6	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	11	<1	<1	1	3	9	11	11
20-34	10	4.2	13	<1	<1	3	7	10	11	11
35-49	19	4.4	11	<1	1	4	6	9	12	13
50-64	20	3.9	8	<1	<1	3	5	9	10	10
65+	22	7.0	25	<1	1	6	10	15	17	18
B. *Operated*										
0-19 YRS	111	3.9	24	<1	1	3	5	6	8	29
20-34	245	4.0	12	<1	1	3	5	8	11	17
35-49	415	4.0	14	<1	1	3	4	8	12	20
50-64	622	4.8	28	<1	1	3	5	11	15	32
65+	382	6.3	51	1	2	4	7	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	23	<1	1	3	4	7	19	22
B. *Operated*	4436	2.9	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	82	4.7	16	<1	<1	4	7	10	13	17
B. *Operated*	1775	4.7	28	<1	1	3	5	10	15	26
1. SINGLE DX	4466	2.9	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX	1857	4.7	27	<1	1	3	5	10	15	26
A. NOT OPERATED	112	4.6	18	<1	<1	3	6	10	13	20
B. OPERATED	6211	3.4	14	<1	<1	2	4	6	9	19
TOTAL 0-19 YRS	880	3.3	9	<1	1	3	4	5	7	16
20-34	1250	3.0	7	<1	<1	2	4	6	8	13
35-49	1544	2.9	9	<1	<1	2	3	5	8	16
50-64	1796	3.5	15	<1	<1	2	4	6	10	20
65+	853	4.9	34	<1	1	3	5	11	17	33
GRAND TOTAL	**6323**	**3.4**	**14**	**<1**	**<1**	**2**	**4**	**6**	**9**	**19**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.9	83	<1	1	2	3	10	30	38
20-34	7	4.0	9	1	1	5	7	8	8	8
35-49	10	3.2	5	1	1	2	5	6	7	7
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	8	2.3	1	2	2	2	2	4	4	4
B. *Operated*										
0-19 YRS	870	2.2	4	<1	<1	2	2	4	6	12
20-34	412	2.8	9	<1	<1	2	3	5	9	15
35-49	300	2.7	7	<1	<1	2	3	5	7	14
50-64	304	2.9	18	<1	<1	2	3	5	7	20
65+	176	2.9	8	<1	<1	2	3	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.6	6	<1	<1	1	4	7	8	9
20-34	7	4.0	12	<1	<1	3	5	10	11	11
35-49	6	4.2	21	<1	<1	2	9	11	11	11
50-64	12	6.9	61	1	1	4	9	16	27	29
65+	29	13.1	125	2	3	10	19	32	50	99+
B. *Operated*										
0-19 YRS	164	3.7	45	<1	<1	2	4	8	11	50
20-34	155	2.8	32	<1	<1	2	3	5	7	11
35-49	191	3.1	16	<1	<1	2	3	6	11	25
50-64	268	4.1	24	<1	<1	2	5	10	15	29
65+	201	6.9	101	<1	1	3	7	17	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.0	35	1	1	2	4	7	11	38
B. *Operated*	2062	2.6	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	86	7.0	75	<1	<1	4	9	18	29	81
B. *Operated*	979	4.2	45	<1	<1	2	4	10	15	38
1. SINGLE DX	2105	2.6	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX	1065	4.5	48	<1	<1	2	5	10	16	39
A. NOT OPERATED	129	6.0	63	<1	<1	3	8	12	26	60
B. OPERATED	3041	3.1	21	<1	<1	2	3	6	10	22
TOTAL 0-19 YRS	1082	2.5	12	<1	<1	2	3	5	7	13
20-34	581	2.9	15	<1	<1	2	3	5	9	15
35-49	507	2.9	10	<1	<1	2	3	5	8	21
50-64	586	3.5	22	<1	<1	2	3	8	12	23
65+	414	5.6	69	<1	<1	2	6	13	22	49
GRAND TOTAL	**3170**	**3.2**	**23**	**<1**	**<1**	**2**	**3**	**6**	**10**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	1.3		<1	<1	1	1	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	431	1.9	1	<1	<1	2	2	3	3	4
20-34	1133	2.0	1	<1	<1	2	2	3	3	4
35-49	707	2.1	1	<1	1	2	2	3	4	5
50-64	249	2.6	3	1	2	2	3	4	4	9
65+	127	2.9	3	1	2	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64	4	4.3	12	1	1	3	6	9	9	9
65+	2	8.0	72	2	2	8	14	14	14	14
B. *Operated*										
0-19 YRS	53	3.0	4	1	2	2	4	5	7	12
20-34	263	2.3	1	<1	1	2	3	3	4	6
35-49	352	3.0	7	<1	2	2	3	5	8	15
50-64	209	3.4	7	2	2	3	4	6	8	15
65+	134	4.6	18	2	2	3	5	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*	2647	2.1	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	17	3.1	13	<1	<1	1	3	8	12	14
B. *Operated*	1011	3.1	7	1	2	2	3	5	8	15
1. SINGLE DX	2654	2.1	1	<1	1	2	2	3	4	5
2. MULTIPLE DX	1028	3.1	7	1	2	2	3	5	8	15
A. NOT OPERATED	24	2.7	9	<1	<1	1	3	6	10	14
B. OPERATED	3658	2.4	3	<1	1	2	3	3	5	10
TOTAL 0-19 YRS	487	2.1	1	<1	<1	2	2	3	4	6
20-34	1405	2.0	1	<1	<1	2	2	3	3	5
35-49	1064	2.4	3	<1	1	2	3	3	4	10
50-64	462	3.0	5	1	2	2	3	5	6	11
65+	264	3.8	11	1	2	3	4	7	11	18
GRAND TOTAL	3682	2.4	3	<1	1	2	3	3	5	10

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	20	5.0	20	<1	1	3	7	13	15	16
35-49	55	3.3	7	1	1	3	4	7	9	14
50-64	8	3.6	7	1	1	3	5	7	8	8
65+	3	5.0	1	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	7	4.4	8	2	2	4	6	9	9	9
20-34	616	5.3	9	<1	1	6	7	9	10	13
35-49	2322	5.9	10	1	1	7	8	9	10	14
50-64	531	5.5	13	<1	1	7	8	9	11	16
65+	37	7.8	37	2	2	7	10	15	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	41	4.2	20	<1	<1	3	6	9	13	24
35-49	173	3.6	11	<1	1	2	5	8	10	16
50-64	39	5.0	39	<1	<1	3	7	9	10	39
65+	24	8.1	55	1	2	5	11	18	23	31
B. *Operated*										
0-19 YRS	12	4.7	17	<1	<1	3	8	10	13	13
20-34	1447	6.1	17	1	1	6	8	10	12	20
35-49	8352	6.9	17	1	2	7	9	11	13	21
50-64	2161	6.8	21	1	2	7	9	11	14	22
65+	200	11.3	84	2	3	9	14	21	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.7	10	1	1	3	5	8	10	15
B. *Operated*	3513	5.7	11	1	1	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	278	4.3	21	<1	1	3	6	9	12	23
B. *Operated*	12172	6.9	19	1	2	7	9	11	13	22
1. SINGLE DX	3602	5.7	11	1	1	7	8	9	10	14
2. MULTIPLE DX	12450	6.8	19	1	2	7	9	11	13	22
A. NOT OPERATED	367	4.1	18	<1	1	3	5	9	11	20
B. OPERATED	15685	6.6	17	1	2	7	8	10	13	20
TOTAL 0-19 YRS	23	4.3	11	<1	1	4	7	9	11	13
20-34	2124	5.8	15	1	1	6	8	10	11	17
35-49	10902	6.6	16	1	2	7	8	10	12	19
50-64	2739	6.6	20	1	1	7	9	10	13	21
65+	264	10.4	53	2	3	9	13	18	25	33
GRAND TOTAL	16052	6.6	17	1	2	7	8	10	13	20

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	2.6	6	<1	1	2	2	6	8	11
35-49	32	4.6	17	<1	<1	4	6	8	9	22
50-64	21	3.1	10	<1	<1	2	3	8	11	14
65+	13	5.3	10	2	2	4	9	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	38	5.8	46	<1	1	5	7	9	11	42
35-49	93	5.9	11	<1	1	6	8	10	10	14
50-64	48	5.0	25	1	1	3	7	9	13	30
65+	15	8.3	48	1	1	7	14	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	90	3.8	12	<1	1	2	6	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	196	5.8	24	1	1	6	8	10	13	26
1. SINGLE DX	91	3.8	12	<1	1	2	6	8	9	19
2. MULTIPLE DX	197	5.8	24	1	1	6	8	10	13	26
A. NOT OPERATED	2	2.0	2	1	1	2	3	3	3	3
B. OPERATED	286	5.2	21	<1	1	4	8	9	12	22
TOTAL 0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	61	4.6	33	<1	1	2	7	8	10	39
35-49	125	5.6	13	<1	1	6	8	9	10	17
50-64	70	4.4	21	<1	1	2	7	8	13	27
65+	29	6.8	31	1	2	5	9	16	18	21
GRAND TOTAL	**288**	**5.2**	**21**	**<1**	**1**	**4**	**8**	**9**	**12**	**22**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	105	6.7	3	4	5	7	7	9	10	13
20-34	446	6.2	3	4	5	6	7	8	9	11
35-49	119	6.8	3	4	5	7	8	9	11	13
50-64	110	8.4	9	5	6	8	9	12	14	20
65+	41	12.2	209	6	6	8	10	19	44	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	11.0	2	10	10	11	12	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	90	6.9	5	4	4	6	8	9	11	14
20-34	406	6.9	6	4	5	7	8	9	11	17
35-49	323	8.0	10	5	5	7	9	11	14	20
50-64	231	10.0	27	6	6	8	11	16	21	32
65+	173	13.8	61	7	7	11	17	24	31	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	3	1	1	4	5	6	6	6
B. *Operated*	821	7.0	16	4	5	6	8	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	12	4.8	16	<1	1	3	8	11	12	12
B. *Operated*	1223	8.8	24	5	5	8	9	14	18	30
1. SINGLE DX	830	6.9	16	4	5	6	8	9	10	16
2. MULTIPLE DX	1235	8.7	24	4	5	8	9	14	18	30
A. NOT OPERATED	21	4.3	10	<1	1	4	6	9	11	12
B. OPERATED	2044	8.0	21	4	5	7	8	11	16	28
TOTAL 0-19 YRS	200	6.7	4	4	5	6	8	9	10	14
20-34	861	6.5	5	4	5	6	7	8	10	16
35-49	444	7.7	8	4	5	7	8	11	13	20
50-64	344	9.5	22	5	6	8	10	14	19	29
65+	216	13.4	88	6	7	10	15	23	32	51
GRAND TOTAL	**2065**	**8.0**	**22**	**4**	**5**	**7**	**8**	**11**	**16**	**28**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.1	5	<1	<1	1	2	4	8	9
20-34	25	3.0	6	<1	<1	2	5	6	8	9
35-49	23	3.7	11	<1	<1	2	6	8	11	14
50-64	18	3.3	7	<1	<1	3	4	7	9	11
65+	10	3.0	7	<1	<1	2	3	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4	3.5	6	1	1	3	5	6	6	6
20-34	22	3.4	6	1	1	2	6	7	8	8
35-49	27	4.2	7	<1	1	3	7	8	8	9
50-64	22	5.1	18	1	1	4	7	11	15	16
65+	10	4.4	14	1	1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	90	3.1	8	<1	<1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*	85	4.2	10	1	1	3	6	8	9	16
1. SINGLE DX	91	3.1	7	<1	<1	2	4	7	9	13
2. MULTIPLE DX	88	4.1	10	1	1	3	6	8	9	16
A. NOT OPERATED	4	2.0	2	1	1	2	3	4	4	4
B. OPERATED	175	3.6	9	<1	<1	2	6	8	9	15
TOTAL 0-19 YRS	18	2.4	5	<1	<1	2	2	6	8	9
20-34	47	3.2	6	<1	<1	2	6	7	8	9
35-49	52	3.9	9	<1	<1	3	6	8	9	14
50-64	41	4.2	13	<1	1	3	6	9	13	16
65+	21	3.7	10	<1	1	2	5	10	11	11
GRAND TOTAL	**179**	**3.6**	**9**	**<1**	**<1**	**2**	**6**	**8**	**9**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.0	5	1	1	2	5	6	6	6
20-34	31	3.1	2	1	2	3	4	5	6	8
35-49	15	2.8	3	<1	1	3	3	4	7	8
50-64	12	3.2	7	1	1	2	3	7	10	11
65+	11	3.8	9	<1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	9	3.9	2	2	2	3	5	6	6	6
50-64	8	5.6	16	2	2	4	9	12	12	12
65+	15	7.7	70	<1	2	4	10	19	28	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	76	3.1	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	40	5.4	33	1	2	4	5	12	17	31
1. SINGLE DX	76	3.1	4	1	1	3	4	6	8	11
2. MULTIPLE DX	42	5.2	32	<1	1	4	5	12	17	31
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	116	3.9	15	1	1	3	4	7	11	23
TOTAL 0-19 YRS	11	2.7	4	<1	<1	2	5	6	6	6
20-34	36	3.0	2	1	2	3	4	4	6	8
35-49	25	3.1	3	<1	1	3	4	6	7	8
50-64	20	4.2	11	1	2	3	5	11	12	12
65+	26	6.0	47	<1	1	4	7	16	21	31
GRAND TOTAL	**118**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**11**	**23**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	24	4.1	19	<1	1	2	5	11	15	16
35-49	29	4.6	22	<1	1	3	5	12	17	18
50-64	62	3.7	14	<1	1	2	4	8	11	22
65+	104	3.3	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.0		8	8	8	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	6	4.2	36	<1	<1	1	5	15	16	16
35-49	24	7.8	52	1	2	4	11	22	23	23
50-64	57	6.7	45	1	2	5	9	14	20	40
65+	111	7.8	64	2	2	5	10	19	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	221	3.7	12	<1	1	2	4	8	12	17
2. MULTIPLE DX										
A. *Not Operated*	5	5.2	10	1	1	6	8	8	8	8
B. *Operated*	202	7.2	55	1	2	4	9	18	23	38
1. SINGLE DX	221	3.7	12	<1	1	2	4	8	12	17
2. MULTIPLE DX	207	7.2	54	1	2	4	9	17	23	38
A. NOT OPERATED	5	5.2	10	1	1	6	8	8	8	8
B. OPERATED	423	5.4	36	1	1	3	6	13	18	29
TOTAL 0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	30	4.1	21	<1	<1	2	5	12	16	16
35-49	55	6.1	36	1	2	3	8	17	21	23
50-64	120	5.1	31	1	1	3	6	11	15	28
65+	217	5.6	41	1	1	4	6	13	19	32
GRAND TOTAL	**428**	**5.4**	**35**	**1**	**1**	**3**	**6**	**13**	**18**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	29	2.0	4	<1	<1	2	2	3	4	12
20-34	10	1.4		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	2.0	1	<1	<1	2	2	3	3	3
65+	7	2.7	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	15.0		15	15	15	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	3.6	8	1	1	2	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	52	2.0	3	<1	<1	2	2	3	3	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.4	41	<1	<1	1	10	15	15	15
B. *Operated*	11	2.8	5	1	1	2	4	6	8	8
1. SINGLE DX	53	2.0	3	<1	<1	2	2	3	3	12
2. MULTIPLE DX	16	3.6	16	<1	<1	2	5	9	13	15
A. NOT OPERATED	6	4.8	35	<1	<1	1	9	14	15	15
B. OPERATED	63	2.1	3	<1	<1	2	2	3	6	11
TOTAL 0-19 YRS	33	1.9	4	<1	<1	2	2	3	3	12
20-34	10	1.4		<1	<1	1	2	2	2	2
35-49	6	2.7	10	<1	<1	1	2	8	9	9
50-64	8	4.0	21	<1	<1	2	4	12	15	15
65+	12	3.1	5	1	1	2	4	7	8	8
GRAND TOTAL	**69**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**6**	**8**	**14**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	2.4	3	1	1	2	3	5	5	5
35-49	10	8.4	107	2	2	5	10	24	36	36
50-64	18	6.3	70	1	1	3	8	12	27	37
65+	14	8.2	23	2	3	8	10	15	18	19
B. Operated										
0-19 YRS	11	13.0	59	2	3	13	19	24	28	28
20-34	38	13.7	119	2	2	13	17	26	35	54
35-49	82	13.9	75	3	5	12	18	25	29	48
50-64	116	15.8	105	3	5	14	19	28	32	59
65+	63	22.7	242	3	5	20	29	47	61	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	6	3.5	12	1	1	2	4	9	10	10
35-49	11	13.5	600	1	1	2	8	56	76	78
50-64	25	9.8	71	3	3	8	13	20	54	99+
65+	89	15.8	206	2	4	13	22	34	79	99+
B. Operated										
0-19 YRS	6	20.8	189	8	8	17	23	45	47	47
20-34	29	16.5	104	3	4	17	21	30	40	43
35-49	59	19.3	170	4	7	16	23	40	49	65
50-64	106	22.1	226	4	7	18	31	52	66	99+
65+	143	31.5	425	8	11	26	44	72	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	6.9	56	1	2	4	9	13	21	37
B. Operated	310	16.4	135	2	4	14	21	30	37	70
2. MULTIPLE DX										
A. Not Operated	133	13.8	209	1	2	10	19	34	70	99+
B. Operated	343	25.0	318	5	8	19	33	54	75	99+
1. SINGLE DX	358	15.1	135	2	3	13	20	29	36	66
2. MULTIPLE DX	476	21.9	313	3	5	17	29	52	75	99+
A. NOT OPERATED	181	11.9	177	1	2	8	15	26	43	99+
B. OPERATED	653	20.9	250	3	6	17	26	45	59	99+
TOTAL 0-19 YRS	20	14.1	112	1	3	13	19	25	37	47
20-34	78	13.2	115	1	2	12	18	26	35	51
35-49	162	15.5	152	2	3	13	19	29	40	65
50-64	265	17.1	171	3	4	14	23	34	52	99+
65+	309	24.1	361	3	6	19	33	56	82	99+
GRAND TOTAL	834	19.0	247	2	4	15	25	42	57	99+

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+	3	4.3	10	2	2	3	7	8	8	8
B. Operated										
0-19 YRS	42	3.7	1	2	2	4	4	5	5	6
20-34	283	4.3	2	3	3	4	5	6	7	8
35-49	336	4.5	5	3	3	4	5	6	7	14
50-64	278	4.6	3	3	3	4	5	6	8	13
65+	102	5.3	5	3	3	5	6	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	2.3	6	1	1	1	4	6	6	6
35-49	3	4.7	40	<1	<1	1	9	12	12	12
50-64	5	3.8	8	1	1	3	6	8	8	8
65+	7	8.1	33	1	2	6	12	17	18	18
B. Operated										
0-19 YRS	11	5.1	8	3	3	4	5	9	13	13
20-34	59	5.1	6	2	3	5	6	8	11	16
35-49	127	5.1	6	3	3	5	6	7	9	16
50-64	158	6.1	14	3	4	5	6	9	14	24
65+	90	8.9	60	4	4	7	10	17	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	9	2	2	5	7	8	8	8
B. Operated	1041	4.5	4	3	3	4	5	6	7	13
2. MULTIPLE DX										
A. Not Operated	20	5.3	23	<1	1	5	7	12	15	18
B. Operated	445	6.2	22	3	3	5	6	10	15	24
1. SINGLE DX	1045	4.5	4	3	3	4	5	6	7	13
2. MULTIPLE DX	465	6.2	22	3	3	5	6	10	15	24
A. NOT OPERATED	24	5.3	20	<1	1	5	7	12	14	18
B. OPERATED	1486	5.0	10	3	3	4	5	7	10	17
TOTAL 0-19 YRS	54	4.1	3	2	3	4	5	5	6	13
20-34	347	4.4	3	3	3	4	5	6	7	11
35-49	466	4.6	6	3	3	4	5	6	7	14
50-64	441	5.2	8	3	3	5	5	7	10	17
65+	202	7.0	33	3	4	5	7	12	17	25
GRAND TOTAL	1510	5.0	10	3	3	4	5	7	10	17

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	5	5	5
20-34	11	5.0	16	1	1	4	6	12	14	14
35-49	9	5.9	37	1	1	3	8	17	19	19
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	5	19.2	149	7	7	15	30	35	35	35
20-34	41	9.0	24	3	4	8	11	16	20	21
35-49	47	9.7	42	3	4	8	12	18	20	39
50-64	47	10.4	52	3	4	9	13	21	26	36
65+	21	9.3	31	3	4	9	11	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	12	6.2	28	1	1	5	7	14	19	20
35-49	13	8.0	57	1	1	6	11	21	22	22
50-64	11	15.6	302	2	3	9	19	38	62	64
65+	13	11.5	59	3	5	11	13	20	31	34
B. *Operated*										
0-19 YRS	4	31.8	1788	8	8	12	55	95	95	95
20-34	39	14.6	96	3	5	12	19	27	39	44
35-49	48	14.4	66	4	4	13	22	25	27	31
50-64	95	13.4	137	3	4	9	17	31	44	52
65+	55	19.1	270	4	4	13	24	41	54	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.1	19	1	1	4	6	12	14	19
B. *Operated*	161	10.0	44	3	4	8	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	52	9.8	107	1	2	7	12	20	22	63
B. *Operated*	241	15.4	175	4	4	11	20	31	43	66
1. SINGLE DX	189	9.2	43	2	3	8	12	18	21	36
2. MULTIPLE DX	293	14.4	167	3	4	10	19	28	41	65
A. NOT OPERATED	80	8.2	81	1	1	6	10	19	21	55
B. OPERATED	402	13.2	129	3	4	10	17	25	35	54
TOTAL 0-19 YRS	16	15.5	541	1	1	8	15	34	77	95
20-34	103	10.3	62	2	3	8	13	20	25	41
35-49	117	11.1	61	2	3	9	16	23	25	34
50-64	156	12.5	122	3	4	9	15	25	36	53
65+	90	15.6	199	4	4	11	20	33	45	75
GRAND TOTAL	482	12.4	124	3	4	9	15	25	33	54

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	19	2.1	1	<1	<1	2	3	3	5	6
20-34	847	3.6	5	1	1	3	4	7	8	11
35-49	413	5.2	21	2	2	4	7	9	10	13
50-64	97	5.0	12	1	2	4	7	10	11	17
65+	40	5.9	12	1	2	5	8	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.1	3	1	1	1	3	4	6	7
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	8	3.1	6	2	2	2	3	7	9	9
20-34	482	4.9	11	1	2	4	7	9	11	16
35-49	358	7.0	21	2	2	7	9	11	14	27
50-64	136	7.8	38	2	2	7	10	12	20	30
65+	64	7.4	45	2	2	6	8	17	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	7	1	1	2	5	7	7	7
B. *Operated*	1416	4.2	11	1	2	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	25	2.3	5	<1	1	1	3	4	8	10
B. *Operated*	1048	6.2	21	2	2	6	8	11	13	26
1. SINGLE DX	1421	4.2	11	1	2	3	6	8	9	12
2. MULTIPLE DX	1073	6.1	21	1	2	6	8	11	13	25
A. NOT OPERATED	30	2.4	5	1	1	2	3	6	7	10
B. OPERATED	2464	5.0	16	1	2	4	7	9	11	19
TOTAL 0-19 YRS	27	2.4	3	<1	<1	2	3	3	6	9
20-34	1348	4.1	8	1	2	3	6	8	9	13
35-49	777	6.0	21	2	2	6	8	10	12	20
50-64	236	6.6	29	1	2	6	9	11	15	27
65+	106	6.8	32	2	2	6	8	13	17	32
GRAND TOTAL	2494	5.0	16	1	2	4	7	9	11	19

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	4.0		4	4	4	4	4	4	4
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	5	6.4	31	1	1	6	11	13	13	13
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	24	4.6	7	<1	<1	5	6	7	9	11
35-49	65	4.9	11	1	2	4	7	9	10	16
50-64	128	4.6	17	<1	1	3	6	11	13	20
65+	155	5.0	29	1	1	3	6	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	8.5	16	3	3	9	11	12	12	12
50-64	4	6.8	10	4	4	7	9	10	10	10
65+	13	16.8	338	1	3	10	26	42	62	67
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	7.5	28	2	2	7	10	12	17	27
35-49	88	5.9	19	1	2	5	8	11	14	21
50-64	186	7.5	49	1	2	5	10	18	21	30
65+	292	10.6	122	2	2	8	14	19	26	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	15	<1	1	3	5	12	13	13
B. *Operated*	375	4.8	20	<1	1	3	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	21	13.3	228	2	3	9	12	31	50	67
B. *Operated*	593	8.8	83	2	2	6	12	18	22	50
1. SINGLE DX	387	4.8	20	<1	1	3	6	11	14	22
2. MULTIPLE DX	614	8.9	88	2	2	7	12	18	24	55
A. NOT OPERATED	33	10.1	167	1	1	6	11	26	35	67
B. OPERATED	968	7.2	62	1	2	5	10	16	20	38
TOTAL 0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	51	6.1	19	<1	1	6	8	10	12	27
35-49	159	5.5	15	1	2	5	8	10	13	19
50-64	321	6.3	38	1	2	4	9	14	19	27
65+	465	8.8	104	1	2	5	12	18	25	58
GRAND TOTAL	1001	7.3	66	1	2	5	10	16	20	38

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	5.0	65	1	1	2	6	9	18	46
20-34	54	3.9	17	<1	1	2	5	7	10	26
35-49	69	4.8	22	1	1	3	6	10	17	23
50-64	100	5.5	21	1	1	4	8	12	14	21
65+	118	8.3	119	1	1	5	10	17	23	65
B. *Operated*										
0-19 YRS	190	4.7	37	<1	1	3	5	10	16	31
20-34	381	5.0	23	<1	1	3	6	11	15	23
35-49	405	4.5	20	<1	1	3	6	9	13	21
50-64	574	5.0	28	1	1	3	6	11	15	27
65+	652	6.2	57	1	2	3	7	14	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.2	39	<1	1	3	4	8	13	41
20-34	53	5.3	124	<1	<1	3	6	8	13	79
35-49	93	7.1	55	1	1	5	8	18	23	42
50-64	234	8.1	92	1	1	5	10	15	26	57
65+	549	10.8	143	1	2	8	12	20	34	70
B. *Operated*										
0-19 YRS	59	11.9	267	1	2	6	14	25	40	94
20-34	178	7.9	92	1	2	6	9	16	24	56
35-49	294	8.1	90	2	2	6	9	15	26	70
50-64	567	10.3	135	1	2	7	13	24	33	72
65+	1112	12.0	142	2	2	9	16	26	35	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	6.0	58	1	1	4	7	13	18	43
B. *Operated*	2202	5.2	36	1	1	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	976	9.2	120	1	1	6	11	18	28	64
B. *Operated*	2210	10.7	135	2	2	7	14	24	33	72
1. SINGLE DX	2581	5.3	39	1	1	3	6	12	16	29
2. MULTIPLE DX	3186	10.2	131	1	2	7	13	22	32	69
A. NOT OPERATED	1355	8.3	105	1	1	5	10	16	25	60
B. OPERATED	4412	8.0	93	1	2	5	10	18	26	53
TOTAL 0-19 YRS	334	5.9	88	<1	1	3	6	13	21	47
20-34	666	5.7	51	1	1	4	7	12	17	31
35-49	861	6.0	51	1	1	4	8	12	17	36
50-64	1475	7.6	85	1	2	4	10	16	24	52
65+	2431	10.0	124	1	2	7	13	22	31	65
GRAND TOTAL	5767	8.0	96	1	2	5	10	18	26	55

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	24	2	2	3	9	11	11	11
20-34	6	5.2	23	1	1	4	6	13	14	14
35-49	10	4.4	6	2	2	4	7	8	8	8
50-64	6	3.8	3	2	2	3	4	7	7	7
65+	5	6.0	12	2	2	7	8	10	10	10
B. *Operated*										
0-19 YRS	23	4.3	1	2	3	4	5	6	6	6
20-34	140	4.6	2	2	3	4	5	6	7	9
35-49	237	4.7	3	3	3	4	5	7	8	12
50-64	220	4.9	5	2	3	4	5	7	9	16
65+	86	5.8	8	3	3	5	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	20	4.1	11	<1	<1	3	6	9	11	12
35-49	22	5.6	23	<1	1	5	8	12	16	21
50-64	33	8.5	43	1	2	7	12	18	23	25
65+	53	10.8	173	4	5	8	11	14	21	96
B. *Operated*										
0-19 YRS	11	8.8	82	2	3	6	10	22	33	34
20-34	57	4.9	11	3	3	4	5	7	12	19
35-49	103	6.3	44	3	3	5	6	10	14	45
50-64	171	7.2	31	3	4	5	7	13	21	31
65+	128	9.2	75	3	4	7	10	17	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.8	10	2	2	4	7	9	11	14
B. *Operated*	706	4.8	4	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	131	8.1	93	1	1	6	10	14	21	43
B. *Operated*	470	7.3	46	3	3	5	7	13	20	37
1. SINGLE DX	736	4.8	5	2	3	4	6	7	8	14
2. MULTIPLE DX	601	7.5	56	2	3	5	8	13	20	36
A. NOT OPERATED	161	7.5	79	1	1	6	9	14	18	29
B. OPERATED	1176	5.8	22	3	3	5	6	9	13	30
TOTAL 0-19 YRS	40	5.4	28	1	2	4	6	9	13	34
20-34	223	4.6	5	1	3	4	5	7	8	15
35-49	372	5.2	16	2	3	4	5	7	10	20
50-64	430	6.0	20	2	3	5	6	10	14	26
65+	272	8.4	75	3	4	6	9	14	20	51
GRAND TOTAL	1337	6.0	29	2	3	5	6	10	14	30

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	19	1	2	4	9	12	14	20
20-34	87	5.9	20	1	2	5	8	9	11	29
35-49	72	6.3	16	2	2	6	8	11	14	23
50-64	80	6.6	20	2	2	5	8	12	15	24
65+	59	9.9	51	3	3	8	12	20	27	33
B. *Operated*										
0-19 YRS	44	5.4	12	2	3	5	6	11	13	18
20-34	204	5.6	7	3	4	5	6	7	12	16
35-49	132	5.2	5	3	3	5	6	7	9	15
50-64	107	5.7	11	3	4	5	6	10	14	20
65+	40	7.1	16	2	3	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.0	20	1	1	5	8	11	13	25
20-34	103	7.8	29	1	3	6	11	15	19	26
35-49	168	8.5	33	2	3	7	10	16	19	29
50-64	268	9.4	41	3	4	8	12	17	21	35
65+	506	13.1	139	3	4	10	16	25	36	74
B. *Operated*										
0-19 YRS	15	9.3	74	3	3	6	10	24	30	32
20-34	70	7.5	22	3	4	6	9	13	14	27
35-49	83	8.2	61	3	3	6	8	16	20	50
50-64	116	11.4	173	2	3	7	14	24	45	99+
65+	133	16.2	241	4	5	11	20	36	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	6.8	26	2	2	6	8	12	15	29
B. *Operated*	527	5.6	9	3	3	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	1085	10.7	99	2	3	8	13	20	26	61
B. *Operated*	417	11.6	155	3	4	7	14	25	38	99+
1. SINGLE DX	876	6.1	16	2	3	5	7	10	14	23
2. MULTIPLE DX	1502	11.0	107	3	3	8	13	21	30	73
A. NOT OPERATED	1434	9.8	76	2	3	8	12	19	25	52
B. OPERATED	944	8.3	82	3	4	5	8	16	24	75
TOTAL 0-19 YRS	150	6.1	23	1	2	5	7	12	15	25
20-34	464	6.4	18	2	3	5	7	11	14	24
35-49	455	7.1	29	2	3	6	8	14	17	28
50-64	571	8.8	63	2	3	6	11	17	23	45
65+	738	13.1	148	3	4	10	16	26	37	87
GRAND TOTAL	2378	9.2	79	2	3	6	11	18	24	60

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	375	7.1	16	2	3	6	9	12	14	21
20-34	248	6.5	16	2	3	6	8	11	15	20
35-49	265	7.0	13	2	3	6	9	11	14	19
50-64	421	7.4	16	2	3	7	9	12	15	20
65+	379	8.8	39	2	3	7	11	16	20	35
B. Operated										
0-19 YRS										
20-34	5	7.0	55	2	2	4	9	20	20	20
35-49	4	9.8	43	4	4	8	15	18	18	18
50-64	8	9.4	29	1	2	8	12	17	19	19
65+	8	10.6	56	2	3	9	16	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	7.0	71	1	1	5	8	15	19	48
20-34	364	7.7	37	2	2	6	9	14	18	35
35-49	939	8.4	31	2	3	7	11	16	19	29
50-64	2229	9.4	45	3	4	8	12	16	20	36
65+	3202	11.6	99	3	4	9	14	21	31	77
B. Operated										
0-19 YRS	5	13.0	165	3	3	8	18	35	35	35
20-34	47	18.6	361	3	3	12	19	42	62	91
35-49	109	15.2	247	3	3	11	17	30	47	89
50-64	329	15.3	153	4	5	12	19	32	39	71
65+	478	19.8	202	5	7	16	25	42	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1688	7.4	21	2	3	7	9	13	16	24
B. Operated	25	9.4	41	2	2	7	12	20	21	22
2. MULTIPLE DX										
A. Not Operated	6921	10.1	71	3	4	8	12	18	24	53
B. Operated	968	17.6	202	4	5	14	22	36	52	99+
1. SINGLE DX	1713	7.5	22	2	3	7	9	13	16	24
2. MULTIPLE DX	7889	11.1	93	3	4	9	13	21	29	64
A. NOT OPERATED	8609	9.6	62	2	3	8	12	17	23	49
B. OPERATED	993	17.4	200	3	5	14	22	38	51	99+
TOTAL 0-19 YRS	567	7.1	35	1	2	6	9	13	16	30
20-34	664	8.0	61	2	2	6	9	15	19	41
35-49	1317	8.7	49	2	3	7	11	16	19	32
50-64	2987	9.7	57	3	4	8	12	17	22	42
65+	4067	12.3	113	3	4	9	15	24	33	83
GRAND TOTAL	9602	10.4	82	3	3	8	12	19	27	58

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	565	5.7	17	1	2	5	7	10	12	22
20-34	347	5.8	15	1	2	5	7	11	13	17
35-49	176	7.9	44	2	2	7	10	13	17	34
50-64	136	[illegible]	27	3	3	8	11	15	19	29
65+	129	10.4	59	2	3	8	13	20	23	36
B. Operated										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	2	34.0	338	21	21	34	47	47	47	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	414	6.8	32	2	2	5	8	12	17	26
20-34	469	7.6	30	2	3	6	10	14	18	28
35-49	338	9.8	43	3	3	8	13	18	22	38
50-64	418	11.8	72	4	4	10	14	20	26	41
65+	653	14.6	138	4	5	11	17	29	39	79
B. Operated										
0-19 YRS	13	17.9	149	5	6	14	24	40	42	43
20-34	33	18.4	306	4	5	12	27	45	61	71
35-49	43	20.0	202	6	7	15	24	42	50	72
50-64	77	22.1	182	7	9	19	28	41	54	94
65+	85	26.3	299	7	10	22	35	54	67	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1353	6.8	27	2	2	6	9	12	15	27
B. Operated	8	14.5	212	4	4	8	19	39	47	47
2. MULTIPLE DX										
A. Not Operated	2292	10.5	80	2	3	8	13	19	26	49
B. Operated	251	22.4	245	5	7	18	29	43	58	97
1. SINGLE DX	1361	6.8	29	2	2	6	9	12	16	28
2. MULTIPLE DX	2543	11.7	109	2	3	9	15	23	32	62
A. NOT OPERATED	3645	9.1	64	2	3	7	11	17	23	43
B. OPERATED	259	22.2	245	5	7	18	29	43	57	96
TOTAL 0-19 YRS	995	6.3	27	2	2	5	8	11	15	25
20-34	849	7.3	40	2	2	6	9	14	17	36
35-49	558	10.0	64	2	3	8	12	18	23	43
50-64	633	12.4	90	3	4	10	15	22	30	53
65+	869	15.1	158	4	5	12	18	30	42	79
GRAND TOTAL	3904	10.6	86	2	3	8	12	19	27	54

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	6.4	18	2	2	6	8	11	14	18
20-34	370	6.5	23	2	2	6	8	11	15	26
35-49	440	7.4	19	2	3	6	9	13	15	23
50-64	741	8.2	28	3	3	7	10	13	16	22
65+	588	9.3	46	3	4	8	11	16	21	36
B. *Operated*										
0-19 YRS	5	3.2	5	2	2	2	4	7	7	7
20-34	26	5.5	20	1	1	4	7	10	17	19
35-49	35	7.1	65	2	2	3	10	18	29	31
50-64	132	7.8	85	2	2	4	10	17	25	54
65+	104	7.5	101	2	2	4	8	18	28	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	6.4	35	1	2	5	8	12	15	35
20-34	676	8.2	43	2	3	5	10	15	19	35
35-49	1515	9.3	45	2	3	8	11	17	21	34
50-64	3805	10.5	65	3	4	9	13	18	24	44
65+	5269	12.3	102	4	4	10	15	22	31	72
B. *Operated*										
0-19 YRS	23	10.0	54	2	3	8	12	24	27	27
20-34	206	17.7	331	2	3	11	23	41	68	93
35-49	442	19.3	284	3	4	15	26	43	62	99+
50-64	1485	21.3	316	3	5	16	29	51	67	99+
65+	2108	26.2	385	4	7	22	39	67	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2416	7.8	30	2	3	7	10	14	17	26
B. *Operated*	302	7.4	81	2	2	4	9	17	25	49
2. MULTIPLE DX										
A. *Not Operated*	11434	11.0	80	3	4	9	13	20	26	57
B. *Operated*	4264	23.3	356	3	5	18	33	57	80	99+
1. SINGLE DX	2718	7.8	36	2	3	6	10	14	17	30
2. MULTIPLE DX	15698	14.3	185	3	4	10	17	31	47	99+
A. NOT OPERATED	13850	10.4	73	3	4	8	13	19	24	51
B. OPERATED	4566	22.2	353	3	4	17	32	56	77	99+
TOTAL 0-19 YRS	472	6.5	26	2	2	5	8	11	14	27
20-34	1280	9.2	98	2	3	6	10	18	26	59
35-49	2432	10.7	101	2	3	8	13	21	30	63
50-64	6163	12.7	145	3	4	9	15	25	39	80
65+	8069	15.7	212	3	4	11	19	35	54	99+
GRAND TOTAL	18416	13.4	168	3	4	9	16	29	43	98

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	3.7	6	1	1	3	4	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.7	5	1	1	3	6	7	8	8
20-34	234	3.8	7	1	1	2	6	7	8	11
35-49	11	3.5	13	<1	<1	2	4	10	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	9	3	3	6	8	9	9	9
20-34	19	3.1	14	<1	1	2	4	6	12	17
35-49	3	6.7	16	2	2	9	9	9	9	9
50-64										
65+	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	31	5.3	15	1	1	5	6	9	16	18
20-34	291	4.1	8	1	1	3	6	8	9	12
35-49	33	5.2	12	1	2	5	8	10	12	13
50-64	3	5.3	16	3	3	3	8	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	5	1	1	3	4	8	8	8
B. *Operated*	288	3.7	7	1	1	2	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	28	4.1	14	1	1	3	6	9	10	17
B. *Operated*	358	4.3	9	1	1	3	6	8	10	13
1. SINGLE DX	299	3.7	7	1	1	2	6	7	8	11
2. MULTIPLE DX	386	4.3	10	1	1	3	6	8	9	15
A. NOT OPERATED	39	4.0	11	1	1	3	6	9	9	17
B. OPERATED	646	4.0	8	1	1	3	6	8	9	13
TOTAL 0-19 YRS	79	4.4	10	1	1	4	6	8	9	17
20-34	554	3.9	8	1	1	3	6	7	8	12
35-49	47	4.9	13	1	1	3	8	10	12	13
50-64	3	5.3	16	3	3	3	8	10	10	10
65+	2	7.0		7	7	7	7	7	7	7
GRAND TOTAL	685	4.0	8	1	1	3	6	8	9	13

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	3.9	9	1	1	3	6	7	10	15
20-34	127	4.7	19	1	1	4	5	9	12	21
35-49	98	5.1	17	1	2	4	7	10	12	23
50-64	100	5.7	24	1	1	4	7	12	14	25
65+	94	6.5	61	<1	1	5	8	13	16	48
B. Operated										
0-19 YRS	13	6.5	26	2	2	5	8	16	18	18
20-34	20	6.3	61	<1	<1	3	8	14	24	34
35-49	19	9.6	93	1	2	8	12	17	33	44
50-64	28	10.2	161	2	3	6	11	17	24	70
65+	13	12.2	181	2	3	6	16	30	47	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	4.3	24	1	1	3	5	8	13	31
20-34	295	5.7	23	1	1	5	7	11	16	23
35-49	298	6.9	33	1	2	5	9	13	18	30
50-64	550	8.6	74	1	2	6	10	19	25	72
65+	1048	9.7	77	2	2	7	12	20	26	50
B. Operated										
0-19 YRS	15	13.5	203	<1	1	9	20	34	47	51
20-34	44	9.2	84	1	2	5	13	24	30	35
35-49	77	10.2	72	1	3	8	13	19	32	85
50-64	134	14.5	127	4	5	12	20	29	34	78
65+	138	22.2	297	4	6	18	31	56	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	550	5.1	25	1	1	4	7	10	13	25
B. Operated	93	9.0	110	1	2	6	11	18	24	62
2. MULTIPLE DX										
A. Not Operated	2349	8.2	64	1	2	6	10	18	22	45
B. Operated	408	15.7	196	2	3	12	22	35	53	99+
1. SINGLE DX	643	5.6	39	1	1	4	7	12	14	27
2. MULTIPLE DX	2757	9.3	90	1	2	7	11	20	28	59
A. NOT OPERATED	2899	7.6	58	1	2	6	9	16	21	40
B. OPERATED	501	14.4	187	2	3	10	19	34	46	99+
TOTAL 0-19 YRS	317	4.7	30	1	1	3	6	9	14	33
20-34	486	5.8	30	1	1	4	7	12	16	31
35-49	492	7.1	40	1	2	5	9	14	19	40
50-64	812	9.3	86	1	2	7	11	20	27	71
65+	1293	10.9	116	2	2	7	13	22	32	63
GRAND TOTAL	3400	8.6	82	1	2	6	11	19	26	56

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	8.7	67	1	2	6	10	23	29	31
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	16.5	61	11	11	16	22	22	22	22
50-64	1	31.0		31	31	31	31	31	31	31
65+	14	12.0	202	2	2	7	14	21	50	58
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	14.0	338	<1	<1	13	27	27	27	27
50-64	1	28.0		28	28	28	28	28	28	28
65+	5	13.4	260	3	3	7	17	42	42	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	8.8	67	2	3	5	10	19	32	35
20-34	13	13.9	334	1	2	8	16	31	63	71
35-49	25	12.6	280	3	3	7	12	25	51	81
50-64	74	14.5	125	2	2	13	20	30	37	91
65+	339	16.5	245	4	5	12	20	36	61	99+
B. Operated										
0-19 YRS	6	14.3	112	3	3	13	21	30	31	31
20-34	7	15.7	202	4	5	10	18	41	46	46
35-49	9	20.9	261	4	5	15	30	47	53	53
50-64	18	19.5	288	6	7	18	30	99+	99+	99+
65+	83	29.6	438	5	7	26	44	75	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	11.1	133	2	2	7	14	25	31	58
B. Operated	9	13.8	218	<1	<1	7	27	36	42	42
2. MULTIPLE DX										
A. Not Operated	485	15.4	221	3	4	11	19	34	44	99+
B. Operated	123	26.0	396	5	6	21	41	75	99+	99+
1. SINGLE DX	42	11.6	148	1	2	7	14	29	36	58
2. MULTIPLE DX	608	17.5	274	3	5	12	21	42	69	99+
A. NOT OPERATED	518	15.1	216	3	4	11	19	31	44	99+
B. OPERATED	132	25.1	392	4	6	21	40	70	99+	99+
TOTAL 0-19 YRS	56	9.3	72	2	2	6	11	21	31	35
20-34	21	14.0	269	1	2	9	16	31	57	71
35-49	38	14.8	261	3	3	8	22	35	48	81
50-64	94	15.8	159	2	3	14	21	36	72	99+
65+	441	18.8	306	4	5	13	23	44	74	99+
GRAND TOTAL	650	17.1	268	3	4	12	21	42	66	99+

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	12.7	37	2	4	13	15	20	22	36
20-34	20	12.7	27	3	4	14	15	19	20	21
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	12.3	74	2	3	11	15	21	27	42
20-34	38	13.7	35	4	6	14	17	21	24	31
35-49	4	14.3	92	6	6	11	20	28	28	28
50-64										
65+										
B. *Operated*										
0-19 YRS	9	19.6	132	5	6	24	30	68	99+	99+
20-34	7	17.6	321	<1	<1	15	21	48	54	54
35-49	4	7.8	92	2	2	4	13	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	12.7	35	2	4	13	15	20	22	35
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	172	12.6	66	3	3	12	15	21	27	39
B. *Operated*	20	16.5	192	1	2	15	27	43	75	99+
1. SINGLE DX	115	12.6	35	2	4	13	15	20	22	35
2. MULTIPLE DX	192	13.0	79	2	3	12	16	25	31	55
A. NOT OPERATED	286	12.7	53	3	4	13	15	21	25	37
B. OPERATED	21	15.9	191	1	2	13	27	41	72	99+
TOTAL 0-19 YRS	233	12.7	63	2	3	12	15	22	29	42
20-34	65	13.8	60	3	4	14	16	21	24	51
35-49	9	10.1	87	2	2	6	15	26	28	28
50-64										
65+										
GRAND TOTAL	307	12.9	63	2	3	13	16	22	27	45

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	32.4	1033	3	3	17	62	81	84	85
20-34	9	5.4	17	1	1	5	9	12	12	12
35-49	15	9.8	72	1	1	7	13	19	29	33
50-64	3	12.7	134	5	5	7	21	26	26	26
65+										
B. *Operated*										
0-19 YRS	4	8.8		8	8	9	9	9	9	9
20-34	123	9.2	7	6	6	9	11	12	13	19
35-49	81	9.9	17	6	6	9	11	13	15	32
50-64	14	10.5	15	6	6	9	12	17	17	17
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.8	31	2	2	7	10	17	20	20
20-34	32	6.3	36	<1	1	4	8	14	19	27
35-49	44	10.3	72	1	2	9	11	20	29	41
50-64	40	13.9	92	2	3	12	21	27	33	39
65+	21	10.4	65	2	4	9	11	16	28	41
B. *Operated*										
0-19 YRS	5	24.6	774	5	5	11	38	72	72	72
20-34	88	14.3	122	6	7	11	14	31	38	63
35-49	117	14.0	74	6	8	11	15	27	36	67
50-64	38	13.5	61	4	6	12	17	23	29	41
65+	4	25.3	1125	2	2	12	44	75	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	16.0	464	1	2	7	17	63	73	85
B. *Operated*	224	9.5	11	6	6	9	11	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	148	10.2	71	1	2	8	13	22	27	41
B. *Operated*	252	14.4	115	6	7	11	15	29	38	74
1. SINGLE DX	263	10.5	82	5	6	9	11	13	18	64
2. MULTIPLE DX	400	12.9	103	2	4	10	15	24	35	61
A. NOT OPERATED	187	11.4	157	1	2	8	13	24	34	74
B. OPERATED	476	12.1	72	6	6	10	13	19	30	81
TOTAL 0-19 YRS	32	19.8	609	3	3	9	22	67	78	85
20-34	252	10.5	60	2	5	9	11	15	23	42
35-49	257	11.8	59	4	6	10	13	19	30	50
50-64	95	13.2	69	3	5	11	17	24	30	40
65+	27	12.3	211	2	3	9	12	17	46	75
GRAND TOTAL	663	11.9	96	3	5	10	13	20	31	64

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.9	9	<1	<1	1	4	5	10	15
20-34	61	7.7	62	<1	1	6	9	17	29	35
35-49	43	5.6	36	1	1	5	7	9	15	37
50-64	36	5.9	17	1	2	5	7	10	16	20
65+	38	7.5	63	<1	<1	5	9	15	27	38
B. *Operated*										
0-19 YRS	35	6.9	72	<1	<1	3	9	21	26	38
20-34	56	5.5	41	<1	<1	3	6	14	17	37
35-49	73	4.4	24	<1	<1	2	6	9	11	30
50-64	99	4.7	43	<1	<1	2	4	12	20	34
65+	39	7.9	117	1	1	3	10	15	39	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	6.3	42	<1	2	4	8	11	17	41
20-34	104	7.1	33	1	2	5	10	14	19	30
35-49	135	8.5	50	1	2	7	10	17	24	37
50-64	201	9.4	59	2	3	8	12	18	21	43
65+	244	11.7	111	2	3	10	14	21	29	54
B. *Operated*										
0-19 YRS	25	12.3	78	1	2	11	17	25	29	31
20-34	55	9.5	93	2	3	7	11	15	21	67
35-49	98	9.3	93	2	2	6	12	20	23	59
50-64	130	13.1	207	2	2	9	18	28	50	87
65+	128	17.1	194	3	4	13	24	38	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	5.4	36	<1	1	4	7	11	16	34
B. *Operated*	302	5.4	52	<1	<1	3	6	13	19	38
2. MULTIPLE DX										
A. *Not Operated*	768	9.3	72	2	3	7	12	18	23	44
B. *Operated*	436	12.9	164	2	2	9	17	29	40	86
1. SINGLE DX	583	5.4	44	<1	<1	3	6	11	18	37
2. MULTIPLE DX	1204	10.6	108	2	3	8	13	22	31	64
A. NOT OPERATED	1049	8.3	66	1	1	6	11	17	22	42
B. OPERATED	738	9.9	132	<1	1	6	13	23	34	74
TOTAL 0-19 YRS	247	5.6	44	<1	1	3	7	13	18	32
20-34	276	7.4	54	<1	2	5	9	15	20	35
35-49	349	7.5	58	1	1	5	9	16	22	37
50-64	466	9.2	103	1	2	6	12	20	26	59
65+	449	12.6	141	1	3	10	16	28	38	77
GRAND TOTAL	1787	8.9	93	1	1	6	11	20	27	52

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	33	5.6	12	1	2	5	7	10	13	16
50-64	40	5.4	15	1	2	5	7	9	12	22
65+	68	6.3	27	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS										
20-34	4	5.3	11	2	2	5	8	9	9	9
35-49	6	5.2	18	1	1	4	6	12	13	13
50-64	15	7.4	65	2	2	4	8	16	32	37
65+	13	5.6	30	<1	<1	3	7	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	8.6	160	2	2	3	9	30	39	39
35-49	52	6.6	19	2	2	5	8	13	17	19
50-64	154	6.9	19	2	3	6	9	12	16	24
65+	320	9.4	68	2	3	8	11	17	25	54
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	15.3	513	<1	1	6	16	56	65	65
50-64	23	12.0	53	2	3	11	17	20	25	28
65+	52	17.6	226	3	5	11	26	41	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	5.7	20	1	2	5	7	10	14	28
B. *Operated*	38	6.2	46	1	2	4	7	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	534	8.4	52	2	3	7	10	15	23	40
B. *Operated*	85	15.4	198	3	3	11	19	34	46	91
1. SINGLE DX	187	5.8	25	1	2	4	7	11	14	29
2. MULTIPLE DX	619	9.4	78	2	3	7	11	18	25	58
A. NOT OPERATED	683	7.8	46	2	3	6	9	14	20	38
B. OPERATED	123	12.6	169	2	2	9	17	31	41	81
TOTAL 0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	20	6.0	68	1	1	3	7	9	24	39
35-49	98	6.8	53	1	2	5	8	13	17	43
50-64	232	7.2	28	2	2	6	9	14	18	26
65+	453	9.8	88	2	3	7	11	21	29	58
GRAND TOTAL	806	8.6	68	2	2	6	10	17	24	47

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	3.7	50	1	1	2	3	5	9	49
20-34	33	4.5	13	<1	1	4	6	10	10	16
35-49	27	4.6	12	1	1	3	6	10	12	15
50-64	49	4.8	19	1	1	3	6	9	12	25
65+	114	6.1	80	1	2	6	9	15	30	70
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49										
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	3	18.0	103	7	7	23	63	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	370	4.1	13	1	1	3	5	7	9	23
20-34	237	5.6	51	1	2	4	6	10	14	40
35-49	279	6.5	36	2	2	5	8	12	15	37
50-64	658	7.7	42	2	3	6	10	14	19	41
65+	3014	12.7	152	3	4	9	15	27	41	99+
B. *Operated*										
0-19 YRS	9	7.9	60	1	1	4	11	20	25	25
20-34	17	9.5	46	1	2	7	14	20	22	23
35-49	35	13.1	229	1	2	10	16	24	39	83
50-64	72	18.2	249	2	4	15	25	34	39	88
65+	321	24.7	341	6	7	20	33	58	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	5.6	52	1	1	4	7	10	15	51
B. *Operated*	6	16.0	99	3	4	20	27	85	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4558	10.5	122	2	3	7	13	22	33	93
B. *Operated*	454	21.9	323	3	6	17	28	50	76	99+
1. SINGLE DX	324	5.8	54	1	1	4	7	11	17	55
2. MULTIPLE DX	5012	11.5	151	2	3	8	14	25	39	99
A. NOT OPERATED	4876	10.2	119	2	2	7	12	21	33	88
B. OPERATED	460	21.8	320	3	6	17	28	50	77	99+
TOTAL 0-19 YRS	474	4.1	22	1	1	3	5	8	9	29
20-34	288	5.8	48	1	1	4	7	11	16	33
35-49	341	7.0	58	2	2	5	8	14	17	41
50-64	781	8.5	69	2	2	6	11	17	24	42
65+	3452	13.6	180	3	4	9	17	31	47	99+
GRAND TOTAL	5336	11.2	147	2	2	8	14	25	38	98

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.8	9	1	1	4	6	9	11	13
20-34	26	5.1	9	2	2	5	6	11	12	14
35-49	49	5.2	11	2	2	4	6	10	12	17
50-64	34	4.9	9	1	1	4	6	8	10	15
65+	116	6.2	11	1	2	6	8	11	12	18
B. *Operated*										
0-19 YRS	10	5.5	20	<1	<1	3	9	12	14	14
20-34	9	6.7	12	3	3	6	8	12	14	14
35-49	21	6.4	12	2	3	5	8	11	13	15
50-64	14	6.6	15	2	2	6	11	12	12	12
65+	41	9.8	26	3	4	8	13	16	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.4	14	1	2	4	7	10	15	18
20-34	61	6.9	40	1	2	5	7	12	21	37
35-49	165	6.8	18	1	2	6	9	12	15	22
50-64	277	8.7	43	2	2	7	11	15	22	33
65+	1544	9.7	69	2	3	8	12	18	23	57
B. *Operated*										
0-19 YRS	16	7.2	28	1	3	5	11	15	17	18
20-34	32	8.3	32	2	2	8	11	17	24	99+
35-49	121	10.5	35	3	4	10	14	17	21	30
50-64	187	12.4	60	4	5	11	16	23	26	52
65+	635	14.8	131	4	6	12	18	26	35	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	5.5	11	1	2	5	7	10	12	18
B. *Operated*	95	7.8	22	2	3	7	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	2115	9.1	60	2	3	7	11	17	22	47
B. *Operated*	991	13.5	105	4	5	11	16	24	31	67
1. SINGLE DX	357	6.1	15	1	2	5	8	12	14	17
2. MULTIPLE DX	3106	10.5	78	2	3	8	13	19	25	56
A. NOT OPERATED	2377	8.7	56	2	3	7	11	16	21	42
B. OPERATED	1086	13.0	100	3	5	11	16	23	30	63
TOTAL 0-19 YRS	131	5.5	15	1	2	4	7	10	15	18
20-34	128	6.9	30	2	2	5	8	14	20	51
35-49	356	7.8	26	2	2	7	10	15	17	25
50-64	512	9.7	51	2	3	8	12	19	24	36
65+	2336	10.9	88	2	3	9	13	20	26	58
GRAND TOTAL	3463	10.1	74	2	3	8	13	19	24	49

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	317	4.4	8	<1	1	4	6	8	10	14
20-34	400	6.4	32	1	1	5	8	11	14	29
35-49	111	6.9	28	<1	1	7	9	12	15	29
50-64	8	7.1	12	4	4	6	10	13	13	13
65+	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	3	15.3	32	9	9	17	19	20	20	20
20-34	4	19.0	19	15	15	18	22	25	25	25
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	198	7.0	56	1	2	5	9	13	15	32
20-34	305	8.8	54	2	3	7	11	16	20	37
35-49	134	11.2	60	3	4	9	14	22	26	42
50-64	32	14.8	182	4	4	9	20	33	46	57
65+	2	14.5	61	9	9	14	20	20	20	20
B. Operated										
0-19 YRS	14	18.0	407	2	3	11	18	39	71	80
20-34	31	14.6	120	2	2	10	19	33	41	43
35-49	25	16.4	161	3	5	16	21	35	42	61
50-64	5	21.8	131	6	6	19	32	34	34	34
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	838	5.7	23	1	1	5	7	10	13	25
B. Operated	10	14.8	34	8	8	16	19	22	25	25
2. MULTIPLE DX										
A. Not Operated	671	9.1	65	2	3	7	11	16	22	41
B. Operated	76	16.2	182	2	3	13	20	35	39	75
1. SINGLE DX	848	5.8	24	1	1	5	8	10	13	25
2. MULTIPLE DX	747	9.8	82	2	3	8	12	19	25	46
A. NOT OPERATED	1509	7.2	45	1	2	6	9	13	18	35
B. OPERATED	86	16.0	164	2	4	13	19	34	36	73
TOTAL 0-19 YRS	532	5.8	42	1	2	4	7	11	14	23
20-34	740	7.8	49	1	2	6	9	14	20	36
35-49	271	9.9	64	1	2	8	12	19	26	41
50-64	47	14.0	152	4	4	8	19	32	40	57
65+	5	8.6	46	3	3	7	12	20	20	20
GRAND TOTAL	1595	7.7	55	1	2	6	9	14	20	39

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	402	1.7	4	<1	<1	<1	1	3	5	11
20-34	90	3.3	16	<1	<1	1	4	9	12	20
35-49	63	4.8	18	<1	1	3	8	11	14	16
50-64	154	4.2	22	<1	<1	2	6	12	16	20
65+	509	4.9	45	<1	1	2	6	10	14	33
B. Operated										
0-19 YRS	41	9.5	99	2	3	7	10	16	21	64
20-34	16	8.1	15	1	2	8	10	14	19	19
35-49	27	9.7	64	1	2	6	13	23	28	30
50-64	46	10.3	62	1	2	9	13	17	22	41
65+	134	11.9	84	2	3	10	15	23	26	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	208	3.8	36	<1	<1	1	4	9	15	78
20-34	171	5.1	20	<1	<1	4	8	11	14	25
35-49	189	7.0	33	1	1	5	9	15	19	28
50-64	631	7.0	51	1	1	5	10	15	20	36
65+	2851	8.9	97	1	2	6	11	19	26	99
B. Operated										
0-19 YRS	37	10.1	97	2	3	8	13	26	79	99+
20-34	77	12.4	74	2	3	10	16	24	36	84
35-49	104	13.5	126	3	4	10	16	27	42	96
50-64	293	15.2	112	[illegible]	5	12	20	30	28	[illegible]
65+	1134	16.6	182	[illegible]	5	13	20	34	46	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1218	3.6	27	<1	<1	1	4	9	12	21
B. Operated	264	10.8	77	2	3	9	14	20	25	45
2. MULTIPLE DX										
A. Not Operated	4050	8.1	83	1	1	6	10	17	24	53
B. Operated	1645	15.8	161	3	5	12	20	32	44	83
1. SINGLE DX	1482	4.9	44	<1	<1	2	7	12	16	31
2. MULTIPLE DX	5695	10.3	117	1	1	7	12	22	[illegible]	63
A. NOT OPERATED	5268	7.1	73	<1	1	5	9	15	21	49
B. OPERATED	1909	15.1	152	3	4	12	19	30	42	79
TOTAL 0-19 YRS	688	3.2	30	<1	<1	1	3	8	11	44
20-34	354	6.4	42	<1	<1	4	9	14	19	37
35-49	383	8.6	68	1	1	6	11	18	24	43
50-64	1124	8.9	79	1	1	7	12	19	27	46
65+	4628	10.4	126	1	2	7	13	22	32	64
GRAND TOTAL	7177	9.2	107	<1	1	6	12	20	29	60

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.7	10	<1	1	3	4	9	11	13
20-34	14	8.8	27	1	3	7	12	17	19	19
35-49	5	6.6	56	1	1	4	11	19	19	19
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	9.0	85	<1	<1	9	13	24	24	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	16.0	100	6	6	16	23	26	26	26
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.4	37	1	1	3	4	11	15	30
20-34	17	6.5	29	<1	1	5	9	13	19	22
35-49	8	7.6	14	1	2	8	10	12	12	12
50-64	5	5.4	13	1	1	5	7	11	11	11
65+	5	14.2	87	4	4	17	21	25	25	25
B. *Operated*										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	7	12.7	138	3	3	8	23	30	31	31
35-49	2	20.5	265	9	9	20	32	32	32	32
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.8	29	<1	1	4	8	13	19	24
B. *Operated*	5	15.2	92	5	5	16	24	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	85	5.7	39	1	1	3	7	14	18	33
B. *Operated*	14	11.4	115	2	3	8	12	31	32	32
1. SINGLE DX	57	6.6	40	<1	1	4	9	17	22	26
2. MULTIPLE DX	99	6.5	52	1	1	4	9	15	24	35
A. NOT OPERATED	137	5.8	35	1	1	4	8	13	18	27
B. OPERATED	19	12.4	106	2	3	9	21	30	32	32
TOTAL 0-19 YRS	80	4.3	27	1	1	3	5	11	13	31
20-34	41	9.0	55	1	2	7	11	20	27	31
35-49	16	9.9	72	1	1	8	11	23	29	32
50-64	8	4.3	11	<1	<1	4	5	9	11	11
65+	11	11.4	76	<1	1	9	19	24	25	25
GRAND TOTAL	156	6.6	48	1	1	4	9	15	23	32

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	4.4	9	1	1	4	6	8	10	15
20-34	49	5.5	28	<1	1	4	7	10	18	27
35-49	133	2.2	10	<1	<1	<1	<1	6	10	16
50-64	61	4.4	18	<1	<1	3	7	10	12	17
65+	92	6.0	47	<1	<1	4	9	14	18	36
B. *Operated*										
0-19 YRS	120	6.7	17	1	2	6	9	12	14	22
20-34	84	8.5	30	2	3	8	10	15	21	29
35-49	44	8.4	18	3	4	8	10	13	16	25
50-64	75	9.3	49	1	3	8	11	16	23	38
65+	78	9.8	38	2	3	8	12	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	4.9	18	1	1	4	7	9	12	20
20-34	99	6.0	21	<1	1	5	9	12	17	61
35-49	202	4.7	30	<1	<1	3	7	11	15	28
50-64	281	9.2	67	1	2	7	11	19	26	41
65+	569	10.5	113	1	2	8	13	21	30	58
B. *Operated*										
0-19 YRS	60	8.9	44	2	3	8	10	16	23	34
20-34	112	11.8	101	3	4	9	14	24	35	49
35-49	110	13.2	88	3	4	10	19	25	30	47
50-64	229	13.3	101	3	4	11	15	24	32	50
65+	385	18.3	221	4	5	13	24	40	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.2	20	<1	<1	3	6	9	13	21
B. *Operated*	401	8.3	31	2	3	7	10	14	20	31
2. MULTIPLE DX										
A. *Not Operated*	1346	8.2	76	<1	1	6	10	17	24	44
B. *Operated*	896	15.0	156	3	4	11	19	31	41	68
1. SINGLE DX	950	6.0	29	<1	<1	5	8	12	15	27
2. MULTIPLE DX	2242	10.9	119	1	2	8	14	23	32	61
A. NOT OPERATED	1895	7.1	63	<1	<1	5	9	15	21	39
B. OPERATED	1297	12.9	127	2	4	9	16	27	38	64
TOTAL 0-19 YRS	589	5.5	18	1	1	4	7	10	13	22
20-34	344	8.4	56	1	2	7	10	18	23	41
35-49	489	6.3	53	<1	<1	4	9	15	22	33
50-64	646	10.2	70	1	2	8	13	21	28	43
65+	1124	12.8	157	1	2	9	16	28	39	68
GRAND TOTAL	3192	9.4	97	<1	1	7	12	20	28	53

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	944	2.3	2	1	1	2	3	4	5	8
20-34	235	2.4	2	1	1	2	3	4	5	9
35-49	29	3.0	4	<1	1	3	4	5	6	10
50-64	10	3.0	6	<1	<1	2	4	7	9	9
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	332	4.4	3	2	3	4	5	6	8	12
20-34	114	5.1	11	2	3	5	6	8	9	20
35-49	16	6.4	10	2	3	6	8	11	13	14
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	3	8.0	37	1	1	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	2.8	3	1	1	2	3	5	6	9
20-34	91	3.3	6	1	1	3	4	6	8	14
35-49	16	5.6	17	2	2	4	6	12	16	18
50-64	12	4.2	6	1	1	4	5	8	9	9
65+	11	5.7	16	2	2	4	8	11	16	16
B. *Operated*										
0-19 YRS	101	5.2	4	3	3	5	6	8	9	10
20-34	59	6.2	11	2	3	5	8	11	12	21
35-49	7	9.6	14	5	5	11	13	13	13	13
50-64										
65+	3	8.7	52	4	4	5	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1220	2.4	2	1	1	2	3	4	5	8
B. *Operated*	467	4.7	6	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	540	3.0	4	1	1	2	4	5	7	10
B. *Operated*	170	5.8	8	3	3	5	7	9	11	16
1. SINGLE DX	1687	3.0	4	1	1	2	4	5	6	10
2. MULTIPLE DX	710	3.7	7	1	1	3	5	7	8	13
A. NOT OPERATED	1760	2.6	3	1	1	2	3	5	6	9
B. OPERATED	637	5.0	7	2	3	4	6	8	9	14
TOTAL 0-19 YRS	1787	3.0	4	1	1	3	4	5	6	9
20-34	499	3.6	8	1	1	3	5	7	8	12
35-49	68	5.1	13	1	1	4	6	11	13	17
50-64	24	4.0	8	<1	1	3	5	9	10	11
65+	19	6.4	21	1	2	5	8	14	17	17
GRAND TOTAL	**2397**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	5.2	9	2	2	5	6	9	10	18
20-34	20	3.9	6	1	1	3	5	8	8	8
35-49	6	3.8	11	<1	<1	3	5	9	10	10
50-64	5	2.8	6	1	1	2	4	7	7	7
65+	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	136	2.8	9	<1	<1	2	2	7	9	16
20-34	124	3.2	9	<1	<1	2	3	6	9	19
35-49	61	3.4	13	<1	1	2	3	7	11	20
50-64	47	3.7	13	<1	1	3	4	6	8	24
65+	21	5.5	71	1	1	2	4	15	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	8	2	2	5	7	8	11	15
20-34	17	3.9	3	1	2	4	5	7	7	7
35-49	10	6.1	14	1	1	6	9	11	12	12
50-64	9	5.9	16	2	2	5	8	12	13	13
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	56	5.5	16	1	1	5	8	11	14	18
20-34	53	6.9	74	1	2	4	9	14	19	57
35-49	34	4.3	4	2	2	4	5	7	9	10
50-64	44	6.0	22	1	2	4	8	13	15	22
65+	31	8.4	61	2	2	6	9	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.9	9	1	2	4	6	8	10	17
B. *Operated*	389	3.3	14	<1	<1	2	3	7	9	22
2. MULTIPLE DX										
A. *Not Operated*	140	5.3	10	2	2	5	7	9	12	16
B. *Operated*	218	6.2	37	1	2	5	8	13	16	28
1. SINGLE DX	598	3.8	13	<1	1	3	5	8	10	19
2. MULTIPLE DX	358	5.8	26	1	2	5	8	11	14	22
A. NOT OPERATED	349	5.1	9	1	2	5	7	9	11	16
B. OPERATED	607	4.3	24	<1	1	2	5	9	13	23
TOTAL 0-19 YRS	469	4.5	11	<1	1	4	6	9	11	16
20-34	214	4.2	27	<1	1	3	5	8	10	22
35-49	111	4.0	10	<1	1	3	5	8	10	18
50-64	105	4.8	18	1	2	3	6	10	14	23
65+	57	7.2	63	1	2	4	8	19	25	37
GRAND TOTAL	**956**	**4.6**	**19**	**<1**	**1**	**3**	**6**	**9**	**12**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	227	1	1	10	19	39	43	43
20-34	23	12.1	97	1	3	9	21	37	99+	99+
35-49	11	10.9	84	1	2	7	20	25	26	26
50-64	19	9.6	86	<1	1	7	13	23	32	37
65+	28	18.0	275	1	2	18	25	53	67	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.4	39	<1	1	4	8	16	22	23
20-34	26	17.7	373	1	1	12	28	42	67	73
35-49	14	14.4	185	2	2	9	19	37	45	47
50-64	34	16.6	129	3	4	15	28	32	42	99+
65+	85	16.3	276	2	3	10	21	46	54	94
B. *Operated*										
0-19 YRS										
20-34	3	26.3	158	13	13	28	35	38	38	38
35-49	2	28.5	1	28	28	28	29	29	29	29
50-64	4	27.0	492	6	6	24	45	54	54	54
65+	10	16.3	93	6	6	13	26	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	13.4	164	1	1	9	21	34	62	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	171	15.7	240	2	2	11	22	41	51	96
B. *Operated*	19	21.4	177	6	6	25	29	37	47	54
1. SINGLE DX	88	13.4	164	1	1	9	21	34	62	99+
2. MULTIPLE DX	190	16.3	236	2	3	11	25	39	51	93
A. NOT OPERATED	259	14.9	215	1	2	10	22	37	52	99+
B. OPERATED	19	21.4	177	6	6	25	29	37	47	54
TOTAL 0-19 YRS	19	8.8	110	<1	1	4	12	22	34	43
20-34	52	15.8	245	1	1	12	26	42	71	99+
35-49	27	14.0	145	2	2	9	24	29	38	47
50-64	57	15.0	152	1	3	11	24	35	42	96
65+	123	16.7	258	2	3	11	24	42	61	99+
GRAND TOTAL	**278**	**15.4**	**214**	**1**	**2**	**11**	**23**	**37**	**52**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.2	28	1	1	2	3	5	8	30
20-34	122	6.3	135	<1	1	4	6	10	18	93
35-49	55	8.0	97	<1	1	4	8	19	33	48
50-64	71	13.8	217	1	1	8	21	29	53	96
65+	526	17.0	308	2	3	12	21	45	75	99+
B. *Operated*										
0-19 YRS	4	4.8	13	2	2	3	7	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	9.1	152	1	1	4	10	30	38	38
65+	14	12.4	112	2	5	10	19	42	65	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	7.8	115	1	1	4	7	22	35	69
20-34	277	9.7	140	1	2	6	11	27	41	95
35-49	208	10.1	74	2	3	7	12	23	29	49
50-64	284	15.8	263	3	3	11	22	42	80	99+
65+	2267	19.3	340	3	4	14	27	60	99	99+
B. *Operated*										
0-19 YRS	6	21.7	395	2	3	24	49	91	99+	99+
20-34	11	9.6	58	2	3	10	15	49	93	99+
35-49	16	14.8	106	1	3	16	30	99+	99+	99+
50-64	29	22.9	524	4	5	19	51	99+	99+	99+
65+	246	29.9	449	7	10	30	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	916	12.6	253	1	1	7	17	35	54	99+
B. *Operated*	28	9.8	105	1	2	8	11	33	45	99+
2. MULTIPLE DX										
A. *Not Operated*	3164	17.0	304	2	3	12	23	50	88	99+
B. *Operated*	308	27.6	447	5	7	27	55	99+	99+	99+
1. SINGLE DX	944	12.5	248	1	1	7	17	35	54	99+
2. MULTIPLE DX	3472	18.0	326	2	4	13	26	57	99+	99+
A. NOT OPERATED	4080	16.0	296	2	3	11	21	46	80	99+
B. OPERATED	336	26.1	442	4	6	24	52	99+	99+	99+
TOTAL 0-19 YRS	280	5.7	84	1	1	3	5	14	27	60
20-34	411	8.7	138	1	1	5	9	21	40	99+
35-49	280	9.9	82	2	3	7	12	25	31	99+
50-64	392	15.8	275	2	3	11	23	43	83	99+
65+	3053	19.7	352	3	4	14	28	64	99+	99+
GRAND TOTAL	**4416**	**16.8**	**314**	**2**	**3**	**12**	**23**	**52**	**92**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	40.0		40	40	40	40	40	40	40
50-64	3	10.0	169	2	2	3	19	25	25	25
65+	34	19.7	271	4	4	15	26	43	54	77
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	21.8	446	3	3	21	60	99+	99+	99+
65+	188	21.0	412	3	5	14	33	63	87	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	24	34.3	497	9	13	28	37	75	79	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	19.4	270	3	4	15	26	41	53	77
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	197	21.0	412	3	5	14	33	68	92	99+
B. *Operated*	24	34.3	497	9	13	28	37	75	79	84
1. SINGLE DX	38	19.4	270	3	4	15	26	41	53	77
2. MULTIPLE DX	221	22.4	436	3	5	16	34	68	88	99+
A. NOT OPERATED	235	20.8	388	3	4	14	31	62	85	99+
B. OPERATED	24	34.3	497	9	13	28	37	75	79	84
TOTAL 0-19 YRS										
20-34										
35-49	1	40.0		40	40	40	40	40	40	40
50-64	12	18.8	383	2	3	20	34	99+	99+	99+
65+	246	22.1	414	3	5	15	32	63	83	99+
GRAND TOTAL	**259**	**22.0**	**411**	**3**	**5**	**16**	**33**	**66**	**84**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.3	296	1	1	2	19	36	36	36
20-34	272	5.0	5	1	2	5	5	7	8	17
35-49	451	5.2	6	2	3	5	5	7	8	19
50-64	240	6.0	18	3	4	5	5	9	14	31
65+	64	7.8	58	2	3	5	7	15	27	38
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	10	<1	1	5	6	7	11	16
20-34	649	6.3	15	3	3	6	7	9	12	22
35-49	1109	6.7	20	3	4	6	7	10	15	26
50-64	840	8.2	58	3	4	6	9	15	21	46
65+	246	11.4	130	3	4	8	13	26	39	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	11.8	56	5	6	8	14	26	28	29
35-49	43	12.9	169	4	5	10	13	44	78	99+
50-64	42	20.3	349	5	6	13	23	59	73	99+
65+	26	30.5	624	6	7	29	44	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	5.5	13	2	3	5	5	7	10	24
B. *Operated*	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	2867	7.4	41	3	4	6	7	12	18	40
B. *Operated*	125	18.8	352	5	5	13	25	61	94	99+
1. SINGLE DX	1033	5.5	13	2	3	5	5	7	10	24
2. MULTIPLE DX	2992	7.9	59	3	4	6	8	14	21	52
A. NOT OPERATED	3898	6.9	35	3	4	5	7	11	17	35
B. OPERATED	127	18.7	348	5	5	12	25	59	93	99+
TOTAL 0-19 YRS	28	5.7	44	1	1	5	6	8	18	36
20-34	935	6.0	14	2	3	5	6	8	11	22
35-49	1604	6.5	22	3	4	5	7	10	14	27
50-64	1122	8.2	66	3	4	6	8	15	21	59
65+	336	12.2	183	3	4	7	14	30	43	99+
GRAND TOTAL	**4025**	**7.3**	**49**	**3**	**4**	**5**	**7**	**12**	**19**	**43**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	9.4	62	<1	1	8	14	22	26	27
20-34	60	8.0	65	1	1	5	11	17	29	35
35-49	13	7.3	64	1	1	4	8	20	28	30
50-64	7	14.6	88	5	5	9	23	28	29	29
65+	9	10.9	131	<1	1	6	15	31	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	7.8	41	1	1	6	13	16	21	23
20-34	116	10.7	120	2	3	8	14	21	27	63
35-49	44	11.5	90	2	2	10	14	20	29	52
50-64	45	10.3	55	2	3	8	14	22	26	35
65+	60	14.4	162	3	3	11	18	32	45	59
B. *Operated*										
0-19 YRS										
20-34	2	5.0	2	4	4	6	76	99+	99+	99+
35-49	3	17.0	57	9	9	18	22	24	24	24
50-64	4	18.5	598	3	3	8	32	55	55	55
65+	7	25.7	247	7	8	23	42	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	8.9	71	1	1	6	12	24	29	35
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	296	11.2	108	2	3	9	14	22	28	51
B. *Operated*	16	19.7	274	3	4	15	41	52	84	99+
1. SINGLE DX	111	8.9	70	1	1	6	12	24	29	35
2. MULTIPLE DX	312	11.6	120	2	3	9	14	24	35	57
A. NOT OPERATED	406	10.6	99	1	2	8	14	23	29	50
B. OPERATED	17	19.1	262	3	5	13	41	51	82	99+
TOTAL 0-19 YRS	52	8.4	49	1	1	7	14	18	23	27
20-34	178	9.7	102	1	2	7	13	20	28	78
35-49	60	10.9	85	1	2	9	14	21	27	51
50-64	56	11.4	92	2	3	9	14	24	28	54
65+	77	15.0	173	3	3	10	20	37	43	57
GRAND TOTAL	**423**	**10.9**	**108**	**1**	**2**	**8**	**14**	**24**	**30**	**53**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	23.5	404	2	4	19	29	54	74	90
20-34	1338	20.4	326	2	3	15	27	46	64	89
35-49	631	19.4	238	3	5	16	25	42	58	88
50-64	246	19.6	231	3	4	17	25	33	47	83
65+	48	19.6	192	4	5	16	28	38	42	71
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	27.8	501	3	5	23	37	72	83	99+
20-34	535	21.7	296	3	5	17	29	47	60	99+
35-49	311	18.6	189	3	4	16	25	37	47	61
50-64	194	23.9	275	5	8	19	30	46	61	79
65+	61	24.9	250	6	9	22	33	53	81	99+
B. *Operated*										
0-19 YRS	4	46.0	855	18	18	41	68	84	84	84
20-34	40	28.5	339	7	12	22	41	61	72	99+
35-49	30	28.6	497	5	8	22	39	69	96	99+
50-64	15	23.9	174	7	10	22	33	53	86	99+
65+	5	44.4	1065	19	19	45	92	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2394	20.2	295	2	4	16	26	43	60	88
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1153	21.7	275	3	5	18	29	46	58	99
B. *Operated*	94	29.4	426	7	10	23	42	67	95	99+
1. SINGLE DX	2394	20.2	295	2	4	16	26	43	60	88
2. MULTIPLE DX	1247	22.3	290	3	6	18	29	47	61	99+
A. NOT OPERATED	3547	20.7	289	2	4	17	27	44	59	92
B. OPERATED	94	29.4	426	7	10	23	42	67	95	99+
TOTAL 0-19 YRS	187	25.1	447	2	4	21	34	57	84	99+
20-34	1913	21.0	320	2	4	16	28	47	64	96
35-49	972	19.4	232	3	5	16	25	39	55	83
50-64	455	21.6	251	4	6	18	27	41	54	83
65+	114	23.6	277	5	7	20	33	50	72	99+
GRAND TOTAL	**3641**	**20.9**	**294**	**2**	**4**	**17**	**28**	**45**	**60**	**96**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	25.8	425	2	4	21	35	59	70	78
20-34	119	18.0	207	2	5	14	22	39	51	85
35-49	17	16.9	209	3	4	13	23	34	51	59
50-64	10	15.0	54	6	6	15	18	25	31	31
65+	3	25.3	100	14	14	29	32	33	33	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	28.6	535	1	3	23	45	51	77	94
20-34	48	20.7	193	4	6	17	26	42	50	60
35-49	13	17.8	206	2	3	13	25	41	47	48
50-64	6	21.5	134	5	6	21	28	37	38	38
65+	5	15.6	17	11	11	16	18	22	22	22
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	1	68.0		68	68	68	68	68	68	68
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	19.5	253	2	5	15	26	42	57	79
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	90	21.6	255	2	5	17	28	45	50	80
B. *Operated*	2	57.0	242	46	46	57	68	68	68	68
1. SINGLE DX	190	19.5	253	2	5	15	26	42	57	79
2. MULTIPLE DX	92	22.4	279	2	5	18	32	47	52	83
A. NOT OPERATED	280	20.2	254	2	5	16	26	43	55	79
B. OPERATED	2	57.0	242	46	46	57	68	68	68	68
TOTAL 0-19 YRS	60	27.0	450	2	4	21	40	53	70	92
20-34	168	19.1	217	2	5	15	25	41	55	77
35-49	30	17.3	201	3	4	13	23	37	48	59
50-64	16	17.4	88	5	6	16	22	31	36	38
65+	8	19.3	64	11	12	16	25	32	33	33
GRAND TOTAL	**282**	**20.5**	**262**	**2**	**5**	**16**	**27**	**44**	**55**	**79**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	22.5	341	2	5	18	32	53	65	99
20-34	1889	19.7	290	1	3	15	27	45	57	94
35-49	890	18.1	222	1	3	14	25	38	49	77
50-64	470	18.9	182	2	5	16	26	37	45	70
65+	120	19.5	264	1	3	16	27	48	60	99+
B. *Operated*										
0-19 YRS										
20-34	4	37.0	690	6	6	43	77	99+	99+	99+
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	17.3	101	8	8	16	25	28	28	28
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	26.2	493	1	4	20	43	69	77	99+
20-34	901	21.2	303	2	4	17	29	48	63	99+
35-49	579	19.4	239	2	5	16	26	40	53	92
50-64	398	22.9	293	3	6	19	30	47	64	96
65+	163	24.0	349	4	6	19	33	53	63	99+
B. *Operated*										
0-19 YRS	2	34.5	925	13	13	56	89	99+	99+	99+
20-34	37	29.9	500	6	8	29	45	94	99+	99+
35-49	32	29.4	474	7	8	23	45	72	82	99+
50-64	30	33.4	367	9	11	31	45	61	77	85
65+	14	34.7	552	8	11	34	48	85	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3633	19.4	263	2	3	15	27	43	55	91
B. *Operated*	8	25.8	483	6	6	28	49	88	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2172	21.5	302	3	5	18	29	48	62	99+
B. *Operated*	115	31.4	456	7	9	29	47	76	99+	99+
1. SINGLE DX	3641	19.4	264	2	3	15	27	43	55	91
2. MULTIPLE DX	2287	22.0	314	3	5	18	30	49	66	99+
A. NOT OPERATED	5805	20.2	279	2	4	16	28	44	57	95
B. OPERATED	123	31.0	455	7	9	29	46	76	99+	99+
TOTAL 0-19 YRS	397	23.8	394	2	4	18	35	58	74	99+
20-34	2831	20.3	299	2	3	16	28	46	59	99+
35-49	1502	18.9	236	2	4	15	25	40	51	85
50-64	901	21.1	245	3	5	18	28	43	54	84
65+	297	22.7	333	3	5	18	31	51	68	99+
GRAND TOTAL	**5928**	**20.4**	**285**	**2**	**4**	**16**	**28**	**45**	**58**	**97**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	22.1	800	<1	1	14	59	94	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	21.7	509	2	2	43	62	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	22.1	800	<1	1	14	59	94	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	21.7	509	2	2	43	62	99+	99+	99+
B. *Operated*										
1. SINGLE DX	7	22.1	800	<1	1	14	59	94	99+	99+
2. MULTIPLE DX	7	21.7	509	2	2	43	62	99+	99+	99+
A. NOT OPERATED	14	21.9	604	1	2	18	56	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	14	21.9	604	1	2	18	56	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**14**	**21.9**	**604**	**1**	**2**	**18**	**56**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	20.6	386	1	2	16	29	56	66	99+
20-34	544	16.6	198	2	3	13	22	33	42	74
35-49	588	17.1	173	2	4	14	24	34	43	62
50-64	676	19.0	157	3	5	18	26	35	44	61
65+	563	20.9	208	2	5	19	28	40	51	74
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	2	13.0	50	8	8	13	18	18	18	18
50-64	3	41.7	1797	3	3	35	74	87	87	87
65+	7	31.9	224	6	10	34	35	53	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	22.3	487	1	2	17	31	52	81	99+
20-34	583	17.8	248	2	3	14	24	38	53	88
35-49	630	19.1	232	3	4	16	25	39	52	78
50-64	871	21.6	248	4	6	18	28	43	55	86
65+	983	26.0	319	5	7	22	34	52	65	99+
B. *Operated*										
0-19 YRS	4	38.3	929	9	9	31	57	81	81	81
20-34	27	24.4	539	5	7	17	25	64	84	99
35-49	44	28.0	279	6	8	26	34	54	61	71
50-64	57	28.2	381	6	7	21	43	61	69	72
65+	91	38.0	408	11	16	36	58	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2454	18.5	192	2	4	16	25	36	46	69
B. *Operated*	13	29.1	556	3	4	30	35	63	82	87
2. MULTIPLE DX										
A. *Not Operated*	3145	21.8	283	3	5	18	29	45	58	93
B. *Operated*	223	31.9	420	7	9	27	45	68	85	99+
1. SINGLE DX	2467	18.5	194	2	4	16	25	36	47	69
2. MULTIPLE DX	3368	22.5	298	4	5	19	30	47	62	97
A. NOT OPERATED	5599	20.3	246	3	4	17	27	41	53	87
B. OPERATED	236	31.7	426	6	9	27	44	68	85	99+
TOTAL 0-19 YRS	166	21.7	445	1	2	16	30	56	75	99+
20-34	1154	17.4	232	2	3	14	23	36	49	86
35-49	1264	18.4	210	3	4	15	25	37	48	69
50-64	1607	20.8	221	4	5	18	27	41	51	79
65+	1644	25.0	301	4	7	21	33	51	63	99+
GRAND TOTAL	**5835**	**20.8**	**258**	**3**	**5**	**18**	**28**	**42**	**56**	**89**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	20.6	312	2	5	16	27	49	76	99+
20-34	705	16.8	189	2	4	14	22	32	45	69
35-49	583	16.9	165	3	4	14	23	32	39	70
50-64	413	17.3	143	3	4	15	23	34	39	64
65+	155	22.4	251	2	5	20	31	42	56	83
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	18.0	8	16	16	18	20	20	20	20
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	22.5	405	2	6	16	31	52	97	99+
20-34	364	20.5	296	3	4	16	26	46	58	88
35-49	397	19.7	228	3	5	16	26	42	51	91
50-64	359	22.6	244	5	7	19	31	43	53	92
65+	239	22.9	253	5	7	20	32	44	63	99+
B. *Operated*										
0-19 YRS	3	44.0	148	30	30	50	51	52	52	52
20-34	17	26.8	173	9	13	23	33	49	53	54
35-49	22	21.2	70	9	13	20	28	32	39	41
50-64	37	24.9	299	8	8	21	35	50	79	99+
65+	17	26.8	260	8	10	29	44	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1945	17.6	185	2	4	14	24	34	44	71
B. *Operated*	5	14.6	20	10	10	16	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	1411	21.3	262	4	6	17	28	44	57	95
B. *Operated*	96	25.3	221	8	10	22	32	51	84	99+
1. SINGLE DX	1950	17.6	185	2	4	14	24	34	44	71
2. MULTIPLE DX	1507	21.6	260	4	6	18	28	44	57	99+
A. NOT OPERATED	3356	19.2	221	3	5	16	26	38	51	83
B. OPERATED	101	24.8	216	8	10	21	31	50	78	99+
TOTAL 0-19 YRS	144	21.8	350	2	5	17	29	51	81	99+
20-34	1087	18.2	229	2	4	15	24	37	52	82
35-49	1003	18.1	190	3	5	15	24	35	47	73
50-64	811	20.0	201	4	6	17	27	38	48	79
65+	412	22.9	252	4	6	20	31	45	63	99+
GRAND TOTAL	**3457**	**19.3**	**221**	**3**	**5**	**16**	**26**	**38**	**51**	**85**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	15.5	297	1	2	12	18	47	61	99+
20-34	349	13.1	173	1	2	10	17	29	39	63
35-49	173	11.8	80	1	3	10	16	22	28	46
50-64	132	15.3	142	1	3	12	21	32	37	62
65+	129	16.9	209	1	2	14	26	37	42	78
B. *Operated*										
0-19 YRS	2	12.0	18	9	9	12	15	15	15	15
20-34										
35-49	2	20.0	392	6	6	20	34	34	34	34
50-64										
65+	3	30.0	163	16	16	33	39	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	17.7	346	1	2	13	19	47	66	84
20-34	273	15.1	171	2	3	12	21	32	45	79
35-49	200	15.2	156	2	3	12	21	31	39	63
50-64	215	14.1	141	2	3	11	18	30	39	62
65+	402	16.1	239	3	4	11	20	34	47	91
B. *Operated*										
0-19 YRS										
20-34	14	24.0	390	5	7	21	29	48	74	81
35-49	10	16.9	216	2	3	13	31	40	43	43
50-64	14	19.6	398	2	4	14	28	41	71	79
65+	34	25.6	373	4	8	20	38	70	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	14.0	172	1	2	11	18	31	40	68
B. *Operated*	7	22.0	189	6	7	24	37	82	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1163	15.5	197	2	3	11	20	32	46	77
B. *Operated*	72	22.9	356	3	5	18	29	60	77	99+
1. SINGLE DX	892	14.1	172	1	2	11	18	31	41	71
2. MULTIPLE DX	1235	15.9	209	2	3	12	20	34	47	82
A. NOT OPERATED	2048	14.8	187	1	3	11	19	32	43	73
B. OPERATED	79	22.8	339	4	5	18	31	61	80	99+
TOTAL 0-19 YRS	177	16.4	313	1	2	12	18	47	64	97
20-34	636	14.2	179	1	2	10	18	31	43	73
35-49	385	13.8	126	2	3	11	18	27	36	58
50-64	361	14.8	151	2	3	12	19	31	38	66
65+	568	16.9	244	2	3	12	23	38	51	98
GRAND TOTAL	**2127**	**15.1**	**195**	**2**	**3**	**11**	**20**	**33**	**45**	**81**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.9	19	<1	1	3	5	8	15	99+
20-34	201	6.1	34	<1	1	4	8	13	19	28
35-49	175	6.7	50	1	1	4	9	17	23	34
50-64	117	5.1	26	<1	1	3	7	11	16	26
65+	50	7.2	104	<1	1	4	9	17	24	63
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	6.6	71	1	1	4	7	14	20	45
20-34	309	7.8	61	1	1	5	10	18	22	36
35-49	441	7.0	51	1	1	5	9	15	21	37
50-64	348	7.3	46	1	2	5	9	16	22	31
65+	323	6.7	42	1	2	5	8	13	18	35
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	112	2.2	4	<1	1	2	2	4	6	48
35-49	53	3.6	12	<1	1	2	5	8	11	17
50-64	11	20.8	350	6	7	9	31	52	60	61
65+	9	12.7	102	2	2	7	22	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	6.0	43	<1	1	4	8	14	20	32
B. *Operated*	7	3.6	5	2	2	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1481	7.1	51	1	2	5	9	15	21	36
B. *Operated*	187	4.2	51	<1	1	2	3	9	17	55
1. SINGLE DX	595	6.0	42	<1	1	4	8	14	20	32
2. MULTIPLE DX	1668	6.8	52	1	1	5	8	15	21	37
A. NOT OPERATED	2069	6.8	49	1	1	5	8	15	21	36
B. OPERATED	194	4.2	50	<1	1	2	4	9	17	54
TOTAL 0-19 YRS	109	5.4	48	1	1	4	6	12	17	67
20-34	623	6.2	46	1	1	4	8	14	21	34
35-49	672	6.6	48	1	1	4	8	15	21	36
50-64	477	7.1	53	1	1	5	8	16	22	34
65+	382	6.9	52	1	2	5	8	14	21	36
GRAND TOTAL	**2263**	**6.6**	**49**	**1**	**1**	**4**	**8**	**15**	**21**	**36**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	16.7	448	1	1	9	22	66	88	99+
20-34	579	10.3	102	1	1	7	14	23	31	45
35-49	450	11.3	97	2	2	8	15	24	32	49
50-64	271	13.7	140	2	2	10	19	30	36	50
65+	187	15.9	208	2	4	12	22	32	44	71
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	12.7	86	5	5	10	20	23	23	23
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	19.6	602	1	2	12	25	83	99	99+
20-34	859	13.6	155	1	3	10	19	29	38	66
35-49	697	12.9	116	1	3	10	18	25	33	57
50-64	540	13.3	116	2	3	10	20	26	34	59
65+	450	13.7	172	2	3	10	16	31	44	69
B. *Operated*										
0-19 YRS	5	13.4	85	<1	<1	13	17	27	27	27
20-34	41	18.2	121	5	7	16	26	40	65	99+
35-49	38	15.7	117	3	6	12	22	34	39	44
50-64	33	27.4	378	11	12	21	32	55	81	84
65+	38	26.2	385	6	8	20	32	55	67	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1621	12.3	152	1	2	9	16	28	36	72
B. *Operated*	7	10.4	39	4	4	10	12	21	23	23
2. MULTIPLE DX										
A. *Not Operated*	2709	13.7	169	2	3	10	19	29	41	81
B. *Operated*	155	21.3	259	6	7	16	27	44	62	99+
1. SINGLE DX	1628	12.3	152	1	2	9	16	28	36	72
2. MULTIPLE DX	2864	14.1	177	2	3	10	19	29	41	84
A. NOT OPERATED	4330	13.2	163	1	2	9	18	28	39	78
B. OPERATED	162	20.9	254	5	7	16	27	43	60	99
TOTAL 0-19 YRS	302	18.2	526	1	1	11	24	72	98	99+
20-34	1480	12.4	137	1	2	9	17	28	35	60
35-49	1188	12.4	109	2	3	10	17	25	33	55
50-64	845	14.0	140	2	3	10	20	29	36	59
65+	677	15.0	201	2	3	11	19	32	45	72
GRAND TOTAL	**4492**	**13.5**	**168**	**1**	**2**	**10**	**18**	**29**	**40**	**82**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	10.3	209	1	1	5	12	27	48	97
20-34	661	9.8	98	1	1	7	13	23	31	44
35-49	214	11.1	125	1	2	8	15	25	32	48
50-64	96	9.2	115	1	1	6	12	19	30	57
65+	39	12.1	234	2	2	7	14	24	45	82
B. *Operated*										
0-19 YRS	3	14.7	322	1	1	8	28	35	35	35
20-34	28	8.1	27	<1	1	8	9	13	20	24
35-49	25	6.7	13	2	3	7	9	11	14	15
50-64	23	4.7	7	1	2	5	6	8	10	11
65+	5	6.4	10	3	3	7	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	14.9	379	1	1	8	17	36	74	98
20-34	822	13.6	180	1	2	9	17	31	42	62
35-49	436	12.1	138	1	2	9	16	26	37	61
50-64	220	11.7	166	1	1	7	14	29	41	97
65+	144	11.9	101	2	3	9	17	30	39	99+
B. *Operated*										
0-19 YRS	10	12.1	255	<1	<1	6	11	41	46	46
20-34	37	17.6	371	2	3	10	21	39	65	89
35-49	53	11.1	92	2	3	8	12	28	35	98
50-64	45	10.8	92	1	2	8	13	23	32	47
65+	25	15.5	241	3	3	10	14	37	55	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1277	10.2	131	1	1	6	13	24	33	58
B. *Operated*	84	6.9	27	1	2	6	9	11	14	31
2. MULTIPLE DX										
A. *Not Operated*	1841	13.0	187	1	2	9	17	30	42	81
B. *Operated*	170	13.1	187	2	3	9	15	33	46	86
1. SINGLE DX	1361	10.0	125	1	1	6	13	23	33	58
2. MULTIPLE DX	2011	13.0	187	1	2	9	17	30	42	81
A. NOT OPERATED	3118	11.8	166	1	2	8	15	28	38	77
B. OPERATED	254	11.1	143	1	2	8	12	24	37	74
TOTAL 0-19 YRS	499	12.4	288	1	1	6	14	35	57	98
20-34	1548	12.0	151	1	1	8	16	28	37	58
35-49	728	11.5	127	1	2	8	15	25	34	59
50-64	384	10.5	138	1	1	7	13	24	35	63
65+	213	12.2	140	2	3	9	15	30	42	99+
GRAND TOTAL	**3372**	**11.8**	**164**	**1**	**2**	**8**	**15**	**28**	**38**	**77**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	4.0	23	<1	<1	2	5	8	13	25
20-34	1352	6.5	26	1	2	5	7	12	19	27
35-49	1699	6.3	23	1	2	5	7	10	16	23
50-64	812	6.7	29	1	2	5	7	12	17	27
65+	175	6.8	24	1	2	5	8	13	19	26
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	9.1	16	5	5	7	12	15	16	16
35-49	10	6.7	12	1	1	7	8	11	13	13
50-64	2	9.5	1	9	9	9	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	7.2	95	1	1	5	9	14	21	48
20-34	2992	8.1	38	2	3	7	9	15	21	32
35-49	4582	8.4	41	2	3	7	10	15	21	31
50-64	2888	8.7	38	2	3	7	10	16	21	33
65+	858	9.8	73	2	3	8	12	19	24	50
B. *Operated*										
0-19 YRS										
20-34	130	12.8	90	3	5	10	16	22	34	57
35-49	207	15.4	127	5	6	12	19	26	36	63
50-64	154	18.9	242	5	6	14	24	40	53	96
65+	47	20.7	217	2	6	18	27	51	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4219	6.4	25	1	2	5	7	11	17	26
B. *Operated*	20	7.6	15	1	2	7	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	11506	8.5	43	2	3	7	10	15	21	33
B. *Operated*	538	16.2	165	4	6	13	20	29	45	79
1. SINGLE DX	4239	6.4	25	1	2	5	7	11	17	26
2. MULTIPLE DX	12044	8.8	51	2	3	7	10	16	21	37
A. NOT OPERATED	15725	7.9	39	2	3	6	9	14	21	31
B. OPERATED	558	15.9	162	4	6	12	20	29	44	77
TOTAL 0-19 YRS	368	5.6	62	<1	1	3	7	12	17	41
20-34	4481	7.7	37	1	2	6	8	14	21	31
35-49	6498	8.1	41	2	3	7	9	15	21	32
50-64	3856	8.7	49	2	3	7	10	16	21	38
65+	1080	9.8	78	2	3	7	12	20	26	54
GRAND TOTAL	**16283**	**8.2**	**45**	**2**	**3**	**7**	**9**	**15**	**21**	**34**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	24	1	1	5	10	14	14	14
20-34	266	11.9	31	4	5	12	16	19	21	27
35-49	47	13.0	46	1	5	13	15	21	28	30
50-64	3	10.3	16	6	6	11	13	14	14	14
65+	3	7.3	33	4	4	4	12	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	11.2	22	1	4	13	14	17	17	18
20-34	1496	13.2	25	5	7	13	16	17	21	29
35-49	666	13.5	23	6	8	13	17	17	19	30
50-64	87	12.8	14	7	8	13	16	17	19	22
65+	5	11.4	44	4	4	10	14	22	22	22
B. *Operated*										
0-19 YRS	4	14.5	24	9	9	14	18	20	20	20
20-34	165	15.2	48	7	9	15	17	19	22	51
35-49	48	16.7	38	8	11	17	18	24	27	43
50-64	7	21.3	505	10	10	13	16	61	72	72
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	11.9	34	3	4	12	16	19	22	28
B. *Operated*	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	2297	13.2	24	5	7	13	16	17	20	29
B. *Operated*	224	15.7	59	8	10	15	17	20	26	57
1. SINGLE DX	327	11.9	34	3	4	12	16	19	22	28
2. MULTIPLE DX	2521	13.4	28	5	7	13	17	17	21	30
A. NOT OPERATED	2623	13.1	26	4	7	13	16	17	21	29
B. OPERATED	225	15.7	59	8	10	15	17	20	26	57
TOTAL 0-19 YRS	54	10.8	25	1	3	12	14	17	17	20
20-34	1927	13.2	28	4	7	13	16	18	21	29
35-49	762	13.7	26	6	8	13	17	18	20	30
50-64	97	13.3	50	7	8	13	16	17	19	49
65+	8	9.9	39	4	4	9	13	20	22	22
GRAND TOTAL	**2848**	**13.3**	**29**	**5**	**7**	**13**	**16**	**18**	**21**	**30**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	11.5	201	<1	<1	8	14	33	48	48
20-34	99	10.7	53	1	2	10	15	19	23	37
35-49	21	11.9	31	2	2	13	16	18	19	20
50-64	5	11.4	19	7	7	10	16	16	16	16
65+	3	12.0	67	5	5	10	18	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	10.4	185	<1	1	7	12	48	84	99+
20-34	268	13.4	73	2	3	13	17	21	26	52
35-49	100	14.7	71	4	6	14	18	24	31	45
50-64	25	9.2	20	2	4	9	12	14	17	21
65+	5	16.0	34	8	8	16	19	24	24	24
B. *Operated*										
0-19 YRS										
20-34	14	15.7	33	8	9	15	18	23	29	31
35-49	2	16.0	128	8	8	16	24	24	24	24
50-64										
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	11.0	58	1	2	10	16	19	22	45
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	415	13.4	74	2	4	13	17	22	26	53
B. *Operated*	17	15.0	44	5	8	14	18	24	29	31
1. SINGLE DX	139	10.9	58	1	2	10	16	19	22	45
2. MULTIPLE DX	432	13.4	73	2	4	13	17	22	26	53
A. NOT OPERATED	553	12.8	71	2	3	12	17	21	25	48
B. OPERATED	18	14.4	48	3	5	14	18	23	28	31
TOTAL 0-19 YRS	27	10.8	184	<1	1	7	13	39	64	99+
20-34	382	12.7	68	2	3	13	17	21	25	45
35-49	123	14.3	65	2	5	14	18	23	27	44
50-64	30	9.5	20	2	4	9	12	16	16	21
65+	9	13.2	52	3	4	14	19	23	24	24
GRAND TOTAL	**571**	**12.8**	**70**	**2**	**3**	**12**	**17**	**21**	**25**	**48**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	1.5	3	<1	<1	1	1	2	3	12
20-34	146	2.3	5	<1	<1	1	3	5	8	14
35-49	70	4.6	53	<1	<1	2	6	8	24	39
50-64	43	2.8	12	<1	<1	2	3	6	8	21
65+	12	2.4	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	2.8	39	<1	<1	1	2	5	8	29
20-34	309	6.2	43	<1	1	5	8	9	15	40
35-49	301	7.3	40	1	1	8	8	12	20	35
50-64	153	6.5	42	1	1	6	8	10	13	34
65+	54	5.7	27	1	1	4	9	12	15	25
B. *Operated*										
0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	11	3.6	17	<1	<1	2	5	9	15	15
35-49	13	9.3	48	1	1	8	12	20	23	24
50-64	10	15.6	163	1	3	8	29	32	35	35
65+	4	7.5	6	5	5	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	2.1	10	<1	<1	1	2	4	7	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1009	5.9	43	<1	1	5	8	10	14	34
B. *Operated*	50	7.3	72	<1	<1	5	9	21	29	35
1. SINGLE DX	673	2.1	10	<1	<1	1	2	4	7	20
2. MULTIPLE DX	1059	6.0	44	<1	1	5	8	10	15	35
A. NOT OPERATED	1682	4.4	33	<1	<1	2	7	8	12	28
B. OPERATED	50	7.3	72	<1	<1	5	9	21	29	35
TOTAL 0-19 YRS	606	1.9	15	<1	<1	1	2	3	5	14
20-34	466	4.9	34	<1	<1	3	8	8	13	33
35-49	384	6.9	44	<1	1	7	8	12	22	35
50-64	206	6.2	48	1	1	5	8	10	15	34
65+	70	5.3	23	1	1	4	7	11	15	24
GRAND TOTAL	**1732**	**4.5**	**35**	**<1**	**<1**	**2**	**7**	**8**	**13**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.3	60	<1	1	4	8	14	21	42
20-34	89	7.0	53	<1	<1	4	11	14	27	34
35-49	14	8.1	66	<1	1	5	14	20	26	28
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	7.7	73	1	1	5	10	16	23	45
20-34	294	8.7	54	1	2	7	11	19	22	39
35-49	106	10.0	49	3	4	7	12	20	25	36
50-64	19	7.3	16	1	2	7	9	13	16	17
65+	12	12.6	46	3	4	12	14	21	29	30
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	10	11.2	47	7	7	8	11	23	27	27
35-49	4	21.0	350	4	4	18	36	43	43	43
50-64	3	8.0	3	6	6	9	9	9	9	9
65+	2	27.0	98	20	20	27	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	6.8	54	<1	1	4	10	14	22	34
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	495	8.9	54	1	2	7	11	19	23	39
B. *Operated*	21	13.9	118	5	6	9	20	32	38	43
1. SINGLE DX	153	6.8	54	<1	1	4	10	14	22	34
2. MULTIPLE DX	516	9.1	58	1	2	7	11	19	24	42
A. NOT OPERATED	647	8.4	55	1	1	7	11	18	22	36
B. OPERATED	22	13.4	118	4	5	9	20	31	38	43
TOTAL 0-19 YRS	111	7.1	66	1	1	4	10	15	22	43
20-34	393	8.4	54	1	1	7	11	18	23	34
35-49	124	10.2	62	2	3	7	13	20	27	38
50-64	25	7.0	15	1	1	7	9	11	15	17
65+	16	13.4	76	3	4	12	16	29	33	34
GRAND TOTAL	**669**	**8.6**	**58**	**1**	**1**	**7**	**11**	**19**	**24**	**41**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.8	12	1	1	3	5	8	9	21
20-34	64	5.1	20	1	1	4	7	10	15	22
35-49	74	4.4	15	1	2	3	5	9	9	25
50-64	46	4.2	18	1	1	3	5	6	10	28
65+	33	5.1	11	1	1	5	7	10	11	14
B. *Operated*										
0-19 YRS	5	5.2	18	<1	<1	5	9	10	10	10
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	3	5.7	16	2	2	5	9	10	10	10
50-64	4	7.3	53	2	2	4	11	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.6	11	1	2	4	6	9	13	16
20-34	129	4.6	11	1	1	4	6	9	11	16
35-49	135	5.7	18	1	2	5	6	11	15	25
50-64	138	5.7	17	1	2	5	7	11	14	21
65+	163	7.5	31	2	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	13	11.2	129	2	4	6	11	34	37	38
35-49	11	12.3	125	2	2	11	19	29	36	37
50-64	17	8.2	22	2	3	7	10	14	19	21
65+	16	18.5	379	4	4	13	19	32	70	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	4.6	16	1	1	3	6	9	11	22
B. *Operated*	14	5.9	22	<1	1	5	9	11	16	18
2. MULTIPLE DX										
A. *Not Operated*	628	5.8	20	1	2	5	7	11	14	24
B. *Operated*	58	12.6	171	2	3	9	16	24	35	82
1. SINGLE DX	276	4.6	16	1	1	4	6	9	11	22
2. MULTIPLE DX	686	6.4	36	1	2	5	8	12	16	30
A. NOT OPERATED	890	5.4	19	1	2	4	7	10	14	24
B. OPERATED	72	11.3	149	2	2	8	13	22	33	75
TOTAL 0-19 YRS	114	4.4	13	1	1	3	6	9	12	18
20-34	208	5.2	23	1	1	4	7	9	14	27
35-49	223	5.6	24	1	2	4	6	11	15	26
50-64	205	5.6	19	1	2	5	7	10	14	24
65+	212	7.9	62	2	2	6	10	14	18	36
GRAND TOTAL	**962**	**5.9**	**31**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	422	10.2	141	1	1	6	13	26	33	60
20-34	460	7.4	52	1	1	5	10	16	23	37
35-49	244	8.7	82	1	2	6	11	19	30	45
50-64	108	11.1	130	1	1	8	15	25	36	52
65+	45	14.7	178	1	2	13	19	43	63	99+
B. *Operated*										
0-19 YRS										
20-34	4	1.8		1	1	2	2	2	2	2
35-49	3	10.3	108	2	2	7	18	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	12.6	293	1	1	7	15	31	66	99+
20-34	672	9.3	82	1	2	7	13	20	26	45
35-49	346	9.4	77	1	2	7	13	20	25	43
50-64	195	11.0	119	1	2	8	14	23	33	57
65+	139	14.3	159	2	3	11	17	28	38	67
B. *Operated*										
0-19 YRS	10	11.5	180	1	1	4	22	33	37	37
20-34	36	10.3	132	1	2	7	13	19	37	56
35-49	21	9.1	60	1	2	8	12	23	27	27
50-64	12	17.4	107	2	4	16	25	33	35	35
65+	6	23.7	258	3	3	26	33	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1279	9.1	101	1	1	5	12	22	31	57
B. *Operated*	7	5.4	57	1	1	2	6	19	22	22
2. MULTIPLE DX										
A. *Not Operated*	1686	10.6	136	1	2	7	14	22	32	81
B. *Operated*	85	12.1	135	1	1	9	17	32	35	52
1. SINGLE DX	1286	9.1	100	1	1	6	12	22	31	57
2. MULTIPLE DX	1771	10.7	136	1	2	7	14	23	32	80
A. NOT OPERATED	2965	10.0	121	1	1	7	13	22	31	66
B. OPERATED	92	11.6	132	1	1	8	16	30	35	51
TOTAL 0-19 YRS	766	11.3	209	1	1	6	14	28	40	89
20-34	1172	8.6	72	1	1	6	11	19	25	41
35-49	614	9.1	78	1	2	6	12	20	27	44
50-64	315	11.3	123	1	2	8	15	23	35	52
65+	190	14.7	167	2	3	11	19	32	45	91
GRAND TOTAL	**3057**	**10.0**	**121**	**1**	**1**	**7**	**13**	**22**	**32**	**65**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	408	15.1	397	1	1	7	23	60	88	99+
20-34	357	9.1	97	1	2	5	13	22	34	47
35-49	214	9.4	80	1	2	7	11	23	28	42
50-64	151	12.6	132	1	2	8	20	27	34	52
65+	127	13.8	170	2	3	10	19	29	33	74
B. Operated										
0-19 YRS	7	3.6	22	<1	<1	2	3	12	14	14
20-34	7	9.9	149	2	2	6	9	32	37	37
35-49	3	5.3	8	2	2	7	7	7	7	7
50-64	3	9.3	49	2	2	10	14	16	16	16
65+	3	16.7	176	9	9	9	26	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	17.2	478	1	2	8	28	75	99+	99+
20-34	527	10.6	136	1	2	6	13	25	32	63
35-49	371	10.3	112	2	2	7	14	22	33	67
50-64	350	11.2	131	2	2	8	14	25	32	63
65+	459	13.8	156	3	4	9	17	31	37	69
B. Operated										
0-19 YRS	8	19.3	215	2	4	18	51	99+	99+	99+
20-34	45	17.5	297	2	3	12	25	40	64	99+
35-49	35	16.4	345	2	3	11	19	36	53	96
50-64	45	13.4	90	2	4	12	18	26	32	44
65+	42	26.3	537	4	6	18	40	71	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1257	12.0	209	1	2	7	16	30	50	99+
B. Operated	23	8.2	17	1	1	6	10	19	34	37
2. MULTIPLE DX										
A. Not Operated	2073	12.5	202	2	2	7	16	31	46	99+
B. Operated	175	18.4	323	2	4	13	24	51	73	99+
1. SINGLE DX	1280	11.9	207	1	2	7	15	30	50	99+
2. MULTIPLE DX	2248	13.0	214	2	2	8	17	32	50	99+
A. NOT OPERATED	3330	12.3	205	1	2	7	16	31	48	99+
B. OPERATED	198	17.2	306	2	3	12	22	43	67	99+
TOTAL 0-19 YRS	789	16.0	431	1	1	7	25	66	99+	99+
20-34	936	10.3	131	1	2	6	13	25	34	59
35-49	623	10.3	116	1	2	7	13	23	31	57
50-64	549	11.8	128	2	2	8	15	26	32	56
65+	631	14.6	193	3	4	10	18	32	41	78
GRAND TOTAL	**3528**	**12.6**	**211**	**1**	**2**	**7**	**16**	**31**	**50**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	7.8	172	1	1	2	16	99+	99+	99+
20-34	17	4.6	41	<1	<1	2	5	11	22	27
35-49	3	9.3	25	4	4	12	57	99+	99+	99+
50-64	5	15.0	584	1	1	6	20	58	58	58
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	2	14.5	265	3	3	14	26	26	26	26
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	14.0	280	2	2	9	15	44	56	99+
20-34	77	14.0	230	1	2	8	19	33	41	79
35-49	35	13.0	165	1	2	9	15	31	48	52
50-64	19	11.5	93	1	1	9	16	26	34	37
65+	8	10.3	28	3	3	13	15	66	99+	99+
B. Operated										
0-19 YRS	7	9.6	180	1	1	7	9	33	39	39
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	2	15.5	5	14	14	15	17	17	17	17
50-64	2	51.0	3200	11	11	51	91	91	91	91
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	7.4	150	<1	1	4	10	52	99+	99+
B. Operated	2	14.5	265	3	3	14	26	26	26	26
2. MULTIPLE DX										
A. Not Operated	186	13.4	205	1	2	9	16	33	47	95
B. Operated	13	16.2	606	1	1	9	17	92	98	99+
1. SINGLE DX	40	7.8	151	<1	1	4	11	50	99+	99+
2. MULTIPLE DX	199	13.6	229	1	2	9	16	34	50	99+
A. NOT OPERATED	224	12.4	200	1	1	8	16	33	51	99+
B. OPERATED	15	16.0	538	1	1	9	21	86	97	99+
TOTAL 0-19 YRS	67	12.3	249	1	1	8	15	46	87	99+
20-34	96	12.1	205	<1	1	7	17	27	35	79
35-49	42	13.0	146	2	2	11	15	33	51	99+
50-64	26	15.2	401	1	1	9	17	36	65	91
65+	8	10.3	28	3	3	14	16	99+	99+	99+
GRAND TOTAL	**239**	**12.6**	**220**	**1**	**1**	**8**	**16**	**36**	**52**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	11.8	25	3	5	12	15	17	19	25
20-34	57	8.9	40	2	3	7	11	15	23	33
35-49	46	9.9	79	1	2	6	15	24	29	37
50-64	28	12.5	106	2	2	10	16	32	33	35
65+	14	10.6	33	2	2	11	13	18	22	23
B. *Operated*										
0-19 YRS	39	16.4	68	9	10	14	19	30	36	40
20-34	29	15.4	208	2	2	8	27	38	45	48
35-49	40	12.4	189	1	2	7	15	34	45	53
50-64	19	16.5	394	2	3	12	16	48	70	76
65+	12	21.3	432	1	2	16	28	50	71	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	13.2	66	3	4	12	16	21	27	41
20-34	50	10.6	107	1	2	7	15	25	30	54
35-49	48	16.6	167	2	4	14	22	33	48	61
50-64	58	19.2	218	5	8	15	22	40	59	98
65+	63	22.3	193	7	8	19	28	45	49	70
B. *Operated*										
0-19 YRS	57	26.9	461	4	7	18	36	63	78	99
20-34	30	26.5	394	2	4	22	43	61	75	99+
35-49	45	17.7	303	2	3	14	23	45	58	99+
50-64	46	24.8	434	3	4	19	39	75	99+	99+
65+	23	34.6	336	4	9	42	49	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	11.2	39	2	3	11	14	17	22	33
B. *Operated*	139	15.5	206	2	3	12	20	34	45	75
2. MULTIPLE DX										
A. *Not Operated*	445	15.3	132	3	4	13	18	30	39	66
B. *Operated*	201	25.2	411	3	4	19	40	59	84	99+
1. SINGLE DX	564	12.3	83	2	3	11	15	21	30	46
2. MULTIPLE DX	646	18.4	239	3	4	14	23	44	55	99+
A. NOT OPERATED	870	13.3	91	2	3	12	16	24	32	52
B. OPERATED	340	21.2	349	2	3	15	31	51	68	99+
TOTAL 0-19 YRS	602	14.0	102	3	4	12	16	21	31	67
20-34	166	13.7	191	2	3	9	17	33	48	74
35-49	179	14.2	191	1	2	11	19	33	46	87
50-64	151	19.3	298	3	3	14	26	47	73	99+
65+	112	23.3	269	4	7	20	32	48	53	84
GRAND TOTAL	**1210**	**15.5**	**176**	**2**	**3**	**12**	**18**	**32**	**47**	**82**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	9	14.7	130	2	4	10	19	34	37	37
50-64	84	14.0	144	4	5	12	17	24	32	98
65+	197	14.4	141	4	4	12	18	27	36	68
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	13.2	82	4	4	11	17	28	28	28
50-64	12	15.9	56	2	5	17	19	25	29	30
65+	6	20.5	428	5	5	12	32	54	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	11.7	141	1	1	9	13	32	34	34
35-49	8	14.8	68	3	5	15	16	27	32	32
50-64	158	15.7	140	3	5	13	21	33	42	99+
65+	1059	17.4	243	4	5	13	22	39	62	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	25	22.4	221	6	7	18	39	57	99+	99+
65+	146	27.8	355	8	10	24	44	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	14.3	141	4	5	12	18	26	36	92
B. *Operated*	23	16.5	147	3	5	16	20	30	41	57
2. MULTIPLE DX										
A. *Not Operated*	1232	17.2	228	3	5	13	22	37	58	99+
B. *Operated*	172	26.9	337	8	10	23	42	76	99+	99+
1. SINGLE DX	314	14.5	141	4	5	12	18	28	35	91
2. MULTIPLE DX	1404	18.3	251	4	5	14	24	44	68	99+
A. NOT OPERATED	1523	16.6	213	3	5	13	21	35	52	99+
B. OPERATED	195	25.7	325	6	9	22	38	69	99+	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	14.4	171	1	2	12	26	33	34	34
35-49	23	14.2	85	3	4	11	16	30	34	37
50-64	279	15.8	148	4	5	13	21	32	47	99+
65+	1408	18.1	252	4	5	14	23	42	65	99+
GRAND TOTAL	**1718**	**17.6**	**233**	**4**	**5**	**14**	**23**	**39**	**63**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	8.5	28	3	4	7	10	17	21	22
20-34	208	9.4	90	1	2	8	12	17	25	47
35-49	249	11.0	136	2	3	9	13	20	28	94
50-64	90	11.5	115	2	2	9	13	23	33	61
65+	11	16.4	777	2	2	9	12	51	95	99
B. *Operated*										
0-19 YRS										
20-34	38	10.8	134	1	2	7	15	25	49	99+
35-49	45	13.9	162	3	3	9	15	40	41	45
50-64	16	18.9	124	4	5	18	29	35	37	37
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	109	11.8	91	3	3	10	15	26	32	75
35-49	207	16.2	229	2	4	12	19	40	51	96
50-64	182	14.1	175	2	4	11	17	26	41	97
65+	50	16.1	238	3	4	11	23	48	97	99+
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	43	19.9	357	2	4	13	32	51	95	99+
35-49	80	20.1	278	4	5	16	25	47	66	94
50-64	74	21.2	292	3	5	16	27	42	57	92
65+	22	24.3	277	5	7	23	39	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	571	10.5	126	2	2	8	12	20	26	80
B. *Operated*	100	13.5	148	2	3	10	17	36	41	81
2. MULTIPLE DX										
A. *Not Operated*	548	14.7	186	3	4	11	18	32	48	99+
B. *Operated*	221	20.7	295	4	5	15	29	47	72	99+
1. SINGLE DX	671	11.0	130	2	2	9	13	21	31	80
2. MULTIPLE DX	769	16.4	225	3	4	12	21	38	55	99+
A. NOT OPERATED	1119	12.5	159	2	3	10	15	26	40	95
B. OPERATED	321	18.5	260	3	4	14	26	42	62	99+
TOTAL 0-19 YRS	15	8.0	26	3	3	7	10	16	20	22
20-34	398	11.3	132	2	2	9	14	25	38	97
35-49	581	14.3	201	2	3	10	17	32	46	94
50-64	362	15.1	192	2	4	11	19	31	42	92
65+	84	18.2	318	3	4	12	31	66	99+	99+
GRAND TOTAL	**1440**	**13.9**	**188**	**2**	**3**	**10**	**17**	**31**	**45**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	4.0	15	1	1	3	5	8	10	21
20-34	390	4.2	25	1	1	3	5	8	11	19
35-49	183	5.0	16	1	1	4	7	9	13	24
50-64	161	4.7	11	1	2	4	6	9	12	15
65+	93	6.1	31	1	2	5	8	11	18	31
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	3	30	99+	99+	99+
20-34	9	9.7	259	1	1	5	6	35	52	52
35-49	9	5.9	22	2	2	4	9	13	14	14
50-64	9	10.4	259	2	2	6	7	35	53	53
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	5.5	36	1	1	4	7	11	19	35
20-34	476	7.3	109	1	2	4	8	15	25	83
35-49	397	7.5	45	1	2	6	9	16	22	41
50-64	520	8.5	72	2	2	6	10	17	23	40
65+	619	10.5	109	2	3	8	12	20	31	80
B. *Operated*										
0-19 YRS	9	19.0	513	1	1	8	30	55	71	71
20-34	52	10.2	139	1	2	6	12	24	36	57
35-49	42	11.3	118	2	3	8	15	29	47	99+
50-64	57	13.0	132	2	2	10	18	26	46	97
65+	51	19.3	261	2	3	14	30	49	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1358	4.4	19	1	1	3	5	8	12	22
B. *Operated*	33	7.8	143	1	2	5	7	18	53	99+
2. MULTIPLE DX										
A. *Not Operated*	2407	8.1	81	1	2	6	10	17	24	68
B. *Operated*	211	13.7	187	2	2	9	19	34	53	99+
1. SINGLE DX	1391	4.5	22	1	1	3	6	9	12	24
2. MULTIPLE DX	2618	8.6	92	1	2	6	10	18	26	71
A. NOT OPERATED	3765	6.8	62	1	2	5	8	14	20	52
B. OPERATED	244	12.9	184	2	2	8	18	34	53	99+
TOTAL 0-19 YRS	939	4.8	30	1	1	3	6	9	14	31
20-34	927	6.2	79	1	1	4	7	12	18	63
35-49	631	7.0	43	1	2	5	9	14	21	46
50-64	747	8.0	70	2	2	6	9	16	22	54
65+	765	10.5	117	2	3	8	12	22	34	81
GRAND TOTAL	**4009**	**7.2**	**71**	**1**	**2**	**5**	**8**	**15**	**22**	**59**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	4.8	44	<1	1	3	5	10	14	29
20-34	269	5.8	34	1	1	4	8	12	15	35
35-49	252	6.3	58	1	2	4	7	11	16	42
50-64	213	7.9	103	1	2	5	9	15	25	72
65+	291	11.0	143	2	2	8	13	23	37	70
B. *Operated*										
0-19 YRS	183	9.3	121	2	2	5	11	21	35	42
20-34	193	9.0	79	1	2	6	12	21	30	39
35-49	157	9.4	97	2	2	6	12	20	29	56
50-64	204	11.3	164	1	2	7	14	26	34	68
65+	158	11.9	191	2	2	7	16	25	33	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	7.1	122	1	1	4	8	16	26	99
20-34	366	9.6	172	1	2	5	10	22	39	98
35-49	332	10.3	130	2	2	7	12	23	37	99+
50-64	650	12.9	172	2	3	9	15	30	47	99+
65+	1800	16.1	215	3	4	12	21	37	60	99+
B. *Operated*										
0-19 YRS	218	8.9	146	1	2	5	10	20	30	92
20-34	258	13.1	244	1	2	8	16	44	72	99+
35-49	286	15.4	245	2	3	11	21	40	70	99+
50-64	419	15.7	263	2	3	10	22	43	59	99+
65+	693	21.2	405	2	4	15	30	59	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	7.3	83	1	1	5	9	15	21	58
B. *Operated*	895	10.2	131	1	2	6	13	23	32	58
2. MULTIPLE DX										
A. *Not Operated*	3416	13.5	196	2	3	9	17	32	51	99+
B. *Operated*	1874	16.6	313	2	2	11	22	47	73	99+
1. SINGLE DX	2123	8.5	105	1	2	5	10	18	27	58
2. MULTIPLE DX	5290	14.6	239	2	3	9	18	37	60	99+
A. NOT OPERATED	4644	11.9	173	1	2	8	15	28	44	99+
B. OPERATED	2769	14.5	263	2	2	9	19	38	59	99+
TOTAL 0-19 YRS	872	7.5	112	1	1	4	9	16	26	84
20-34	1086	9.4	144	1	2	6	11	22	38	99+
35-49	1027	10.6	150	1	2	7	13	24	39	99+
50-64	1486	12.7	193	2	2	8	16	31	49	99+
65+	2942	16.6	261	3	4	11	21	41	63	99+
GRAND TOTAL	**7413**	**12.8**	**208**	**2**	**2**	**8**	**16**	**32**	**50**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.8	3	1	1	2	4	5	6	10
20-34	378	4.1	11	1	1	3	5	8	10	17
35-49	249	4.1	7	1	1	4	6	7	10	13
50-64	100	4.3	9	1	1	3	5	8	10	16
65+	18	4.0	4	2	2	4	5	7	8	8
B. *Operated*										
0-19 YRS	7	5.6	4	3	3	5	7	9	9	9
20-34	30	5.0	10	2	2	4	7	10	11	14
35-49	31	5.5	30	1	2	4	7	10	18	28
50-64	10	4.6	9	1	1	4	8	9	9	9
65+	5	5.2	8	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.8	5	1	1	3	5	7	8	10
20-34	322	5.1	16	1	2	4	6	10	12	21
35-49	263	5.6	17	2	2	4	7	10	13	26
50-64	181	5.6	13	1	2	4	7	10	13	20
65+	50	7.2	27	2	2	6	10	16	19	20
B. *Operated*										
0-19 YRS	7	3.4	4	<1	<1	3	5	6	6	6
20-34	19	9.3	40	2	2	9	14	19	21	21
35-49	24	8.1	19	2	3	7	11	15	17	18
50-64	34	10.3	56	2	3	8	14	21	27	31
65+	11	8.2	23	2	3	8	10	15	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	3.9	9	1	1	3	5	7	9	15
B. *Operated*	83	5.2	16	2	2	4	7	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	896	5.3	16	1	2	4	7	10	13	20
B. *Operated*	95	8.8	38	2	2	7	11	18	21	30
1. SINGLE DX	1000	4.0	9	1	1	3	5	8	9	16
2. MULTIPLE DX	991	5.7	19	1	2	4	7	11	14	22
A. NOT OPERATED	1813	4.6	13	1	1	4	6	8	11	18
B. OPERATED	178	7.1	31	2	2	5	9	15	19	28
TOTAL 0-19 YRS	266	3.2	4	1	1	3	4	6	7	10
20-34	749	4.7	15	1	1	4	6	9	11	19
35-49	567	5.0	15	1	2	4	6	9	12	19
50-64	325	5.7	19	1	2	4	7	11	14	22
65+	84	6.5	22	2	2	5	8	13	18	20
GRAND TOTAL	**1991**	**4.8**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.3	9	<1	<1	2	4	8	11	11
35-49	11	2.7	3	<1	<1	2	4	5	6	6
50-64	11	2.9	6	<1	1	2	3	6	10	10
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	37	2.2	1	<1	1	2	3	4	4	4
20-34	589	2.2	2	<1	<1	2	2	3	4	7
35-49	1020	2.2	1	<1	<1	2	3	3	4	7
50-64	1331	2.4	1	<1	1	2	3	4	4	7
65+	731	2.6	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.1		<1	<1	1	1	2	2	2
35-49	23	3.8	18	<1	<1	2	5	10	14	18
50-64	36	5.2	18	<1	1	4	8	11	13	18
65+	32	5.5	27	<1	<1	4	8	12	17	22
B. *Operated*										
0-19 YRS	12	2.5	1	2	2	2	3	4	4	4
20-34	130	2.7	4	<1	1	2	3	4	5	12
35-49	379	3.3	8	1	1	3	4	6	8	16
50-64	664	3.1	5	1	1	2	4	5	8	13
65+	476	4.1	18	1	2	3	4	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.0	6	<1	1	2	4	6	9	11
B. *Operated*	3708	2.3	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	100	4.6	21	<1	<1	3	7	11	13	20
B. *Operated*	1661	3.4	10	1	1	3	4	6	9	16
1. SINGLE DX	3743	2.3	2	<1	1	2	3	4	4	8
2. MULTIPLE DX	1761	3.5	10	1	1	3	4	7	10	17
A. NOT OPERATED	135	4.2	17	<1	<1	3	5	10	12	19
B. OPERATED	5369	2.7	4	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	50	2.2	1	<1	1	2	3	4	4	4
20-34	738	2.3	2	<1	<1	2	3	4	4	9
35-49	1433	2.6	4	<1	1	2	3	4	5	12
50-64	2042	2.7	3	<1	1	2	3	4	6	11
65+	1241	3.2	10	<1	1	2	3	5	8	17
GRAND TOTAL	**5504**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	8.0	76	1	2	5	9	20	24	47
20-34	173	7.2	94	1	2	5	8	14	21	44
35-49	220	7.4	76	1	2	5	9	14	19	48
50-64	211	8.2	56	1	2	6	11	18	24	35
65+	162	8.5	78	2	2	6	10	18	22	44
B. *Operated*										
0-19 YRS	136	4.0	12	1	1	3	5	7	8	19
20-34	560	4.4	26	1	2	3	5	8	11	22
35-49	686	4.4	18	1	2	3	5	8	13	21
50-64	647	4.5	25	1	2	3	5	8	11	25
65+	277	5.1	30	1	2	3	6	10	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.7	82	2	2	5	12	19	35	37
20-34	135	6.5	36	1	1	5	8	13	18	31
35-49	281	9.0	119	1	2	6	10	18	24	82
50-64	542	8.9	79	2	3	6	11	17	25	48
65+	700	11.9	117	2	3	9	15	24	34	62
B. *Operated*										
0-19 YRS	63	7.7	129	1	2	4	7	19	34	64
20-34	240	6.9	81	1	2	4	8	13	20	69
35-49	359	7.8	101	2	2	5	8	16	25	56
50-64	462	9.4	142	2	2	5	11	21	37	85
65+	337	14.5	231	2	2	10	19	33	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	7.8	75	1	2	5	9	16	22	45
B. *Operated*	2306	4.5	23	1	2	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	1689	10.0	101	2	2	7	12	21	30	56
B. *Operated*	1461	9.7	149	2	2	6	11	23	36	82
1. SINGLE DX	3153	5.4	39	1	2	3	6	11	16	31
2. MULTIPLE DX	3150	9.8	123	2	2	6	12	21	31	72
A. NOT OPERATED	2536	9.3	93	2	2	7	11	19	27	50
B. OPERATED	3767	6.5	78	1	2	4	7	14	21	58
TOTAL 0-19 YRS	311	6.2	63	1	2	4	6	14	20	40
20-34	1108	5.6	51	1	2	4	6	11	15	37
35-49	1546	6.5	67	1	2	4	7	13	18	47
50-64	1862	7.4	78	2	2	5	9	16	22	55
65+	1476	10.8	132	2	2	7	13	24	34	74
GRAND TOTAL	**6303**	**7.6**	**86**	**1**	**2**	**5**	**9**	**16**	**24**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	6.0	7	3	3	7	8	8	8	8
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	4	4.5	12	<1	<1	4	7	9	9	9
B. *Operated*										
0-19 YRS	41	4.7	6	1	2	5	6	8	9	11
20-34	111	5.3	10	1	2	5	7	9	9	19
35-49	115	5.8	13	2	2	5	7	10	13	21
50-64	490	5.2	9	1	2	5	7	8	10	14
65+	380	5.6	7	2	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	3	5.7	32	1	1	4	10	12	12	12
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	6	3.0	5	1	1	3	5	6	6	6
65+	7	2.0	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	37	6.9	40	1	2	6	7	10	25	30
20-34	46	6.9	12	3	4	6	8	11	14	19
35-49	95	6.4	11	2	3	6	8	10	12	21
50-64	442	5.8	12	2	2	5	7	9	11	17
65+	506	7.0	17	2	3	6	9	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	6	<1	1	3	5	8	9	9
B. *Operated*	1137	5.4	9	1	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	6	1	1	3	4	5	8	12
B. *Operated*	1126	6.5	16	2	3	6	8	11	13	20
1. SINGLE DX	1156	5.3	9	1	2	5	7	9	10	15
2. MULTIPLE DX	1149	6.4	16	2	3	6	8	11	13	19
A. NOT OPERATED	42	3.2	6	1	1	3	4	6	8	12
B. OPERATED	2263	5.9	12	2	2	5	7	10	12	19
TOTAL 0-19 YRS	87	5.4	22	1	1	5	7	8	10	30
20-34	162	5.8	11	2	2	5	7	9	11	19
35-49	217	6.0	12	2	2	5	7	10	12	21
50-64	942	5.4	11	1	2	5	7	9	10	16
65+	897	6.4	13	2	3	6	8	11	13	19
GRAND TOTAL	**2305**	**5.9**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**19**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	8	3.6	22	1	1	2	3	11	15	15
65+	32	2.7	3	1	1	2	3	4	7	9
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	16	2.8	3	1	2	2	3	4	7	8
35-49	60	3.3	3	1	2	3	4	6	7	8
50-64	201	3.4	3	1	2	3	4	6	7	10
65+	526	3.4	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	5	2.8	1	2	2	2	4	4	4	4
50-64	16	3.6	9	1	1	3	4	7	11	13
65+	37	4.2	11	1	1	3	5	10	12	13
B. *Operated*										
0-19 YRS	5	6.2	42	1	1	4	9	17	17	17
20-34	7	5.3	4	4	4	4	7	8	8	8
35-49	31	5.3	21	1	1	4	6	10	18	21
50-64	143	4.2	10	2	2	3	5	7	9	16
65+	475	5.0	19	1	2	4	6	10	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.8	6	1	1	2	3	4	8	15
B. *Operated*	807	3.4	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	62	3.8	9	1	1	3	4	8	12	13
B. *Operated*	661	4.9	17	1	2	4	6	9	13	21
1. SINGLE DX	851	3.4	4	1	2	3	4	6	8	11
2. MULTIPLE DX	723	4.8	16	1	2	4	6	9	13	21
A. NOT OPERATED	106	3.4	8	1	1	3	4	7	10	14
B. OPERATED	1468	4.1	11	1	2	3	5	8	10	17
TOTAL 0-19 YRS	11	4.2	22	<1	<1	3	5	11	16	17
20-34	27	3.4	4	1	2	3	4	7	8	8
35-49	98	3.9	9	1	1	3	5	7	9	20
50-64	368	3.7	7	1	2	3	4	7	8	14
65+	1070	4.1	12	1	2	3	5	8	11	18
GRAND TOTAL	**1574**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	19.0	200	9	9	19	29	29	29	29
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	7	3.1	7	1	1	2	6	7	7	7
65+	17	2.4	5	1	1	1	3	6	7	8
B. *Operated*										
0-19 YRS	9	3.2	2	2	2	2	4	6	6	6
20-34	20	4.4	8	1	2	4	6	8	11	12
35-49	27	2.9	2	1	2	3	4	4	5	9
50-64	92	3.0	2	1	1	2	4	5	6	8
65+	244	3.4	7	1	2	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	2.8	5	1	1	2	4	6	6	6
35-49	9	3.9	4	1	1	4	5	7	7	7
50-64	14	5.1	64	<1	<1	2	5	16	27	30
65+	41	6.5	57	1	1	4	8	11	21	41
B. *Operated*										
0-19 YRS	13	4.8	20	<1	1	2	7	11	15	16
20-34	17	4.5	18	1	2	4	5	6	15	20
35-49	34	3.5	3	1	1	4	5	6	7	8
50-64	101	4.0	13	1	2	3	5	7	9	23
65+	259	5.1	28	1	2	3	6	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.7	29	1	1	1	5	8	9	29
B. *Operated*	392	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	72	5.4	47	<1	1	3	7	10	14	39
B. *Operated*	424	4.7	22	1	2	3	5	8	13	26
1. SINGLE DX	423	3.3	7	1	1	3	4	6	7	15
2. MULTIPLE DX	496	4.8	26	1	1	3	5	9	13	29
A. NOT OPERATED	103	4.9	42	1	1	3	6	9	14	35
B. OPERATED	816	4.0	15	1	2	3	5	7	10	22
TOTAL 0-19 YRS	27	4.9	36	<1	1	2	6	10	18	29
20-34	44	4.3	11	1	1	4	5	7	11	20
35-49	73	3.3	3	1	1	3	4	6	7	9
50-64	214	3.6	12	1	1	3	4	7	8	22
65+	561	4.3	22	1	2	3	5	8	12	25
GRAND TOTAL	**919**	**4.1**	**18**	**1**	**1**	**3**	**5**	**7**	**11**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	10	2.0	1	<1	<1	2	3	3	3	3
65+	47	2.7	6	<1	1	2	4	5	6	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	542	2.8	2	2	2	2	3	4	5	7
50-64	3475	2.8	1	2	2	3	3	4	5	8
65+	12136	3.1	3	2	2	3	4	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	2.4	1	1	1	2	3	4	5	5
50-64	133	2.3	4	<1	<1	1	3	6	8	9
65+	451	3.4	26	<1	<1	2	4	7	11	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	308	3.5	6	2	2	3	4	5	8	15
50-64	2670	3.6	7	2	2	3	4	5	8	18
65+	12617	4.0	15	2	2	3	4	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.6	5	<1	1	2	3	5	6	15
B. *Operated*	16153	3.0	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	598	3.1	21	<1	<1	2	4	7	9	19
B. *Operated*	15595	4.0	14	2	2	3	4	6	9	19
1. SINGLE DX	16211	3.0	2	2	2	3	3	4	5	9
2. MULTIPLE DX	16193	3.9	14	2	2	3	4	6	9	19
A. NOT OPERATED	656	3.1	20	<1	<1	2	4	7	9	18
B. OPERATED	31748	3.5	8	2	2	3	4	5	7	15
TOTAL 0-19 YRS										
20-34										
35-49	865	3.0	4	2	2	3	3	4	5	11
50-64	6288	3.1	4	2	2	3	4	4	6	11
65+	25251	3.6	10	2	2	3	4	5	7	16
GRAND TOTAL	**32404**	**3.5**	**8**	**2**	**2**	**3**	**4**	**5**	**7**	**15**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	58	2.7	2	1	1	2	3	5	5	7
20-34	46	2.7	1	1	2	2	3	4	5	7
35-49	57	2.8	2	1	2	2	3	4	5	11
50-64	120	2.5	1	1	1	2	3	3	4	7
65+	127	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	6	2.7	2	<1	<1	2	4	5	5	5
65+	5	2.2	7	<1	<1	1	3	7	7	7
B. *Operated*										
0-19 YRS	33	2.6	3	<1	<1	2	3	4	5	9
20-34	33	2.9	3	1	1	3	3	4	4	12
35-49	44	3.5	6	1	2	3	4	6	10	13
50-64	102	3.5	8	1	2	3	4	5	8	18
65+	199	2.9	2	2	2	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*	408	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	17	3.1	14	<1	<1	1	4	7	12	15
B. *Operated*	411	3.1	4	1	2	3	3	5	6	12
1. SINGLE DX	415	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	428	3.1	5	1	2	3	3	5	6	12
A. NOT OPERATED	24	3.0	10	<1	<1	2	4	7	10	15
B. OPERATED	819	2.8	3	1	2	2	3	4	5	11
TOTAL 0-19 YRS	96	2.7	2	<1	1	2	3	5	5	8
20-34	81	2.7	2	1	1	2	3	4	5	10
35-49	104	3.2	5	1	2	3	3	4	9	14
50-64	229	3.0	4	1	1	3	3	4	5	12
65+	333	2.8	2	1	1	2	3	4	6	9
GRAND TOTAL	**843**	**2.9**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	4	<1	<1	1	3	7	49	99+
20-34	7	4.4	6	1	1	5	7	7	7	7
35-49	7	6.9	20	2	2	5	11	13	13	13
50-64	8	3.5	7	1	1	3	5	8	9	9
65+	8	5.3	1	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	1868	1.6		<1	<1	2	2	2	2	3
20-34	330	2.0	1	1	1	2	2	3	3	5
35-49	119	2.3	2	1	2	2	2	3	4	10
50-64	77	2.3	1	1	1	2	3	3	5	6
65+	30	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	1.2		<1	<1	1	1	1	2	5
20-34	13	5.3	10	1	2	4	8	10	11	11
35-49	10	5.2	14	<1	1	4	8	11	13	13
50-64	34	6.9	33	<1	2	5	9	14	16	30
65+	56	8.1	30	2	3	7	11	14	20	25
B. *Operated*										
0-19 YRS	365	1.7		<1	<1	2	2	2	3	4
20-34	65	2.5	2	1	1	2	3	3	6	8
35-49	58	3.3	8	2	2	2	3	6	10	17
50-64	58	4.4	28	1	2	2	4	10	14	29
65+	48	4.2	14	1	2	2	5	11	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.9	9	<1	1	3	6	8	12	99
B. *Operated*	2424	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	219	4.3	24	<1	<1	2	6	10	14	24
B. *Operated*	594	2.4	6	<1	1	2	2	4	6	14
1. SINGLE DX	2474	1.8	1	<1	1	2	2	2	3	6
2. MULTIPLE DX	813	2.9	11	<1	<1	2	3	7	10	18
A. NOT OPERATED	269	4.2	21	<1	<1	2	6	10	13	25
B. OPERATED	3018	1.9	2	<1	1	2	2	2	3	7
TOTAL 0-19 YRS	2359	1.6		<1	<1	2	2	2	2	3
20-34	415	2.2	2	1	1	2	2	3	4	9
35-49	194	2.9	6	1	2	2	3	5	9	13
50-64	177	3.9	19	1	1	2	4	9	11	28
65+	142	5.5	22	1	2	4	7	13	14	24
GRAND TOTAL	**3287**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.1	4	<1	<1	1	2	5	6	11
20-34	36	4.4	15	<1	1	3	5	10	15	17
35-49	17	3.7	9	<1	<1	3	6	8	10	11
50-64	33	4.0	17	<1	1	3	4	8	12	21
65+	36	5.8	13	<1	1	6	8	10	13	15
B. *Operated*										
0-19 YRS	294	1.9	15	<1	<1	1	2	2	4	13
20-34	257	2.1	2	<1	<1	2	2	3	5	8
35-49	491	2.1	1	<1	<1	2	2	3	4	6
50-64	688	2.1	1	<1	1	2	2	3	4	7
65+	898	2.5	8	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.5	9	<1	<1	3	4	7	10	14
20-34	34	4.5	28	<1	1	3	5	8	13	29
35-49	20	3.6	7	<1	1	2	6	7	8	9
50-64	50	5.4	27	<1	1	4	7	11	14	30
65+	107	6.9	58	1	1	4	9	16	22	41
B. *Operated*										
0-19 YRS	102	2.6	10	<1	<1	2	3	4	7	21
20-34	100	2.7	4	<1	1	2	3	5	6	12
35-49	412	2.9	11	1	1	2	3	4	6	12
50-64	873	3.0	4	1	2	3	4	5	5	11
65+	1030	3.7	21	1	2	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	3.1	9	<1	<1	2	4	7	10	15
B. *Operated*	2628	2.2	5	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	326	5.0	32	<1	1	3	6	11	14	29
B. *Operated*	2517	3.3	12	1	1	3	4	5	7	15
1. SINGLE DX	2946	2.3	6	<1	<1	2	2	4	5	10
2. MULTIPLE DX	2843	3.5	15	1	1	3	4	6	8	17
A. NOT OPERATED	644	4.1	22	<1	<1	3	5	9	12	22
B. OPERATED	5145	2.7	9	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	707	2.3	11	<1	<1	1	2	4	6	13
20-34	427	2.6	6	<1	<1	2	3	5	7	14
35-49	940	2.5	6	<1	1	2	3	4	6	10
50-64	1644	2.8	4	<1	1	2	3	5	5	11
65+	2071	3.4	18	1	1	2	3	6	9	18
GRAND TOTAL	**5789**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	4.1	10	1	2	4	5	7	8	13
20-34	94	4.4	7	1	2	4	5	9	9	14
35-49	50	4.7	13	1	1	4	6	8	10	20
50-64	53	4.4	16	1	1	3	6	9	15	20
65+	63	5.0	13	1	2	4	6	10	13	15
B. *Operated*										
0-19 YRS	62	3.2	8	<1	1	2	4	7	10	15
20-34	58	3.4	5	1	1	3	4	6	7	15
35-49	67	3.7	8	1	1	3	5	8	10	12
50-64	166	3.3	8	1	2	2	4	6	8	14
65+	465	3.2	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	5.3	11	1	2	5	6	9	12	17
20-34	70	5.8	15	2	2	4	8	11	14	19
35-49	63	6.0	22	1	1	5	8	14	15	20
50-64	120	6.4	30	1	2	5	8	12	16	34
65+	200	8.0	103	1	2	6	9	15	19	89
B. *Operated*										
0-19 YRS	61	5.1	17	<1	1	3	8	12	14	15
20-34	79	5.7	28	1	2	4	7	12	19	27
35-49	105	5.4	29	1	1	4	7	10	13	31
50-64	258	5.9	52	1	2	4	7	10	15	34
65+	596	5.3	35	1	2	3	6	12	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	4.3	11	1	1	4	5	8	10	15
B. *Operated*	818	3.2	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	661	6.4	45	1	2	5	8	12	15	31
B. *Operated*	1099	5.5	37	1	2	3	7	11	15	31
1. SINGLE DX	1348	3.7	9	1	1	3	4	7	9	15
2. MULTIPLE DX	1760	5.8	40	1	2	4	7	12	15	32
A. NOT OPERATED	1191	5.5	31	1	2	4	7	10	14	24
B. OPERATED	1917	4.5	25	1	2	3	5	9	13	25
TOTAL 0-19 YRS	601	4.5	12	1	1	4	6	8	11	15
20-34	301	4.9	15	1	2	4	6	9	12	20
35-49	285	5.0	20	1	1	4	6	10	13	21
50-64	597	5.2	34	1	2	4	7	10	14	27
65+	1324	4.9	36	1	2	3	6	10	14	29
GRAND TOTAL	**3108**	**4.9**	**28**	**1**	**2**	**3**	**6**	**10**	**13**	**25**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	<1	<1	1	2	4	5	5
20-34	11	2.9	4	<1	<1	2	4	6	7	7
35-49	11	3.9	9	1	1	3	5	9	11	11
50-64	13	3.9	7	1	1	3	6	8	9	9
65+	13	4.3	9	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	15	1.9	1	<1	<1	2	3	3	4	4
20-34	13	2.3	2	<1	1	2	2	5	5	5
35-49	8	2.8	3	<1	<1	2	4	5	5	5
50-64	11	3.5	4	2	2	3	4	6	9	9
65+	13	4.3	21	1	1	2	4	11	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	11	<1	1	2	4	8	12	14
20-34	22	4.9	21	<1	1	3	7	10	15	20
35-49	18	4.7	8	2	2	4	7	9	10	10
50-64	30	5.9	27	1	1	4	8	12	17	24
65+	42	6.6	23	1	2	5	9	12	15	24
B. *Operated*										
0-19 YRS	9	6.1	23	1	1	6	8	13	16	16
20-34	17	3.5	3	2	2	3	5	6	7	7
35-49	12	5.3	22	1	1	3	9	13	14	14
50-64	39	8.0	164	2	2	3	8	17	22	78
65+	44	6.9	57	1	2	4	9	18	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.3	6	<1	1	3	4	7	8	11
B. *Operated*	60	2.9	7	<1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	134	5.4	20	1	1	4	8	11	14	24
B. *Operated*	121	6.5	78	2	2	3	8	14	22	45
1. SINGLE DX	125	3.1	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	255	5.9	48	1	2	4	8	12	17	28
A. NOT OPERATED	199	4.7	17	1	1	3	7	10	12	22
B. OPERATED	181	5.3	57	1	2	3	5	12	18	31
TOTAL 0-19 YRS	63	3.0	9	<1	<1	2	3	7	9	16
20-34	63	3.6	10	1	1	2	5	7	9	19
35-49	49	4.3	11	1	1	3	5	10	12	14
50-64	93	6.2	81	1	2	3	7	12	19	55
65+	112	6.2	35	1	2	4	9	13	18	30
GRAND TOTAL	**380**	**5.0**	**36**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	804	3.1	4	1	1	3	4	5	7	10
20-34	8	4.4	3	2	2	4	6	6	6	6
35-49	6	3.0	2	2	2	3	3	6	6	6
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	4.0	17	1	1	2	6	10	10	10
B. *Operated*										
0-19 YRS	4171	1.1		<1	<1	<1	<1	1	2	3
20-34	233	2.2	2	<1	<1	2	3	3	4	8
35-49	181	2.3	2	<1	<1	2	3	3	4	6
50-64	218	2.2	1	<1	<1	2	3	3	4	8
65+	104	2.2	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1774	3.7	6	1	1	3	5	6	8	13
20-34	50	4.1	12	<1	1	3	5	9	10	18
35-49	17	5.4	35	1	2	4	5	9	21	27
50-64	29	6.0	22	<1	1	5	8	13	16	21
65+	56	11.5	142	2	2	8	14	25	38	63
B. *Operated*										
0-19 YRS	2213	1.6	2	<1	<1	1	2	3	3	6
20-34	270	2.9	4	1	1	3	3	4	6	10
35-49	219	3.0	4	1	1	3	3	4	6	16
50-64	316	3.2	6	1	2	3	3	4	8	15
65+	138	3.8	19	1	2	3	3	6	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	3.2	4	1	1	3	4	5	7	10
B. *Operated*	4907	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1926	4.0	13	1	1	3	5	7	9	17
B. *Operated*	3156	2.1	4	<1	<1	2	2	3	4	11
1. SINGLE DX	5732	1.6	1	<1	<1	<1	2	3	4	7
2. MULTIPLE DX	5082	2.8	8	<1	<1	2	3	5	7	14
A. NOT OPERATED	2751	3.7	10	1	1	3	5	6	8	15
B. OPERATED	8063	1.6	2	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	8962	1.9	3	<1	<1	1	2	4	5	9
20-34	561	2.7	4	<1	1	2	3	4	6	10
35-49	423	2.8	5	<1	1	3	3	4	5	15
50-64	566	3.0	6	<1	1	3	3	4	7	15
65+	302	4.7	47	1	1	3	4	10	16	39
GRAND TOTAL	**10814**	**2.1**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.9	5	1	2	3	5	7	9	12
20-34	37	5.5	66	2	2	4	6	8	9	52
35-49	22	5.2	5	2	3	5	6	9	10	11
50-64	14	5.2	5	2	3	5	7	8	9	9
65+	5	4.6	5	1	1	6	6	6	6	6
B. *Operated*										
0-19 YRS	337	1.6	5	<1	<1	<1	1	3	4	8
20-34	74	4.3	20	<1	1	3	5	9	15	25
35-49	43	3.9	22	<1	<1	3	4	7	12	28
50-64	47	2.9	3	1	1	3	4	5	6	8
65+	37	5.5	34	<1	2	3	6	13	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	4.2	8	1	1	4	5	9	10	13
20-34	28	4.7	7	1	2	4	7	8	9	11
35-49	33	6.0	13	2	2	5	7	12	14	17
50-64	46	6.5	23	2	3	6	7	10	16	30
65+	39	11.9	140	2	2	8	14	35	42	43
B. *Operated*										
0-19 YRS	374	2.3	7	<1	<1	2	3	4	5	15
20-34	85	4.0	10	1	2	3	4	8	9	20
35-49	79	4.2	18	<1	1	3	5	7	10	28
50-64	107	5.5	45	1	2	3	5	14	19	35
65+	62	10.4	169	1	2	5	11	30	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	4.4	17	2	2	4	5	8	9	12
B. *Operated*	538	2.6	12	<1	<1	1	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	355	5.6	30	1	2	4	7	10	12	40
B. *Operated*	707	3.9	34	<1	1	2	4	7	12	35
1. SINGLE DX	734	3.1	14	<1	<1	2	4	6	8	16
2. MULTIPLE DX	1062	4.5	33	<1	1	3	5	9	12	36
A. NOT OPERATED	551	5.2	26	1	2	4	6	9	12	30
B. OPERATED	1245	3.3	25	<1	<1	2	3	6	10	29
TOTAL 0-19 YRS	1038	2.7	7	<1	<1	2	3	5	8	12
20-34	224	4.4	22	1	1	3	5	8	10	25
35-49	177	4.6	17	<1	1	3	5	8	11	27
50-64	214	5.1	30	1	2	4	6	9	17	33
65+	143	9.3	126	1	2	5	11	23	41	46
GRAND TOTAL	**1796**	**3.9**	**26**	**<1**	**<1**	**3**	**4**	**8**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	8	1	1	3	6	8	10	11
20-34	119	3.9	12	1	1	3	5	7	9	18
35-49	209	4.2	9	1	1	3	5	8	9	16
50-64	319	4.1	11	1	2	3	5	7	9	15
65+	231	4.6	14	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	7	3.4		3	3	3	4	4	4	4
20-34	38	4.1	5	1	2	4	5	6	9	13
35-49	47	4.6	18	2	2	3	4	9	10	27
50-64	68	4.3	8	2	2	3	5	8	11	14
65+	39	5.3	14	2	3	3	6	12	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.2	15	1	2	4	6	11	15	16
20-34	121	5.3	13	1	2	4	7	11	13	16
35-49	228	5.2	15	2	2	4	7	9	13	21
50-64	690	5.7	19	2	2	5	7	10	13	24
65+	989	6.8	23	2	2	6	9	13	17	26
B. *Operated*										
0-19 YRS	4	4.8	14	1	1	4	7	10	10	10
20-34	17	6.3	24	2	3	5	7	12	19	22
35-49	25	8.1	38	2	3	6	10	18	24	24
50-64	46	8.8	54	2	3	6	11	16	24	37
65+	39	10.9	43	2	3	10	14	20	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	4.2	11	1	1	3	5	8	10	16
B. *Operated*	199	4.5	11	2	2	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	2047	6.2	21	2	2	5	8	12	15	24
B. *Operated*	131	8.8	44	2	3	7	12	19	22	33
1. SINGLE DX	1110	4.3	11	1	2	3	5	8	10	16
2. MULTIPLE DX	2178	6.3	22	2	2	5	8	12	16	25
A. NOT OPERATED	2958	5.6	18	1	2	4	7	11	14	22
B. OPERATED	330	6.2	29	2	2	4	8	13	17	28
TOTAL 0-19 YRS	63	4.4	9	1	1	3	5	8	11	16
20-34	295	4.7	13	1	2	4	6	9	12	16
35-49	509	4.9	14	1	2	4	6	9	12	21
50-64	1123	5.3	18	1	2	4	7	9	12	23
65+	1298	6.5	23	2	2	5	8	13	16	25
GRAND TOTAL	**3288**	**5.6**	**19**	**1**	**2**	**4**	**7**	**11**	**14**	**23**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	20	2.3	1	<1	1	2	3	3	4	4
20-34	209	2.8	1	2	2	3	3	4	4	5
35-49	322	2.7	1	2	2	3	3	4	4	7
50-64	455	2.8	1	2	2	3	3	4	4	5
65+	209	2.9	1	2	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.3	4	<1	<1	1	3	5	5	5
50-64	8	3.0	8	1	1	2	4	8	9	9
65+	7	4.9	14	<1	<1	6	7	10	11	11
B. *Operated*										
0-19 YRS	6	2.8	1	2	2	3	3	4	4	4
20-34	31	2.9	3	1	1	3	3	4	4	11
35-49	67	3.3	5	1	2	3	3	5	6	16
50-64	91	3.6	10	2	2	3	4	6	7	22
65+	47	4.1	19	2	2	3	4	6	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	1215	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	20	3.5	9	<1	<1	2	5	8	10	11
B. *Operated*	242	3.5	10	2	2	3	3	5	7	19
1. SINGLE DX	1220	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	262	3.5	9	1	2	3	4	6	7	18
A. NOT OPERATED	25	3.0	8	<1	<1	2	4	7	9	11
B. OPERATED	1457	2.9	2	2	2	3	3	4	5	7
TOTAL 0-19 YRS	26	2.4	1	<1	2	2	3	3	4	4
20-34	242	2.8	1	2	2	3	3	4	4	5
35-49	395	2.8	2	2	2	3	3	4	5	7
50-64	556	2.9	3	2	2	3	3	4	4	7
65+	263	3.2	5	2	2	3	3	4	6	13
GRAND TOTAL	**1482**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.1	4	<1	<1	1	3	4	6	9
20-34	16	4.9	17	<1	<1	4	7	8	14	17
35-49	19	4.4	10	<1	1	4	7	8	10	12
50-64	12	4.0	10	<1	<1	3	7	8	9	9
65+	16	6.0	14	<1	1	5	8	12	13	13
B. *Operated*										
0-19 YRS	513	2.2	4	<1	<1	2	2	3	4	9
20-34	320	2.4	2	1	1	2	3	4	4	7
35-49	232	2.5	1	1	1	2	3	4	4	7
50-64	257	2.6	2	1	1	2	3	3	4	10
65+	92	2.9	4	1	1	3	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.9	8	<1	<1	2	4	7	9	14
20-34	14	4.0	30	<1	1	1	2	15	15	15
35-49	20	5.6	16	1	1	4	9	11	13	14
50-64	40	4.6	8	<1	1	4	6	9	10	13
65+	41	6.2	12	1	2	7	8	11	13	15
B. *Operated*										
0-19 YRS	382	2.3	6	<1	<1	2	3	3	4	8
20-34	210	2.9	3	1	2	3	3	4	6	10
35-49	165	3.6	44	1	1	2	3	5	7	33
50-64	214	3.1	4	1	2	3	4	5	8	11
65+	105	4.0	15	1	2	3	4	8	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.1	12	<1	<1	3	7	8	11	16
B. *Operated*	1414	2.4	3	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	153	4.7	13	<1	1	3	7	10	12	15
B. *Operated*	1076	2.9	12	<1	1	2	3	4	6	15
1. SINGLE DX	1501	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1229	3.2	13	<1	1	2	3	5	8	15
A. NOT OPERATED	240	4.5	13	<1	<1	3	7	9	12	15
B. OPERATED	2490	2.6	7	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	957	2.2	5	<1	<1	2	3	3	4	9
20-34	560	2.7	3	1	1	2	3	4	6	12
35-49	436	3.1	19	1	1	2	3	5	7	12
50-64	523	3.0	4	1	1	3	3	5	7	11
65+	254	4.1	12	1	1	3	5	8	11	19
GRAND TOTAL	**2730**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**4**	**7**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	8.1	26	2	3	7	12	15	15	27
20-34	18	10.3	51	3	4	8	12	18	27	33
35-49	4	6.3	3	4	4	6	7	8	8	8
50-64	7	13.4	177	2	3	9	15	37	42	42
65+	2	10.0	8	8	8	10	12	12	12	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	10.0	43	2	2	10	15	21	21	22
20-34	28	6.8	17	2	2	5	9	14	16	16
35-49	26	8.2	58	1	2	6	8	17	24	38
50-64	53	11.4	141	2	4	7	14	21	35	73
65+	68	14.0	194	3	4	10	15	29	49	71
B. *Operated*										
0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34	3	13.3	234	4	4	5	24	31	31	31
35-49	12	20.4	255	6	7	13	26	49	55	56
50-64	21	12.5	121	2	2	9	17	27	38	43
65+	10	22.9	207	7	10	19	21	49	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	8.9	42	2	3	8	12	15	18	39
B. *Operated*	5	3.6	9	2	2	2	4	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	200	11.0	124	2	3	7	13	21	33	68
B. *Operated*	48	16.8	183	2	3	14	21	40	47	56
1. SINGLE DX	93	8.6	42	2	3	8	12	15	18	38
2. MULTIPLE DX	248	12.1	140	2	3	8	15	22	38	64
A. NOT OPERATED	288	10.4	100	2	3	8	12	19	28	60
B. OPERATED	53	15.5	181	2	2	12	20	36	47	56
TOTAL 0-19 YRS	85	8.7	33	2	3	8	12	16	20	26
20-34	49	8.5	42	2	3	6	11	16	19	33
35-49	44	11.2	133	2	3	8	12	26	40	56
50-64	82	11.7	135	2	2	8	15	22	38	64
65+	81	14.9	198	3	4	11	18	33	49	70
GRAND TOTAL	**341**	**11.2**	**115**	**2**	**3**	**8**	**14**	**21**	**33**	**57**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	6	2	2	5	7	9	10	10
20-34	12	3.6	8	1	1	3	4	9	10	10
35-49	35	5.9	34	1	2	4	6	14	21	25
50-64	33	6.3	20	2	2	5	9	14	16	18
65+	22	8.5	24	3	3	8	12	15	18	20
B. *Operated*										
0-19 YRS	6	13.3	57	2	3	14	17	23	24	24
20-34	43	9.3	66	2	2	6	16	22	24	28
35-49	91	8.0	49	2	2	4	13	17	21	30
50-64	138	10.0	82	2	2	8	16	20	26	41
65+	58	10.2	81	2	2	7	16	23	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	11.4	147	4	4	6	13	33	39	39
20-34	75	5.9	23	2	2	3	7	10	12	32
35-49	194	6.6	29	1	2	6	8	11	13	43
50-64	468	9.1	57	2	3	7	11	17	22	50
65+	641	11.3	101	3	4	9	13	20	28	58
B. *Operated*										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	35	9.9	64	2	2	9	14	16	28	37
35-49	143	11.5	94	2	2	11	17	26	30	38
50-64	420	15.5	184	2	2	13	21	32	43	77
65+	301	16.5	199	2	2	13	22	35	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	6.3	24	2	2	5	8	14	16	24
B. *Operated*	336	9.5	71	2	2	6	15	21	25	35
2. MULTIPLE DX										
A. *Not Operated*	1387	9.6	75	2	3	8	12	17	24	50
B. *Operated*	901	15.0	173	2	2	12	21	31	42	70
1. SINGLE DX	447	8.7	61	2	2	5	14	19	23	33
2. MULTIPLE DX	2288	11.7	121	2	2	9	15	24	33	61
A. NOT OPERATED	1498	9.4	72	2	3	7	11	17	24	48
B. OPERATED	1237	13.5	151	2	2	12	19	28	37	61
TOTAL 0-19 YRS	26	9.7	76	2	2	6	12	23	27	39
20-34	165	7.5	46	2	2	5	10	16	21	36
35-49	463	8.3	58	2	2	6	12	18	25	37
50-64	1059	11.7	119	2	2	9	16	25	33	61
65+	1022	12.7	133	2	3	10	16	25	35	64
GRAND TOTAL	**2735**	**11.2**	**112**	**2**	**2**	**8**	**15**	**23**	**31**	**57**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	18	1	1	4	7	9	12	21
20-34	153	4.9	8	1	2	5	7	8	10	15
35-49	393	5.1	9	1	2	4	7	9	11	15
50-64	490	5.4	10	2	2	5	7	10	12	15
65+	328	5.9	20	2	2	5	7	10	14	27
B. *Operated*										
0-19 YRS	9	6.3	109	2	2	3	4	22	34	34
20-34	34	3.2	6	1	1	2	3	8	9	10
35-49	37	4.4	17	1	1	3	5	10	14	18
50-64	39	4.8	17	2	2	3	7	12	15	16
65+	14	11.5	72	3	3	9	16	21	31	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	5.8	20	1	2	5	7	9	12	29
20-34	371	6.1	19	2	2	5	8	11	14	25
35-49	1346	6.5	23	2	2	5	8	12	14	23
50-64	2447	7.5	36	2	3	6	9	14	17	32
65+	3033	9.3	78	2	3	7	11	17	24	54
B. *Operated*										
0-19 YRS	8	6.9	12	3	3	6	10	11	11	11
20-34	55	9.1	35	2	2	8	12	17	21	28
35-49	181	9.7	72	2	2	7	13	20	24	47
50-64	363	11.1	102	2	2	9	14	21	27	57
65+	405	16.9	231	3	4	12	21	35	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	5.4	12	1	2	5	7	9	12	18
B. *Operated*	133	5.1	30	1	2	3	6	11	16	34
2. MULTIPLE DX										
A. *Not Operated*	7259	8.0	51	2	3	6	10	14	19	38
B. *Operated*	1012	13.0	154	2	3	10	16	26	36	75
1. SINGLE DX	1530	5.3	14	1	2	4	7	9	12	19
2. MULTIPLE DX	8271	8.6	67	2	3	7	10	16	22	46
A. NOT OPERATED	8656	7.5	46	2	2	6	9	14	18	35
B. OPERATED	1145	12.1	146	2	2	9	15	25	34	71
TOTAL 0-19 YRS	112	5.6	25	1	2	4	7	10	13	32
20-34	613	5.9	18	1	2	5	8	11	14	24
35-49	1957	6.5	26	2	2	5	8	12	15	25
50-64	3339	7.5	41	2	2	6	9	14	18	34
65+	3780	9.8	96	2	3	7	12	19	27	63
GRAND TOTAL	**9801**	**8.1**	**60**	**2**	**2**	**6**	**10**	**15**	**21**	**42**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	5.6	14	1	1	5	6	12	14	14
35-49	55	6.8	39	2	3	5	7	15	19	37
50-64	148	6.8	26	2	2	6	8	12	14	28
65+	290	7.9	46	3	3	6	9	13	22	31
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	5.4	18	2	2	2	10	11	12	12
50-64	13	3.2	6	2	2	2	3	8	10	10
65+	7	6.9	23	2	2	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	6.7	16	2	3	6	9	12	14	21
35-49	293	7.9	31	2	3	7	10	13	18	28
50-64	1435	9.2	44	3	3	8	12	17	21	33
65+	3948	11.9	100	3	4	9	14	22	32	64
B. *Operated*										
0-19 YRS										
20-34	10	6.1	11	2	2	6	10	10	10	10
35-49	52	12.0	92	2	2	9	18	25	31	44
50-64	186	13.9	157	2	2	11	17	30	36	69
65+	417	19.9	236	4	6	16	26	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	503	7.4	39	2	3	6	9	13	19	31
B. *Operated*	30	4.7	15	2	2	3	6	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	5711	11.0	84	3	4	9	13	20	28	58
B. *Operated*	665	17.4	210	2	4	14	22	38	52	87
1. SINGLE DX	533	7.2	38	2	3	6	8	12	18	30
2. MULTIPLE DX	6376	11.6	101	3	4	9	14	22	31	63
A. NOT OPERATED	6214	10.7	81	3	4	8	13	20	27	56
B. OPERATED	695	16.9	209	2	3	13	22	36	51	85
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	55	6.3	14	2	2	5	9	10	14	21
35-49	409	8.2	42	2	3	6	10	16	21	36
50-64	1782	9.4	57	2	3	8	12	17	22	36
65+	4662	12.4	115	3	4	9	15	24	34	71
GRAND TOTAL	**6909**	**11.3**	**97**	**3**	**4**	**9**	**14**	**22**	**30**	**62**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	26	1	1	4	9	13	13	13
20-34	16	5.1	26	1	2	3	7	11	18	21
35-49	14	7.4	31	2	2	6	9	12	21	24
50-64	38	5.6	13	1	2	5	7	10	13	19
65+	47	10.0	104	2	3	7	12	21	26	64
B. *Operated*										
0-19 YRS	8	4.9	6	1	1	6	6	8	8	8
20-34	24	5.3	49	1	2	3	5	9	18	36
35-49	49	8.4	87	2	2	5	10	17	30	43
50-64	50	7.6	39	2	2	6	10	16	21	35
65+	28	10.8	68	2	2	9	15	23	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	7	2	2	3	4	9	10	10
20-34	27	8.8	49	2	3	6	12	18	22	31
35-49	72	10.0	68	2	2	8	13	22	28	35
50-64	170	11.3	81	3	4	9	14	20	28	56
65+	453	14.7	198	3	4	11	18	30	48	99
B. *Operated*										
0-19 YRS	8	7.6	100	1	1	3	9	25	31	31
20-34	63	14.0	206	2	2	10	19	32	40	70
35-49	119	13.7	150	2	2	10	18	30	37	58
50-64	181	15.1	195	2	3	12	20	32	47	99+
65+	222	21.9	299	3	4	17	31	48	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	7.5	57	2	2	6	9	14	22	40
B. *Operated*	159	7.9	61	2	2	5	9	17	24	40
2. MULTIPLE DX										
A. *Not Operated*	729	13.1	155	2	4	10	16	26	36	92
B. *Operated*	593	17.1	238	2	3	13	24	38	52	98
1. SINGLE DX	278	7.7	59	2	2	6	9	16	23	39
2. MULTIPLE DX	1322	14.9	196	2	3	11	19	33	47	95
A. NOT OPERATED	848	12.3	145	2	3	9	15	25	35	87
B. OPERATED	752	15.2	215	2	2	11	20	35	48	93
TOTAL 0-19 YRS	27	5.6	35	1	1	4	6	11	16	31
20-34	130	10.2	136	2	2	6	12	24	33	68
35-49	254	11.2	113	2	2	8	15	26	34	53
50-64	439	11.9	127	2	3	9	15	25	34	83
65+	750	16.4	231	2	4	12	20	37	52	99
GRAND TOTAL	**1600**	**13.7**	**180**	**2**	**3**	**10**	**17**	**30**	**41**	**89**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	14.5	1	14	14	14	15	15	15	15
20-34	95	11.8	24	3	5	12	15	18	20	25
35-49	999	12.7	21	6	7	13	15	18	21	26
50-64	2458	13.5	22	7	8	13	16	19	21	28
65+	2098	13.8	30	7	8	13	16	20	23	30
B. *Operated*										
0-19 YRS										
20-34	10	13.6	19	8	8	13	17	20	22	22
35-49	47	14.7	32	2	10	14	16	20	23	34
50-64	119	16.2	38	7	10	15	20	25	27	35
65+	71	18.6	74	8	10	16	23	31	35	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.8	31	4	6	12	16	21	24	24
20-34	118	12.4	29	3	5	13	16	20	21	27
35-49	2209	13.4	35	5	7	13	16	20	22	33
50-64	8357	14.7	43	6	8	14	17	21	25	38
65+	12904	16.5	72	7	9	15	19	25	32	54
B. *Operated*										
0-19 YRS	3	30.0	156	20	20	26	39	44	44	44
20-34	31	16.1	54	3	10	15	21	25	32	34
35-49	353	15.7	79	2	8	14	19	24	31	52
50-64	1273	18.4	110	8	9	16	22	31	39	66
65+	1597	23.6	186	10	11	20	28	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5652	13.4	25	6	8	13	16	19	21	29
B. *Operated*	247	16.5	48	8	10	15	20	25	31	39
2. MULTIPLE DX										
A. *Not Operated*	23600	15.5	59	7	8	14	18	23	29	47
B. *Operated*	3257	20.6	152	8	10	18	25	37	47	87
1. SINGLE DX	5899	13.5	26	6	8	13	16	19	22	29
2. MULTIPLE DX	26857	16.2	73	7	9	14	19	25	31	53
A. NOT OPERATED	29252	15.1	53	7	8	14	18	22	27	45
B. OPERATED	3504	20.3	146	8	10	17	24	36	45	84
TOTAL 0-19 YRS	17	16.1	86	5	7	14	20	26	38	44
20-34	254	12.7	31	3	5	12	16	20	22	30
35-49	3608	13.4	36	5	7	13	16	20	22	34
50-64	12207	14.8	47	6	8	14	17	22	26	41
65+	16670	16.8	83	7	9	15	20	26	34	59
GRAND TOTAL	**32756**	**15.7**	**66**	**7**	**9**	**14**	**18**	**24**	**30**	**50**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	53	4.4	7	1	2	4	6	7	7	17
35-49	444	4.5	8	1	2	4	6	8	10	15
50-64	840	4.8	9	1	2	4	6	9	10	14
65+	656	5.4	13	2	2	5	7	9	12	18
B. *Operated*										
0-19 YRS										
20-34	7	4.4	19	2	2	2	5	12	14	14
35-49	78	3.5	11	2	2	2	3	8	10	19
50-64	157	4.1	17	2	2	2	4	10	12	22
65+	49	6.7	67	2	2	2	9	14	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	5	3	3	5	7	9	9	9
20-34	159	5.9	30	1	2	4	7	11	14	32
35-49	1638	5.8	17	2	2	5	7	11	14	21
50-64	5203	6.4	18	2	2	5	8	11	14	22
65+	6878	7.8	38	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	2	20.5	145	12	12	20	29	29	29	29
20-34	29	6.5	39	2	2	3	10	15	22	25
35-49	543	7.2	59	2	2	4	11	16	21	36
50-64	1671	8.1	64	2	2	5	12	17	22	37
65+	854	12.6	115	2	2	11	17	26	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1995	4.9	10	1	2	4	6	9	11	16
B. *Operated*	291	4.4	24	2	2	2	5	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	13885	7.0	29	2	3	6	9	13	16	26
B. *Operated*	3099	9.2	81	2	2	7	13	20	26	45
1. SINGLE DX	2286	4.8	12	1	2	4	6	9	11	17
2. MULTIPLE DX	16984	7.4	39	2	2	6	9	14	18	32
A. NOT OPERATED	15880	6.8	27	2	2	6	8	12	16	26
B. OPERATED	3390	8.8	78	2	2	6	13	19	25	44
TOTAL 0-19 YRS	11	8.3	55	3	3	6	9	19	28	29
20-34	248	5.6	26	1	2	4	7	10	14	25
35-49	2703	5.8	24	2	2	4	7	11	14	25
50-64	7871	6.5	27	2	2	5	8	13	16	26
65+	8437	8.1	47	2	3	6	10	15	20	36
GRAND TOTAL	**19270**	**7.1**	**36**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	49	6.0	10	2	3	5	7	10	12	17
35-49	428	5.5	10	2	2	5	7	10	11	15
50-64	1096	6.1	14	2	3	5	8	11	13	20
65+	927	6.7	17	2	3	6	8	12	14	21
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	71	7.8	33	2	2	6	11	14	21	26
50-64	192	7.7	29	2	2	7	11	14	16	27
65+	55	7.8	24	2	3	7	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.1	22	4	4	7	9	16	20	21
20-34	94	6.4	15	2	3	5	8	11	14	21
35-49	1569	7.0	21	2	3	6	9	13	16	23
50-64	6100	7.8	25	3	3	7	10	13	17	26
65+	9391	9.2	40	3	4	8	11	16	20	33
B. *Operated*										
0-19 YRS										
20-34	9	10.3	56	3	3	12	14	21	25	25
35-49	318	10.8	63	2	2	10	15	21	25	38
50-64	1142	13.0	107	2	3	11	17	25	31	58
65+	918	17.3	144	3	5	15	22	32	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2501	6.2	14	2	3	5	8	11	14	20
B. *Operated*	320	7.7	29	2	2	7	11	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	17173	8.5	34	3	3	7	11	15	19	30
B. *Operated*	2387	14.3	121	2	3	12	19	27	35	60
1. SINGLE DX	2821	6.4	16	2	3	5	8	12	14	21
2. MULTIPLE DX	19560	9.2	48	3	3	8	11	17	21	36
A. NOT OPERATED	19674	8.2	32	3	3	7	10	14	18	29
B. OPERATED	2707	13.6	115	2	3	11	18	26	34	59
TOTAL 0-19 YRS	20	8.1	21	4	4	7	9	15	19	21
20-34	154	6.4	16	2	3	5	8	12	14	23
35-49	2386	7.3	27	2	2	6	9	14	17	26
50-64	8530	8.3	38	2	3	7	10	15	19	31
65+	11291	9.7	52	3	4	8	12	18	22	39
GRAND TOTAL	**22381**	**8.9**	**45**	**3**	**3**	**7**	**11**	**16**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	3.8	4	2	2	3	4	8	8	8
35-49	141	5.1	11	1	2	4	7	10	12	16
50-64	356	5.8	15	1	2	5	8	11	13	17
65+	358	6.9	28	2	2	6	9	12	16	28
B. *Operated*										
0-19 YRS	6	8.7	84	<1	<1	7	13	22	23	23
20-34	39	5.3	26	2	2	2	9	12	14	23
35-49	821	6.3	38	2	2	2	11	14	17	26
50-64	2121	6.7	44	2	2	2	12	16	19	27
65+	510	8.5	89	2	2	3	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.4	149	<1	<1	2	22	27	27	27
20-34	46	5.1	11	1	2	4	8	10	11	15
35-49	676	6.3	19	2	2	5	8	13	15	21
50-64	2746	7.6	31	2	3	6	10	14	17	28
65+	5555	10.3	79	3	3	8	12	19	27	55
B. *Operated*										
0-19 YRS	5	6.4	17	2	2	8	10	10	10	10
20-34	72	4.5	18	1	2	3	5	11	13	19
35-49	1115	6.8	54	2	2	3	11	15	20	41
50-64	3406	9.1	80	2	2	7	13	19	25	42
65+	1706	14.5	149	2	2	12	20	30	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	869	6.1	20	2	2	5	8	11	14	22
B. *Operated*	3497	6.9	49	2	2	2	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	9028	9.2	62	2	3	7	11	17	23	45
B. *Operated*	6304	10.1	101	2	2	8	14	22	29	51
1. SINGLE DX	4366	6.7	44	2	2	3	11	15	19	29
2. MULTIPLE DX	15332	9.5	78	2	2	7	12	19	26	49
A. NOT OPERATED	9897	8.9	59	2	3	7	11	16	22	44
B. OPERATED	9801	8.9	85	2	2	5	13	20	26	46
TOTAL 0-19 YRS	17	8.5	70	<1	<1	8	13	22	26	27
20-34	170	4.8	17	1	2	3	7	11	12	19
35-49	2753	6.4	38	2	2	3	10	14	17	30
50-64	8629	7.9	54	2	2	5	11	16	21	34
65+	8129	10.9	96	2	2	8	14	22	30	55
GRAND TOTAL	**19698**	**8.9**	**72**	**2**	**2**	**7**	**12**	**18**	**24**	**44**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	8.1	17	3	3	10	12	13	13	13
20-34	121	9.7	19	3	6	9	11	14	16	25
35-49	184	11.4	23	4	6	11	14	17	20	27
50-64	183	11.7	26	5	6	11	14	18	22	30
65+	188	12.6	26	5	7	12	15	19	21	29
B. *Operated*										
0-19 YRS										
20-34	21	13.6	32	4	5	14	16	21	24	26
35-49	33	12.7	27	3	8	12	15	21	24	25
50-64	29	14.6	58	4	5	14	20	25	27	28
65+	18	16.6	43	8	11	15	20	27	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.4	16	7	7	11	16	17	17	17
20-34	130	13.2	66	2	5	11	17	22	25	46
35-49	342	12.6	43	5	6	11	15	21	25	35
50-64	727	13.8	58	5	7	13	16	22	26	37
65+	1321	16.6	92	6	8	14	20	28	35	62
B. *Operated*										
0-19 YRS										
20-34	51	14.7	69	4	7	13	17	23	32	48
35-49	57	20.4	144	8	9	[illegible]	24	38	49	58
50-64	169	20.6	127	9	9	16	26	34	40	60
65+	258	24.2	239	9	10	20	32	45	60	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	685	11.5	25	4	6	11	14	17	20	28
B. *Operated*	101	14.1	40	4	7	13	17	24	26	31
2. MULTIPLE DX										
A. *Not Operated*	2530	15.1	77	6	7	13	18	25	31	53
B. *Operated*	535	21.6	185	8	10	18	27	40	49	83
1. SINGLE DX	786	11.8	28	4	6	11	14	18	22	29
2. MULTIPLE DX	3065	16.3	102	6	7	14	19	28	36	61
A. NOT OPERATED	3215	14.3	68	5	7	13	17	23	29	49
B. OPERATED	636	20.6	170	7	9	17	25	38	48	82
TOTAL 0-19 YRS	19	9.8	18	3	4	10	13	16	17	17
20-34	323	12.2	50	3	6	11	15	21	23	40
35-49	616	13.0	51	5	6	11	15	21	26	42
50-64	1108	14.5	71	5	7	13	17	24	30	42
65+	1785	17.3	115	7	8	15	20	30	41	66
GRAND TOTAL	**3851**	**15.3**	**90**	**5**	**7**	**13**	**18**	**26**	**34**	**57**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	24.3	8	21	21	26	26	26	26	26
20-34	16	24.2	167	3	5	27	32	42	44	45
35-49	6	27.8	77	16	16	31	34	37	37	37
50-64	10	31.0	163	1	11	32	41	43	45	45
65+	11	26.9	156	6	7	30	35	43	43	43
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	27.0		27	27	27	27	27	27	27
50-64	1	34.0		34	34	34	34	34	34	34
65+	3	34.7	261	16	16	44	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	26.4	131	4	6	29	30	38	43	45
20-34	85	29.7	260	4	6	31	41	45	55	72
35-49	57	26.6	178	5	7	29	36	43	45	56
50-64	92	29.3	201	5	8	31	39	48	52	58
65+	121	34.8	279	12	14	32	45	59	72	99+
B. *Operated*										
0-19 YRS	3	24.0	91	13	13	29	30	30	30	30
20-34	31	40.5	212	18	23	40	54	61	61	72
35-49	13	29.4	277	6	8	29	41	71	94	99+
50-64	30	34.8	213	5	16	35	44	56	69	99+
65+	47	42.4	292	21	27	39	53	77	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	26.8	139	4	8	29	34	43	44	45
B. *Operated*	7	27.1	199	9	10	27	41	44	44	44
2. MULTIPLE DX										
A. *Not Operated*	369	30.7	242	5	10	31	41	49	57	94
B. *Operated*	124	38.3	264	12	20	36	50	62	78	99+
1. SINGLE DX	53	26.8	143	4	9	29	34	43	44	45
2. MULTIPLE DX	493	32.6	258	6	11	32	43	54	64	99+
A. NOT OPERATED	415	30.2	231	5	10	31	40	48	56	93
B. OPERATED	131	37.7	265	10	18	36	49	61	77	99+
TOTAL 0-19 YRS	21	24.9	109	5	8	28	30	36	41	45
20-34	133	31.4	262	4	9	32	42	51	61	72
35-49	77	27.2	181	5	7	29	36	44	48	91
50-64	133	30.7	202	5	8	32	41	49	52	74
65+	182	36.3	288	12	15	34	47	60	79	99+
GRAND TOTAL	**546**	**32.0**	**249**	**6**	**11**	**31**	**42**	**52**	**61**	**99+**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	3	1	1	3	4	5	8	8
20-34	66	2.7	5	<1	1	2	3	6	8	11
35-49	116	3.2	7	<1	1	3	4	6	7	15
50-64	176	3.0	4	1	1	3	4	5	7	12
65+	121	4.6	29	1	1	3	6	8	10	26
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	3	8.7	133	2	2	2	17	22	22	22
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.8	20	1	1	3	6	12	14	18
20-34	61	4.7	22	1	1	3	5	12	15	23
35-49	144	4.7	14	1	1	4	6	9	11	15
50-64	447	5.8	21	1	2	5	7	11	13	25
65+	668	7.1	29	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	9	10.3	95	2	2	4	22	24	24	24
50-64	18	10.1	22	3	4	9	14	17	18	18
65+	54	14.4	95	5	6	12	17	24	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	3.4	11	1	1	3	4	7	8	12
B. *Operated*	5	8.2	67	2	2	7	11	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	1346	6.3	25	1	2	5	8	12	14	25
B. *Operated*	83	12.7	82	2	4	11	17	23	28	52
1. SINGLE DX	513	3.5	12	1	1	3	4	7	8	12
2. MULTIPLE DX	1429	6.6	31	1	2	5	8	12	16	30
A. NOT OPERATED	1854	5.5	23	1	1	4	7	11	13	23
B. OPERATED	88	12.5	82	2	4	10	17	23	26	51
TOTAL 0-19 YRS	56	3.9	12	1	1	3	4	8	12	18
20-34	129	3.6	14	1	1	2	4	8	12	20
35-49	269	4.3	15	1	1	3	5	8	11	23
50-64	644	5.2	19	1	1	4	7	10	12	22
65+	844	7.2	38	2	2	6	9	13	17	34
GRAND TOTAL	**1942**	**5.8**	**28**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	11	2	2	2	5	9	10	10
20-34	120	2.7	4	<1	1	2	3	5	6	11
35-49	188	2.6	3	1	1	2	3	5	5	9
50-64	433	3.7	9	1	1	3	5	8	9	14
65+	429	4.7	14	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	5.0	4	3	3	5	6	7	7	7
50-64	13	7.2	57	2	2	5	6	22	25	26
65+	20	9.3	166	1	2	6	9	16	39	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.3	16	<1	1	3	6	10	14	14
20-34	116	4.0	10	1	1	3	5	7	10	16
35-49	442	5.6	28	<1	1	4	7	11	15	23
50-64	1749	7.0	43	1	2	5	8	14	17	33
65+	4837	9.2	70	2	3	7	11	17	23	49
B. *Operated*										
0-19 YRS	3	8.3	50	2	2	7	14	16	16	16
20-34	2	14.0	288	2	2	14	26	26	26	26
35-49	39	9.9	54	1	2	8	14	20	24	33
50-64	126	14.5	135	2	4	12	18	25	40	61
65+	538	18.8	225	4	6	15	23	36	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	3.8	10	1	1	3	5	8	10	15
B. *Operated*	38	7.9	107	2	2	5	8	17	24	61
2. MULTIPLE DX										
A. *Not Operated*	7155	8.4	61	2	2	6	10	16	21	45
B. *Operated*	708	17.5	205	3	5	14	21	33	51	87
1. SINGLE DX	1214	3.9	14	1	1	3	5	8	10	17
2. MULTIPLE DX	7863	9.2	81	2	2	7	11	18	24	54
A. NOT OPERATED	8331	7.7	57	1	2	6	10	15	20	41
B. OPERATED	746	17.0	204	3	5	13	21	33	51	84
TOTAL 0-19 YRS	20	4.8	19	<1	1	3	7	12	15	16
20-34	240	3.4	9	<1	1	3	4	7	8	16
35-49	672	5.0	26	<1	1	3	6	10	14	23
50-64	2321	6.8	47	1	2	5	8	14	18	33
65+	5824	9.8	90	2	3	7	12	19	26	58
GRAND TOTAL	**9077**	**8.5**	**75**	**1**	**2**	**6**	**10**	**17**	**23**	**51**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	14	<1	1	2	4	6	9	25
20-34	159	3.8	10	1	1	3	5	7	10	18
35-49	291	4.4	11	1	1	4	5	8	11	18
50-64	477	4.8	13	1	1	4	6	9	11	18
65+	459	6.3	23	1	2	5	8	13	15	24
B. *Operated*										
0-19 YRS	8	4.5	16	1	1	3	5	11	14	14
20-34	15	6.8	44	<1	2	5	7	15	23	26
35-49	42	7.5	32	2	2	5	11	15	17	26
50-64	137	7.2	18	2	2	7	9	12	14	26
65+	622	8.4	32	3	3	7	11	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.7	34	1	1	3	6	10	13	84
20-34	344	4.9	14	1	1	4	6	9	12	21
35-49	961	6.2	31	1	2	5	8	11	14	27
50-64	2634	7.2	32	2	2	6	9	13	17	29
65+	5734	9.6	65	2	3	8	12	18	24	44
B. *Operated*										
0-19 YRS	10	9.1	67	2	2	6	13	22	28	28
20-34	32	12.4	112	2	4	11	14	21	32	57
35-49	142	10.0	91	2	2	8	12	22	34	59
50-64	694	12.2	84	3	4	10	15	23	30	51
65+	3791	14.4	126	4	5	11	17	27	35	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1446	5.0	16	1	1	4	6	10	13	21
B. *Operated*	824	8.1	30	2	3	7	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	9752	8.4	53	2	3	7	10	16	21	37
B. *Operated*	4669	13.9	119	4	5	11	17	26	34	67
1. SINGLE DX	2270	6.1	23	1	2	5	8	12	15	25
2. MULTIPLE DX	14421	10.2	81	2	3	8	13	20	27	48
A. NOT OPERATED	11198	8.0	49	2	2	6	10	15	20	36
B. OPERATED	5493	13.0	110	3	4	10	16	25	32	60
TOTAL 0-19 YRS	157	4.4	29	1	1	3	5	9	13	45
20-34	550	5.1	22	1	1	4	6	10	13	22
35-49	1436	6.2	35	1	2	5	8	12	15	29
50-64	3942	7.8	43	2	2	6	10	15	20	33
65+	10606	11.1	89	3	3	9	14	21	28	52
GRAND TOTAL	**16691**	**9.6**	**75**	**2**	**3**	**7**	**12**	**19**	**25**	**46**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.4	9	3	3	5	9	11	11	11
20-34	5	6.6	16	1	1	8	9	11	11	11
35-49	35	9.0	70	1	3	8	11	16	17	50
50-64	264	7.9	57	2	3	6	9	13	18	35
65+	1326	9.0	54	2	3	7	11	16	22	43
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	12.5	97	2	2	10	15	27	36	38
65+	23	12.9	88	2	2	10	16	27	32	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.8	129	2	3	8	12	20	36	66
20-34	89	10.7	110	2	3	8	14	21	25	59
35-49	668	9.9	52	3	3	8	12	19	23	34
50-64	5301	10.6	63	3	4	9	13	20	25	41
65+	27229	12.7	109	3	4	10	15	24	33	68
B. *Operated*										
0-19 YRS	8	20.8	783	2	2	5	40	66	67	67
20-34	15	17.1	182	<1	<1	13	25	32	45	49
35-49	119	14.3	171	2	2	10	19	27	44	64
50-64	568	19.2	221	2	5	16	24	41	58	99+
65+	2679	22.5	257	6	8	18	29	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1639	8.8	54	2	3	7	11	16	21	43
B. *Operated*	38	12.5	86	2	2	10	16	25	34	39
2. MULTIPLE DX										
A. *Not Operated*	33347	12.3	101	3	4	10	15	23	31	65
B. *Operated*	3389	21.7	252	5	7	18	28	46	62	99+
1. SINGLE DX	1677	8.9	55	2	3	7	11	16	21	42
2. MULTIPLE DX	36736	13.2	122	3	4	10	16	25	35	73
A. NOT OPERATED	34986	12.1	100	3	4	10	15	23	31	63
B. OPERATED	3427	21.6	251	4	7	17	28	46	62	99+
TOTAL 0-19 YRS	78	11.4	184	2	3	8	12	21	39	68
20-34	110	11.4	118	1	2	8	14	23	28	57
35-49	823	10.5	72	2	3	8	13	20	25	48
50-64	6145	11.3	84	3	4	9	14	21	28	53
65+	31257	13.4	128	3	4	10	16	26	36	77
GRAND TOTAL	**38413**	**13.0**	**120**	**3**	**4**	**10**	**16**	**25**	**34**	**72**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	5.3	12	1	2	5	7	10	12	16
20-34	272	5.1	17	1	2	4	6	9	13	21
35-49	288	5.4	23	1	2	4	6	9	13	30
50-64	290	6.4	22	2	2	5	8	12	14	25
65+	162	8.3	45	2	2	6	11	15	21	36
B. *Operated*										
0-19 YRS	23	4.1	17	1	2	2	5	10	14	18
20-34	57	6.6	46	2	2	3	10	15	17	32
35-49	139	4.9	24	2	2	3	6	12	16	21
50-64	291	7.6	73	1	2	3	12	18	25	36
65+	148	8.6	87	2	2	3	15	21	25	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	8.0	96	1	2	4	8	18	37	45
20-34	384	7.7	50	2	2	6	9	15	19	40
35-49	749	8.0	46	2	2	6	10	15	20	40
50-64	1551	9.6	63	2	3	8	12	18	23	42
65+	2279	11.6	101	3	4	9	14	22	30	63
B. *Operated*										
0-19 YRS	23	15.0	167	2	2	12	21	38	41	45
20-34	104	12.6	130	2	2	10	17	31	37	47
35-49	274	11.6	130	2	2	9	16	24	38	71
50-64	833	12.2	140	2	2	10	17	26	32	63
65+	776	16.5	218	2	2	13	22	37	50	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	6.0	25	1	2	5	7	11	14	28
B. *Operated*	658	7.1	63	2	2	3	11	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	5026	10.1	80	2	3	8	12	19	26	47
B. *Operated*	2010	13.8	173	2	2	11	19	29	41	73
1. SINGLE DX	1733	6.4	40	2	2	4	8	14	18	30
2. MULTIPLE DX	7036	11.2	109	2	3	8	14	23	31	59
A. NOT OPERATED	6101	9.4	72	2	3	7	12	18	24	45
B. OPERATED	2668	12.2	154	2	2	9	17	27	37	67
TOTAL 0-19 YRS	172	7.4	74	1	2	5	9	16	26	45
20-34	817	7.4	54	1	2	5	9	15	21	40
35-49	1450	7.9	60	2	2	6	10	16	22	43
50-64	2965	9.8	85	2	2	7	13	20	26	51
65+	3365	12.5	130	2	3	9	16	25	36	70
GRAND TOTAL	**8769**	**10.2**	**99**	**2**	**2**	**7**	**13**	**21**	**29**	**55**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	9	7.3	28	2	3	5	9	16	18	18
50-64	29	7.3	22	2	2	6	9	15	16	18
65+	35	8.2	66	1	2	5	12	17	28	35
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	4.7	13	2	2	3	7	11	11	11
50-64	23	6.2	75	2	2	3	6	15	25	41
65+	11	8.1	33	2	2	8	12	16	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	20.5	452	5	5	13	35	51	51	51
20-34	3	8.7	44	3	3	7	14	16	16	16
35-49	56	7.1	22	2	2	6	10	14	15	23
50-64	280	8.1	46	2	3	6	11	15	19	48
65+	970	12.9	177	3	4	9	15	28	43	99+
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	37	7.9	66	1	2	4	11	16	29	34
50-64	158	8.1	68	1	2	5	12	17	23	46
65+	187	17.5	262	2	5	13	21	36	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	7.6	43	2	2	5	10	16	18	34
B. *Operated*	44	6.3	50	2	2	3	9	12	18	41
2. MULTIPLE DX										
A. *Not Operated*	1313	11.7	148	2	3	8	13	23	39	96
B. *Operated*	385	12.7	183	2	2	10	16	29	37	84
1. SINGLE DX	118	7.1	46	2	2	4	10	16	18	37
2. MULTIPLE DX	1698	11.9	156	2	3	8	14	24	38	92
A. NOT OPERATED	1387	11.4	143	2	3	8	13	23	37	94
B. OPERATED	429	12.0	173	2	2	9	15	27	36	83
TOTAL 0-19 YRS	5	20.0	340	5	5	18	27	51	51	51
20-34	7	6.6	33	1	1	3	11	15	16	16
35-49	111	7.2	36	2	2	5	11	14	17	33
50-64	490	7.9	53	2	2	6	11	16	20	46
65+	1203	13.5	190	3	3	10	16	29	44	99
GRAND TOTAL	1816	11.6	150	2	3	8	14	24	37	91

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	5	13.6	260	<1	<1	4	27	37	37	37
35-49	12	11.6	67	1	2	13	19	40	89	99+
50-64	22	9.7	110	<1	<1	4	19	25	32	37
65+	7	9.3	58	<1	1	8	13	22	24	24
B. *Operated*										
0-19 YRS	3	12.3	86	2	2	15	19	20	20	20
20-34	24	17.8	147	2	3	17	22	37	44	46
35-49	28	22.6	123	4	9	22	27	41	43	46
50-64	47	22.6	222	3	9	20	28	45	58	69
65+	6	17.5	58	5	6	22	23	85	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	20	<1	<1	6	9	12	12	12
20-34	3	2.7		2	2	3	3	3	3	3
35-49	11	11.1	121	1	1	5	18	27	35	36
50-64	12	9.7	60	1	2	8	15	20	25	26
65+	37	25.4	315	3	5	25	39	44	98	99+
B. *Operated*										
0-19 YRS	6	25.3	409	7	7	22	42	50	51	51
20-34	17	19.5	99	3	5	20	28	75	99+	99+
35-49	45	30.3	314	8	11	29	39	56	79	99+
50-64	54	34.6	342	13	15	34	58	90	99+	99+
65+	36	42.5	401	14	16	41	62	74	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	10.3	98	<1	<1	7	17	25	37	99+
B. *Operated*	108	21.0	170	2	5	20	26	42	46	82
2. MULTIPLE DX										
A. *Not Operated*	67	18.1	271	1	2	16	29	42	47	99+
B. *Operated*	158	33.2	361	8	13	33	51	72	99+	99+
1. SINGLE DX	156	17.7	171	1	2	17	24	37	45	97
2. MULTIPLE DX	225	28.7	381	3	6	26	42	68	99+	99+
A. NOT OPERATED	115	14.6	212	<1	1	12	24	37	44	99+
B. OPERATED	264	28.2	319	5	10	24	40	63	80	99+
TOTAL 0-19 YRS	15	14.8	250	<1	1	7	19	42	49	51
20-34	49	17.0	142	2	3	17	25	37	46	99+
35-49	96	23.5	259	2	4	22	33	46	58	99+
50-64	135	24.1	331	1	3	21	36	61	76	99+
65+	86	30.7	427	4	7	37	44	70	99+	99+
GRAND TOTAL	381	24.2	324	2	4	21	36	59	77	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	50.5	421	36	36	50	65	65	65	65
50-64	2	30.5	1405	4	4	30	57	57	57	57
65+	2	45.0	1458	18	18	45	72	72	72	72
B. *Operated*										
0-19 YRS										
20-34	3	25.3	196	14	14	21	36	41	41	41
35-49	6	37.5	512	1	3	42	53	63	64	64
50-64	3	76.7	804	44	44	93	97	99+	99+	99+
65+	3	50.7	1729	20	20	98	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	42.0	742	4	5	46	65	71	72	72
B. *Operated*	15	45.5	901	6	16	45	95	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	21	44.5	819	3	13	45	81	99+	99+	99+
A. NOT OPERATED	6	42.0	742	4	5	46	65	71	72	72
B. OPERATED	15	45.5	901	6	16	45	95	99+	99+	99+
TOTAL 0-19 YRS										
20-34	3	25.3	196	14	14	21	36	41	41	41
35-49	8	40.8	462	1	8	42	58	65	65	65
50-64	5	58.2	1393	4	8	74	95	99+	99+	99+
65+	5	48.4	1239	18	18	72	99	99+	99+	99+
GRAND TOTAL	21	44.5	819	3	13	45	81	99+	99+	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	13.8	195	4	4	8	23	34	34	34
35-49	8	7.9	65	<1	<1	6	13	21	22	22
50-64	18	12.2	157	1	1	8	18	34	42	43
65+	43	19.0	245	3	4	15	28	53	99+	99+
B. *Operated*										
0-19 YRS	3	11.0	79	4	4	8	18	21	21	21
20-34	16	17.0	69	3	7	18	23	27	30	31
35-49	18	13.3	58	2	2	14	19	23	26	27
50-64	27	15.3	114	4	5	13	18	29	41	50
65+	57	18.3	158	6	9	14	22	34	59	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	34	1	1	7	12	14	14	14
20-34	6	25.7	561	3	3	19	39	63	66	66
35-49	23	25.7	451	5	8	17	36	59	69	86
50-64	91	18.0	280	4	5	12	23	39	48	97
65+	273	24.7	320	5	7	20	33	50	60	99
B. *Operated*										
0-19 YRS	8	16.3	137	2	2	19	25	29	31	31
20-34	12	27.1	330	13	13	29	90	99+	99+	99+
35-49	30	27.7	442	2	8	24	40	63	90	99+
50-64	83	28.0	393	6	8	24	42	70	79	99+
65+	144	31.8	395	8	10	29	47	61	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	15.4	211	1	2	12	22	40	71	99+
B. *Operated*	121	16.5	121	4	6	14	20	29	37	76
2. MULTIPLE DX										
A. *Not Operated*	397	23.0	326	4	6	18	32	49	60	99
B. *Operated*	277	29.5	393	6	9	26	45	67	83	99+
1. SINGLE DX	196	16.1	155	2	3	14	20	33	48	99+
2. MULTIPLE DX	674	25.7	364	5	7	21	36	55	75	99+
A. NOT OPERATED	472	21.8	315	3	5	17	30	48	61	99+
B. OPERATED	398	25.6	346	6	8	20	36	58	78	99+
TOTAL 0-19 YRS	17	11.4	106	<1	1	8	21	26	29	31
20-34	38	21.2	246	4	6	20	31	86	99+	99+
35-49	79	21.8	364	2	3	17	27	51	68	97
50-64	219	20.9	322	3	5	16	29	48	72	99+
65+	517	25.5	336	5	8	20	35	52	69	99+
GRAND TOTAL	870	23.5	332	4	6	19	33	52	72	99+

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	19.7	110	9	9	25	65	99+	99+	99+
50-64	33	30.2	297	13	13	26	41	65	78	99+
65+	81	32.1	333	11	14	28	44	70	96	99+
B. *Operated*										
0-19 YRS										
20-34	5	44.2	362	16	16	45	58	66	66	66
35-49	4	33.8	500	11	11	33	52	58	58	58
50-64	7	35.7	355	14	15	43	56	88	99+	99+
65+	30	38.8	514	5	14	36	51	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	117	31.2	318	11	13	28	43	69	97	99+
B. *Operated*	46	38.5	451	10	14	37	52	82	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	163	33.3	364	11	14	31	48	74	99	99+
A. NOT OPERATED	117	31.2	318	11	13	28	43	69	97	99+
B. OPERATED	46	38.5	451	10	14	37	52	82	99+	99+
TOTAL 0-19 YRS										
20-34	5	44.2	362	16	16	45	58	66	66	66
35-49	7	27.7	343	9	10	25	52	87	99+	99+
50-64	40	31.2	303	13	14	28	42	66	88	99+
65+	111	33.9	387	9	14	33	48	77	99	99+
GRAND TOTAL	**163**	**33.3**	**364**	**11**	**14**	**31**	**48**	**74**	**99**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	8	4.4	9	2	2	3	6	9	10	10
50-64	38	4.0	16	<1	1	3	4	9	15	18
65+	48	7.5	116	2	2	4	7	15	20	62
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	4	10.3	82	1	1	10	18	19	19	19
35-49	48	9.4	74	2	2	8	12	17	25	45
50-64	487	8.7	42	2	2	7	11	16	21	32
65+	536	8.6	37	2	2	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	14.7	241	2	2	10	26	32	32	32
35-49	21	7.1	23	2	2	7	8	15	19	21
50-64	118	8.2	45	1	2	7	11	16	20	37
65+	369	11.3	128	2	3	9	14	22	34	98
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	71	12.6	161	2	2	8	18	29	41	62
50-64	909	10.2	75	2	2	8	13	19	24	49
65+	1285	12.6	117	2	3	10	16	24	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	5.9	68	1	2	3	7	11	17	55
B. *Operated*	1077	8.7	41	2	2	7	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	511	10.4	107	2	2	8	13	20	32	92
B. *Operated*	2268	11.6	103	2	2	9	15	22	30	56
1. SINGLE DX	1172	8.4	44	2	2	7	11	16	20	31
2. MULTIPLE DX	2779	11.4	104	2	2	9	14	22	30	60
A. NOT OPERATED	606	9.7	104	2	2	7	12	19	30	80
B. OPERATED	3345	10.7	85	2	2	8	14	21	26	50
TOTAL 0-19 YRS	3	6.3		6	6	6	7	7	7	7
20-34	10	10.8	95	1	1	10	17	25	32	32
35-49	148	10.4	110	2	2	7	13	22	33	49
50-64	1552	9.4	62	2	2	8	12	18	23	42
65+	2238	11.3	103	2	2	9	14	22	30	60
GRAND TOTAL	**3951**	**10.5**	**88**	**2**	**2**	**8**	**13**	**20**	**26**	**53**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	15.0	128	7	7	15	23	23	23	23
50-64	18	20.7	259	5	6	14	34	47	54	56
65+	30	23.1	302	4	6	21	27	56	76	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	21.0	182	7	7	21	31	39	41	41
50-64	38	19.5	366	2	3	14	28	43	51	97
65+	57	21.0	360	3	5	17	29	59	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	21.9	275	5	6	20	27	50	65	99+
B. *Operated*	102	20.5	345	2	4	16	29	45	73	99+
1. SINGLE DX										
2. MULTIPLE DX	152	20.9	320	3	5	17	29	46	67	99+
A. NOT OPERATED	50	21.9	275	5	6	20	27	50	65	99+
B. OPERATED	102	20.5	345	2	4	16	29	45	73	99+
TOTAL 0-19 YRS										
20-34										
35-49	9	19.7	159	7	7	21	30	37	41	41
50-64	56	19.9	327	2	4	14	29	44	53	94
65+	87	21.7	337	4	6	19	28	57	85	99+
GRAND TOTAL	**152**	**20.9**	**320**	**3**	**5**	**17**	**29**	**46**	**67**	**99+**

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	21	1	1	7	9	11	11	11
35-49	19	10.0	35	4	4	8	12	19	24	27
50-64	88	14.0	195	3	4	9	17	31	50	89
65+	238	14.2	172	3	4	10	19	30	46	99+
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	6	13.2	52	2	2	15	19	20	20	20
35-49	16	8.1	17	3	4	7	10	15	17	18
50-64	23	12.2	93	2	3	9	17	28	32	35
65+	16	17.6	491	2	2	10	23	80	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.9	78	2	2	5	7	24	30	31
20-34	13	7.8	9	4	5	7	10	12	14	14
35-49	79	11.4	75	3	4	9	14	26	44	99+
50-64	626	15.1	187	4	5	11	18	32	51	99+
65+	2455	19.2	266	4	6	14	24	46	66	99+
B. *Operated*										
0-19 YRS	3	11.3	6	9	9	11	13	14	14	14
20-34	12	11.5	77	4	5	9	17	48	90	99+
35-49	29	15.8	179	2	4	11	22	43	54	99+
50-64	140	16.9	252	3	4	13	22	39	79	99+
65+	310	26.2	437	6	8	21	44	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	13.8	169	3	4	9	17	28	44	99
B. *Operated*	62	12.7	175	2	3	8	17	25	38	99
2. MULTIPLE DX										
A. *Not Operated*	3185	18.1	249	4	5	13	23	44	62	99+
B. *Operated*	494	22.5	381	4	6	17	32	74	99+	99+
1. SINGLE DX	412	13.6	170	3	4	9	17	28	44	99+
2. MULTIPLE DX	3679	18.7	268	4	5	14	24	48	70	99+
A. NOT OPERATED	3535	17.7	242	4	5	13	22	42	62	99+
B. OPERATED	556	21.4	367	3	5	16	30	68	99+	99+
TOTAL 0-19 YRS	16	9.1	65	2	2	6	12	21	28	31
20-34	36	9.7	43	2	4	9	13	19	30	99+
35-49	143	11.7	88	3	4	9	14	28	44	99+
50-64	877	15.2	196	4	5	11	18	33	53	99+
65+	3019	19.5	284	4	6	15	25	50	74	99+
GRAND TOTAL	**4091**	**18.2**	**261**	**4**	**5**	**13**	**23**	**45**	**68**	**99+**

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	16.3	93	2	3	16	25	28	28	28
35-49	20	13.0	66	3	3	11	18	25	27	28
50-64	220	20.8	251	5	6	16	28	49	67	99+
65+	1016	24.6	324	6	8	20	35	58	91	99+
B. *Operated*										
0-19 YRS										
20-34	3	6.0	7	4	4	7	54	99+	99+	99+
35-49	4	23.0	119	10	10	24	32	33	33	33
50-64	32	25.5	610	6	7	15	44	99	99+	99+
65+	125	34.5	450	10	13	32	49	76	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1262	23.7	310	5	7	19	33	56	85	99+
B. *Operated*	164	31.9	488	7	10	30	48	85	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	1426	24.7	337	6	7	20	35	59	90	99+
A. NOT OPERATED	1262	23.7	310	5	7	19	33	56	85	99+
B. OPERATED	164	31.9	488	7	10	30	48	85	99+	99+
TOTAL 0-19 YRS										
20-34	9	12.9	86	2	3	12	25	64	99+	99+
35-49	24	14.7	84	3	3	13	21	28	32	33
50-64	252	21.4	297	5	7	16	30	54	82	99+
65+	1141	25.7	347	6	8	21	36	60	92	99+
GRAND TOTAL	**1426**	**24.7**	**337**	**6**	**7**	**20**	**35**	**59**	**90**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	1	1	4	5	6	6	6
20-34	28	4.5	11	1	2	4	5	7	14	15
35-49	127	4.7	8	1	2	4	6	8	9	13
50-64	389	5.2	13	1	2	4	7	10	12	17
65+	974	6.2	34	2	2	5	8	11	14	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	8	4.8	15	2	2	3	6	11	13	13
35-49	39	6.2	23	2	2	5	9	13	16	22
50-64	160	5.5	14	2	2	4	7	12	14	15
65+	125	6.7	29	2	2	5	9	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.8	11	5	5	7	10	13	13	13
20-34	43	5.4	9	1	1	5	7	9	11	14
35-49	262	6.2	19	1	2	5	8	11	13	20
50-64	1657	7.1	31	2	3	6	9	12	16	26
65+	8521	9.9	94	2	3	7	12	19	26	76
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	13	10.8	87	2	3	8	12	23	35	38
35-49	77	7.2	44	2	2	5	9	14	21	34
50-64	539	9.3	53	2	3	8	12	18	23	33
65+	1054	15.7	196	3	4	12	19	33	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1523	5.8	26	1	2	5	7	10	13	23
B. *Operated*	333	6.0	21	2	2	5	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	10489	9.4	83	2	3	7	11	17	24	68
B. *Operated*	1684	13.3	153	2	3	10	16	27	40	99+
1. SINGLE DX	1856	5.8	25	2	2	5	7	11	14	23
2. MULTIPLE DX	12173	9.9	94	2	3	7	12	19	27	74
A. NOT OPERATED	12012	8.9	77	2	3	7	11	16	23	64
B. OPERATED	2017	12.1	138	2	3	9	15	25	38	94
TOTAL 0-19 YRS	13	6.7	13	1	3	5	10	11	13	13
20-34	92	5.9	24	1	2	5	7	11	14	30
35-49	505	6.0	21	2	2	5	8	11	13	23
50-64	2745	7.2	33	2	2	6	9	13	16	28
65+	10674	10.1	102	2	3	7	12	19	28	81
GRAND TOTAL	**14029**	**9.4**	**87**	**2**	**3**	**7**	**11**	**18**	**25**	**68**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	5	3	3	5	7	9	9	9
20-34	3	6.0	4	4	4	7	54	99+	99+	99+
35-49	50	11.7	111	2	2	9	16	22	29	61
50-64	216	11.8	109	2	3	9	15	25	35	58
65+	814	15.6	205	3	4	11	20	36	52	99+
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.7	20	3	3	8	11	12	12	12
35-49	6	14.2	91	2	2	14	20	27	28	28
50-64	49	11.2	87	2	2	8	14	26	32	37
65+	55	14.7	277	2	3	11	17	38	86	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	15.9	338	2	3	6	24	46	59	59
20-34	27	9.7	69	1	3	8	13	17	26	39
35-49	154	13.3	107	3	4	10	17	29	39	98
50-64	1131	16.0	229	3	4	12	20	37	56	99+
65+	5798	20.1	291	4	6	15	26	49	73	99+
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	8	16.9	52	5	7	16	22	27	28	28
35-49	45	20.2	308	5	7	14	25	42	65	72
50-64	215	21.0	295	5	7	17	27	57	81	99+
65+	735	29.2	426	7	9	25	45	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1088	14.6	183	2	4	10	19	33	47	99+
B. *Operated*	114	12.9	178	2	2	10	17	28	39	99+
2. MULTIPLE DX										
A. *Not Operated*	7119	19.3	280	4	5	14	25	46	70	99+
B. *Operated*	1005	26.9	403	6	8	22	40	76	99+	99+
1. SINGLE DX	1202	14.4	183	2	3	10	19	33	46	99+
2. MULTIPLE DX	8124	20.2	301	4	6	15	27	49	77	99+
A. NOT OPERATED	8207	18.7	269	4	5	14	24	44	68	99+
B. OPERATED	1119	25.4	398	5	7	20	38	74	99+	99+
TOTAL 0-19 YRS	17	10.9	204	2	2	6	11	26	48	59
20-34	41	10.7	66	2	3	9	15	24	32	99+
35-49	255	14.2	149	2	4	10	18	31	40	72
50-64	1611	16.0	224	3	4	11	20	37	57	99+
65+	7402	20.5	305	4	6	15	28	51	78	99+
GRAND TOTAL	**9326**	**19.5**	**290**	**4**	**5**	**14**	**26**	**48**	**74**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	27.8	748	6	7	17	34	75	80	80
20-34	3	15.3	184	7	7	8	25	31	31	31
35-49	54	20.6	300	4	4	16	22	49	56	82
50-64	445	21.9	288	5	7	17	29	47	78	99+
65+	2262	24.0	323	5	7	20	34	56	84	99+
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	7	30.3	473	7	8	25	44	64	68	68
35-49	22	29.4	593	3	4	23	42	76	81	85
50-64	72	29.4	379	6	9	26	48	73	99+	99+
65+	293	33.7	471	9	12	30	55	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2770	23.6	318	5	7	19	32	55	83	99+
B. *Operated*	395	32.6	460	8	11	29	52	88	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	3165	24.7	345	5	7	20	35	60	90	99+
A. NOT OPERATED	2770	23.6	318	5	7	19	32	55	83	99+
B. OPERATED	395	32.6	460	8	11	29	52	88	99+	99+
TOTAL 0-19 YRS	7	27.0	628	6	7	22	31	71	80	80
20-34	10	25.8	408	7	7	24	31	59	68	68
35-49	76	23.1	394	3	4	17	30	51	72	84
50-64	517	23.0	307	5	7	18	31	53	85	99+
65+	2555	25.1	350	6	8	20	36	62	91	99+
GRAND TOTAL	**3165**	**24.7**	**345**	**5**	**7**	**20**	**35**	**60**	**90**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	32	1	1	3	8	13	13	13
20-34	15	7.3	69	<1	1	6	9	14	29	34
35-49	45	6.6	99	1	2	4	8	11	17	66
50-64	101	6.6	58	1	2	5	8	11	17	79
65+	260	8.7	78	2	2	6	10	18	26	62
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	15	20.5	412	2	2	14	26	34	72	85
35-49	28	15.0	241	2	2	7	24	32	41	67
50-64	81	7.9	78	1	2	5	8	22	34	80
65+	86	7.7	122	2	2	4	9	19	23	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	21.0	1166	1	1	4	24	81	95	95
20-34	35	10.3	297	2	2	5	7	21	61	79
35-49	144	10.1	106	2	3	7	11	19	30	53
50-64	635	10.9	132	2	3	8	13	21	36	80
65+	3659	14.3	209	3	4	10	17	35	56	99+
B. *Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	14	13.0	60	4	5	11	19	24	29	31
35-49	52	19.0	455	2	3	10	28	58	74	99
50-64	228	15.0	265	2	2	11	19	35	59	99+
65+	503	19.4	301	3	4	15	29	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	7.9	75	1	2	6	9	16	24	64
B. *Operated*	211	9.8	155	2	2	5	12	26	34	82
2. MULTIPLE DX										
A. *Not Operated*	4480	13.6	198	3	4	9	16	32	54	99+
B. *Operated*	799	18.0	300	2	3	13	26	52	88	99+
1. SINGLE DX	636	8.5	102	1	2	6	9	19	30	68
2. MULTIPLE DX	5279	14.3	216	3	4	10	17	36	57	99+
A. NOT OPERATED	4905	13.1	190	2	3	9	15	30	52	99+
B. OPERATED	1010	16.3	280	2	2	11	23	44	79	99+
TOTAL 0-19 YRS	14	15.5	628	1	1	4	19	37	82	95
20-34	79	12.2	245	1	2	7	13	30	36	83
35-49	269	11.8	201	2	2	7	12	28	45	75
50-64	1045	11.2	156	2	2	7	13	26	38	98
65+	4508	14.4	215	3	4	10	18	36	59	99+
GRAND TOTAL	**5915**	**13.7**	**207**	**2**	**3**	**9**	**16**	**34**	**55**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	6.2	19	2	2	5	11	12	12	12
50-64	13	5.2	24	1	1	4	5	14	17	18
65+	32	6.3	109	1	1	4	7	10	11	61
B. *Operated*										
0-19 YRS										
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	29	9.0	70	2	2	8	12	20	27	37
50-64	110	8.5	44	1	2	8	13	17	21	31
65+	127	10.0	77	1	2	9	15	19	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	9.7	50	2	2	9	12	20	25	25
50-64	115	8.8	92	1	2	6	10	17	24	58
65+	669	12.9	201	2	3	9	15	31	55	99+
B. *Operated*										
0-19 YRS	2	13.5	5	12	12	13	15	15	15	15
20-34	11	15.0	271	2	2	8	19	46	48	48
35-49	83	15.6	188	2	2	11	20	37	44	64
50-64	614	17.8	292	2	3	13	22	41	68	99+
65+	1317	22.7	331	2	5	18	32	53	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.9	74	1	1	4	7	11	13	60
B. *Operated*	268	9.3	63	1	2	8	14	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	794	12.2	185	2	3	8	15	29	53	99+
B. *Operated*	2027	20.9	319	2	4	16	28	50	70	99+
1. SINGLE DX	320	8.7	66	1	2	7	13	18	22	40
2. MULTIPLE DX	2821	18.5	296	2	3	14	24	46	67	99+
A. NOT OPERATED	846	11.8	181	2	2	8	14	28	50	99+
B. OPERATED	2295	19.5	303	2	3	15	25	47	67	99+
TOTAL 0-19 YRS	2	13.5	5	12	12	13	15	15	15	15
20-34	14	13.0	229	2	2	7	17	44	47	48
35-49	128	13.2	152	2	2	10	17	30	41	62
50-64	852	15.2	246	2	2	12	18	33	54	99
65+	2145	18.6	299	2	3	14	25	47	68	99+
GRAND TOTAL	**3141**	**17.5**	**281**	**2**	**3**	**13**	**22**	**43**	**63**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	14	5.6	16	2	3	4	6	11	15	16
65+	42	6.3	17	1	2	6	9	12	14	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.5	22	2	2	9	11	13	13	13
50-64	128	11.9	35	2	5	11	14	18	22	36
65+	286	14.2	58	3	7	13	17	24	28	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	39	7.1	50	1	1	4	9	17	24	32
65+	348	9.8	75	2	3	7	12	20	27	59
B. *Operated*										
0-19 YRS	2	48.5	1985	17	17	48	80	80	80	80
20-34	8	26.9	429	2	4	29	48	84	99+	99+
35-49	13	21.8	383	2	2	19	26	61	63	63
50-64	409	16.9	145	4	8	14	19	28	41	80
65+	1047	19.2	175	4	8	16	23	34	45	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.0	16	2	2	5	9	12	15	19
B. *Operated*	418	13.5	52	2	6	13	16	22	25	41
2. MULTIPLE DX										
A. *Not Operated*	389	9.5	73	2	2	7	12	20	27	57
B. *Operated*	1479	18.7	173	4	8	15	22	33	45	87
1. SINGLE DX	477	12.6	53	2	3	12	16	21	24	40
2. MULTIPLE DX	1868	16.8	166	3	4	14	21	31	42	85
A. NOT OPERATED	448	9.1	67	2	2	7	11	19	26	54
B. OPERATED	1897	17.5	151	4	7	15	21	30	41	82
TOTAL 0-19 YRS	4	26.8	1303	1	1	13	48	80	80	80
20-34	8	26.9	429	2	4	29	48	84	99+	99+
35-49	20	16.4	307	2	2	11	20	45	61	63
50-64	590	14.9	122	3	4	13	17	24	34	73
65+	1723	16.2	148	3	4	14	20	29	40	82
GRAND TOTAL	2345	15.9	146	3	4	13	19	28	40	80

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	4.8	10	2	2	4	7	10	10	10
65+	5	5.2	6	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	13	7.5	64	1	2	4	12	16	27	30
35-49	33	11.7	116	2	2	8	17	25	35	46
50-64	52	11.4	[illegible]	2	2	11	15	21	24	37
65+	63	10.3	67	1	2	9	12	20	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	32	<1	<1	4	9	9	9	9
50-64	7	14.0	187	1	1	11	23	36	38	38
65+	24	8.8	56	1	2	8	11	21	27	30
B. *Operated*										
0-19 YRS	2	15.0	8	13	13	15	17	17	17	17
20-34	9	9.2	39	1	2	8	12	19	22	22
35-49	27	17.0	313	2	3	11	23	53	78	99+
50-64	106	15.2	114	2	3	13	20	33	35	47
65+	184	18.4	204	3	4	15	23	36	45	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	7	2	2	5	7	9	10	10
B. *Operated*	163	10.6	72	2	2	9	14	21	25	45
2. MULTIPLE DX										
A. *Not Operated*	33	9.7	82	1	2	8	11	26	30	38
B. *Operated*	328	17.0	181	2	4	13	21	34	45	78
1. SINGLE DX	174	10.2	70	2	2	9	13	21	24	44
2. MULTIPLE DX	361	16.3	176	2	3	13	21	34	43	75
A. NOT OPERATED	44	8.5	67	1	2	7	10	21	28	38
B. OPERATED	491	14.9	184	2	3	12	19	31	38	65
TOTAL 0-19 YRS	4	8.3	64	<1	<1	7	15	17	17	17
20-34	22	8.2	52	1	2	7	12	16	25	30
35-49	62	13.8	204	2	2	10	17	31	51	97
50-64	171	13.6	99	2	2	11	18	29	34	48
65+	276	15.5	174	2	3	12	20	32	39	67
GRAND TOTAL	535	14.3	149	2	2	11	18	30	37	61

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	6	8.5	41	2	2	7	11	19	20	20
35-49	9	3.6	16	2	2	2	3	10	14	14
50-64	40	4.9	25	1	1	3	7	10	12	28
65+	59	5.8	22	1	1	3	9	13	15	18
B. *Operated*										
0-19 YRS	3	10.0	129	2	2	5	18	23	23	23
20-34	13	7.8	38	<1	2	6	11	19	20	20
35-49	127	8.3	52	1	2	8	11	18	23	40
50-64	409	9.8	44	2	2	10	13	18	22	31
65+	460	11.6	72	2	2	10	15	22	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	6.5	7	4	4	6	8	10	10	10
35-49	23	5.9	19	1	1	5	7	12	15	19
50-64	103	8.5	60	1	2	7	13	17	20	45
65+	267	11.2	116	1	2	9	14	22	33	58
B. *Operated*										
0-19 YRS	6	8.2	27	2	2	9	10	15	16	16
20-34	27	12.8	91	2	3	11	15	34	46	99+
35-49	213	15.0	140	2	3	12	19	28	38	76
50-64	1189	15.2	154	2	4	12	18	29	42	96
65+	1991	18.4	206	3	5	15	24	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.5	24	1	1	3	9	12	15	23
B. *Operated*	1012	10.4	59	2	2	9	14	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	398	10.1	97	1	2	8	13	19	27	54
B. *Operated*	3426	17.0	186	2	4	14	21	35	49	99+
1. SINGLE DX	1128	9.9	58	2	2	9	13	19	24	39
2. MULTIPLE DX	3824	16.3	181	2	4	13	20	34	47	99+
A. NOT OPERATED	514	9.1	84	1	2	7	12	18	24	51
B. OPERATED	4438	15.5	164	2	3	13	19	31	44	99+
TOTAL 0-19 YRS	12	8.6	38	2	2	8	10	18	22	23
20-34	50	10.5	69	2	2	9	13	22	37	99
35-49	372	11.9	113	2	2	10	15	23	32	59
50-64	1741	13.3	128	2	2	11	17	24	36	78
65+	2777	16.4	183	2	3	13	21	34	46	99+
GRAND TOTAL	4952	14.9	160	2	3	12	19	30	43	96

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	5.8	12	1	2	5	8	10	13	17
20-34	32	5.3	14	1	1	5	7	10	13	17
35-49	49	6.7	42	1	1	5	8	17	20	30
50-64	67	7.2	97	1	1	4	8	17	28	57
65+	112	5.9	31	1	1	4	6	13	15	30
B. *Operated*										
0-19 YRS	18	3.7	21	1	1	2	3	12	16	17
20-34	52	6.0	58	1	1	3	7	15	25	38
35-49	125	8.4	103	1	2	5	10	20	30	54
50-64	316	9.1	132	1	2	5	12	19	27	65
65+	381	9.9	86	1	2	8	14	22	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	9.4	69	2	2	7	12	19	31	36
20-34	47	6.8	41	1	2	5	8	15	20	35
35-49	95	8.1	57	2	2	6	8	18	25	39
50-64	286	7.7	57	1	2	5	10	16	22	35
65+	784	11.5	124	2	3	8	14	25	32	94
B. *Operated*										
0-19 YRS	16	11.3	375	1	2	3	12	27	62	77
20-34	52	13.8	294	1	2	6	19	35	66	99
35-49	201	12.7	151	2	2	10	17	25	35	72
50-64	820	16.6	278	2	2	12	20	38	58	98
65+	1736	19.8	308	2	4	15	26	49	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	6.2	41	1	1	4	8	13	17	31
B. *Operated*	892	9.0	103	1	2	6	12	20	27	51
2. MULTIPLE DX										
A. *Not Operated*	1248	10.1	102	2	2	7	12	22	30	69
B. *Operated*	2825	18.2	293	2	3	13	24	45	63	99+
1. SINGLE DX	1214	8.3	88	1	2	5	11	18	25	47
2. MULTIPLE DX	4073	15.7	248	2	2	11	20	37	57	99+
A. NOT OPERATED	1570	9.3	92	1	2	7	12	20	28	60
B. OPERATED	3717	16.0	263	2	2	12	21	38	58	99+
TOTAL 0-19 YRS	132	7.2	76	1	2	5	8	15	19	44
20-34	183	8.3	124	1	1	5	9	21	28	71
35-49	470	10.0	113	1	2	7	13	23	30	58
50-64	1489	12.9	213	2	2	9	16	30	46	87
65+	3013	15.8	244	2	2	11	21	37	57	99+
GRAND TOTAL	5287	14.0	221	2	2	10	18	32	50	99+

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	8.2	27	1	3	8	10	14	20	25
20-34	493	8.9	22	3	4	8	11	14	18	26
35-49	604	9.3	24	3	4	8	12	15	18	25
50-64	752	9.6	23	3	4	9	11	16	19	26
65+	591	10.3	23	4	5	10	13	16	19	26
B. *Operated*										
0-19 YRS	20	9.5	48	2	3	7	12	21	25	26
20-34	161	9.5	40	2	2	9	12	18	22	29
35-49	180	9.8	34	2	3	9	14	17	20	26
50-64	181	10.2	35	2	3	9	13	18	22	29
65+	143	11.1	62	2	3	10	15	19	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	8.4	24	3	3	7	10	17	19	20
20-34	379	10.5	45	3	4	9	13	17	21	39
35-49	824	10.9	53	3	5	9	13	19	23	40
50-64	1591	11.7	42	4	5	11	14	19	23	37
65+	2379	13.2	66	5	6	11	16	22	28	50
B. *Operated*										
0-19 YRS	16	11.9	89	3	4	9	15	20	34	35
20-34	168	12.0	74	2	4	10	15	22	28	44
35-49	315	13.1	70	3	4	11	17	24	29	52
50-64	536	14.0	115	3	5	12	16	26	35	83
65+	669	17.9	162	5	6	14	21	33	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2498	9.5	23	3	4	9	12	16	18	26
B. *Operated*	685	10.1	42	2	3	9	13	13	22	30
2. MULTIPLE DX										
A. *Not Operated*	5211	12.1	56	4	5	11	15	20	25	43
B. *Operated*	1704	15.1	126	3	5	13	18	28	38	68
1. SINGLE DX	3183	9.6	28	3	4	9	12	16	19	27
2. MULTIPLE DX	6915	12.9	75	4	5	11	15	22	28	50
A. NOT OPERATED	7709	11.3	47	4	5	10	14	19	23	39
B. OPERATED	2389	13.7	107	3	4	11	17	25	33	57
TOTAL 0-19 YRS	132	8.9	37	2	3	8	10	17	22	33
20-34	1201	9.9	40	3	4	9	12	17	21	34
35-49	1923	10.7	47	3	4	9	13	18	22	38
50-64	3060	11.5	52	4	5	10	14	19	24	39
65+	3782	13.5	81	4	6	11	16	23	30	55
GRAND TOTAL	**10098**	**11.8**	**62**	**3**	**5**	**10**	**14**	**20**	**25**	**45**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	7.3	75	1	2	4	7	20	30	32
35-49	18	10.2	54	1	2	9	15	19	25	29
50-64	64	9.7	44	2	3	8	14	18	20	32
65+	121	16.1	171	3	5	14	19	29	40	81
B. *Operated*										
0-19 YRS	46	3.7	2	2	2	3	4	5	6	8
20-34	929	4.4	11	2	2	4	5	6	8	18
35-49	1298	4.8	13	2	2	4	5	7	10	23
50-64	1082	6.0	33	2	3	4	6	10	16	30
65+	368	11.6	136	2	3	6	16	29	38	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	33	7.8	77	1	1	4	13	22	27	32
35-49	73	10.9	164	1	2	8	12	22	31	78
50-64	181	12.7	102	3	4	10	16	24	34	69
65+	594	16.6	184	4	5	12	21	35	45	81
B. *Operated*										
0-19 YRS	6	5.7	27	<1	<1	4	8	14	15	15
20-34	208	6.3	30	2	2	5	7	11	18	29
35-49	442	8.1	89	2	3	5	9	17	25	78
50-64	689	10.8	148	3	3	6	12	28	35	73
65+	524	19.2	247	3	4	15	28	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	13.2	128	2	3	11	17	24	31	63
B. *Operated*	3723	5.7	35	2	3	4	6	9	15	33
2. MULTIPLE DX										
A. *Not Operated*	881	15.0	167	3	4	11	19	31	42	77
B. *Operated*	1869	12.0	170	3	3	7	14	31	40	78
1. SINGLE DX	3938	6.1	42	2	3	4	6	11	18	35
2. MULTIPLE DX	2750	13.0	171	3	3	8	17	31	40	78
A. NOT OPERATED	1096	14.7	160	2	4	11	18	30	40	77
B. OPERATES	5592	7.8	89	2	3	5	7	17	28	49
TOTAL 0-19 YRS	52	3.9	4	2	2	3	4	6	8	15
20-34	1182	4.9	17	2	2	4	5	7	11	28
35-49	1831	5.9	41	2	3	4	6	10	15	33
50-64	2016	8.4	86	2	3	5	9	17	28	48
65+	1607	16.3	200	3	4	12	22	36	45	82
GRAND TOTAL	**6688**	**8.9**	**107**	**2**	**3**	**5**	**10**	**21**	**31**	**54**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	2	1	1	2	3	4	6	7
20-34	63	3.2	8	<1	1	2	4	8	10	12
35-49	74	3.0	4	<1	1	3	4	6	6	9
50-64	80	3.1	4	<1	1	3	4	6	7	9
65+	68	4.1	7	<1	1	4	5	7	9	14
B. *Operated*										
0-19 YRS	33	4.1	4	1	2	4	5	7	8	9
20-34	540	4.5	4	2	2	4	5	7	8	12
35-49	645	4.9	6	2	3	5	6	7	9	13
50-64	475	5.1	4	3	3	5	6	8	9	13
65+	184	5.6	8	2	3	5	7	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	3	1	1	3	4	5	6	6
20-34	106	4.4	17	1	1	4	5	8	9	26
35-49	171	4.6	15	<1	1	4	6	10	13	20
50-64	265	4.6	16	1	1	4	5	8	11	22
65+	382	7.1	47	1	2	6	8	13	16	40
B. *Operated*										
0-19 YRS	62	4.5	5	2	2	4	6	7	8	14
20-34	1503	4.9	6	2	3	4	6	7	9	14
35-49	2230	5.3	9	2	3	5	6	8	10	16
50-64	2076	6.0	15	3	3	5	7	10	12	22
65+	937	7.9	37	3	3	6	9	15	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	3.3	6	<1	1	3	4	7	8	12
B. *Operated*	1877	4.9	5	2	3	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	936	5.6	30	1	1	4	7	10	14	24
B. *Operated*	6808	5.8	15	2	3	5	7	9	12	21
1. SINGLE DX	2175	4.7	6	1	2	4	6	7	9	13
2. MULTIPLE DX	7744	5.8	17	2	3	5	7	9	12	22
A. NOT OPERATED	1234	5.0	25	1	1	4	6	10	13	23
B. OPERATED	8685	5.6	13	2	3	5	6	9	12	20
TOTAL 0-19 YRS	120	4.0	5	1	2	4	5	7	8	11
20-34	2212	4.7	6	2	2	4	6	7	9	13
35-49	3120	5.2	9	2	3	5	6	8	10	15
50-64	2896	5.6	14	2	3	5	6	9	12	21
65+	1571	7.3	36	2	3	6	8	13	17	33
GRAND TOTAL	**9919**	**5.5**	**15**	**2**	**3**	**5**	**6**	**9**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.3	14	<1	1	3	5	11	12	16
20-34	93	6.9	20	1	2	7	9	12	16	22
35-49	91	6.8	16	1	2	6	9	13	15	17
50-64	163	7.8	23	1	2	7	11	14	16	25
65+	178	8.7	38	1	2	8	11	17	20	35
B. *Operated*										
0-19 YRS	158	3.8	13	1	2	3	4	5	10	20
20-34	734	3.1	9	2	2	2	3	4	8	15
35-49	294	4.3	30	2	2	2	4	10	15	29
50-64	146	8.4	40	1	2	6	13	18	20	25
65+	92	9.9	68	1	2	9	13	19	22	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.1	25	1	1	5	7	11	18	25
20-34	128	8.6	48	2	2	7	11	16	20	39
35-49	272	8.8	51	2	2	7	11	17	23	36
50-64	619	8.9	43	2	3	7	12	17	19	33
65+	1263	11.2	90	2	3	9	14	22	30	47
B. *Operated*										
0-19 YRS	58	6.9	61	1	2	4	7	17	26	38
20-34	381	5.3	55	1	2	3	5	12	17	40
35-49	254	9.9	137	1	2	5	13	20	29	60
50-64	364	14.1	158	2	3	12	18	29	37	66
65+	612	18.0	229	2	4	14	23	39	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	7.6	27	1	2	7	10	14	17	26
B. *Operated*	1424	4.4	25	1	2	3	4	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	2328	10.1	71	2	3	8	13	19	26	43
B. *Operated*	1669	12.7	179	2	2	9	17	29	41	76
1. SINGLE DX	1983	5.3	28	1	2	3	7	12	18	28
2. MULTIPLE DX	3997	11.2	118	2	2	8	14	23	32	61
A. NOT OPERATED	2887	9.6	63	2	3	8	12	18	24	41
B. OPERATED	3093	8.9	125	2	2	4	12	21	31	64
TOTAL 0-19 YRS	296	4.8	26	1	1	3	5	10	16	29
20-34	1336	4.5	29	1	2	3	4	10	14	31
35-49	911	7.5	70	1	2	5	10	16	22	48
50-64	1292	10.2	78	2	2	8	13	19	24	51
65+	2145	12.9	135	2	3	10	16	27	36	71
GRAND TOTAL	**5980**	**9.2**	**95**	**2**	**2**	**6**	**12**	**19**	**27**	**55**

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4310	2.9	4	1	1	2	4	5	6	9
20-34	343	3.6	6	1	2	3	4	6	7	12
35-49	138	4.3	8	1	2	4	5	8	10	15
50-64	94	3.8	6	1	2	3	5	6	9	13
65+	77	5.8	32	1	2	5	7	10	12	38
B. *Operated*										
0-19 YRS	321	2.4	5	1	1	2	2	4	7	14
20-34	176	2.6	4	1	1	2	3	5	7	9
35-49	38	4.4	14	<1	1	2	6	10	12	15
50-64	35	3.3	4	<1	2	3	5	6	6	11
65+	21	4.5	10	1	1	3	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4708	3.7	6	1	1	3	5	6	8	12
20-34	580	4.0	7	1	1	4	5	7	8	13
35-49	320	4.9	12	1	2	4	6	9	11	21
50-64	443	6.3	16	2	2	5	8	11	14	21
65+	888	9.0	53	3	3	7	11	17	22	46
B. *Operated*										
0-19 YRS	252	4.1	45	1	1	2	5	8	13	30
20-34	81	6.2	98	1	1	4	6	13	19	63
35-49	61	6.4	27	1	2	5	9	11	13	29
50-64	79	9.5	85	1	2	6	13	22	31	42
65+	93	15.2	288	2	2	10	18	36	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4962	3.0	5	1	1	3	4	5	6	10
B. *Operated*	591	2.7	6	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	6939	4.6	16	1	2	4	5	8	11	21
B. *Operated*	566	7.2	111	1	1	4	8	16	26	58
1. SINGLE DX	5553	3.0	5	1	1	2	4	5	7	10
2. MULTIPLE DX	7505	4.8	24	1	2	4	6	9	12	25
A. NOT OPERATED	11901	3.9	12	1	1	3	5	7	9	18
B. OPERATED	1157	4.9	62	1	1	2	5	10	16	39
TOTAL 0-19 YRS	9591	3.3	6	1	1	3	4	6	7	11
20-34	1180	3.9	13	1	1	3	5	7	8	15
35-49	557	4.9	13	1	2	4	6	9	11	19
50-64	651	6.2	25	1	2	5	8	12	15	28
65+	1079	9.2	75	2	3	7	11	17	24	54
GRAND TOTAL	13058	4.0	17	1	1	3	5	7	10	19

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3775	3.9	5	1	2	3	5	7	8	11
20-34	124	4.1	10	1	2	4	5	7	8	16
35-49	140	4.9	9	2	2	4	6	8	9	15
50-64	153	4.7	7	2	2	4	6	9	10	13
65+	227	6.8	36	2	3	6	8	11	12	25
B. *Operated*										
0-19 YRS	9	6.4	20	2	2	6	8	13	16	16
20-34	8	4.9	5	2	2	4	7	8	8	8
35-49	8	5.1	25	2	2	3	7	13	15	15
50-64	23	7.7	35	1	2	6	11	19	21	21
65+	10	5.1	8	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3049	4.8	9	2	2	4	6	8	10	15
20-34	343	5.4	13	2	2	5	7	9	12	20
35-49	519	6.5	28	2	3	5	8	11	13	25
50-64	1741	8.3	37	3	3	7	10	15	18	31
65+	3915	10.3	64	3	4	8	12	18	24	52
B. *Operated*										
0-19 YRS	21	9.9	44	3	4	8	12	18	25	32
20-34	37	8.8	46	1	2	7	12	18	21	36
35-49	66	11.1	174	2	2	8	12	21	34	73
50-64	166	12.2	108	3	3	10	15	27	34	94
65+	301	16.0	159	3	5	13	21	29	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4419	4.1	7	1	2	4	5	7	8	12
B. *Operated*	58	6.3	23	2	2	5	8	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	9567	7.8	44	2	3	6	10	14	19	34
B. *Operated*	591	13.7	141	2	4	11	17	28	37	90
1. SINGLE DX	4477	4.1	8	1	2	4	5	7	9	12
2. MULTIPLE DX	10158	8.2	51	2	3	6	10	15	20	39
A. NOT OPERATED	13986	6.6	35	2	2	5	8	12	17	30
B. OPERATED	649	13.1	134	2	3	10	16	27	36	85
TOTAL 0-19 YRS	6854	4.3	7	1	2	4	5	7	9	13
20-34	512	5.3	16	2	2	4	7	9	12	21
35-49	733	6.6	40	2	2	5	8	11	14	30
50-64	2083	8.3	43	2	3	7	10	15	19	35
65+	4453	10.5	71	3	4	8	13	19	25	54
GRAND TOTAL	14635	6.9	41	2	2	5	8	13	18	33

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	10	1.3		<1	<1	1	1	2	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1174	2.6	1	1	2	3	3	4	4	5
20-34	2503	2.6	1	1	2	2	3	4	4	5
35-49	917	2.6	1	1	2	2	3	4	4	5
50-64	462	2.5	1	1	2	2	3	4	4	6
65+	83	2.7	1	1	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	3
20-34	48	1.1		<1	<1	1	1	2	2	4
35-49	19	1.5	1	<1	<1	1	2	3	4	4
50-64	18	1.9	3	<1	<1	1	3	4	6	7
65+	6	1.8	2	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	1163	2.7	1	1	1	3	3	4	4	6
20-34	2457	2.8	1	1	2	3	3	4	5	6
35-49	1094	2.9	2	1	2	3	3	4	5	8
50-64	707	3.0	2	1	2	3	3	5	5	8
65+	147	3.7	8	1	2	3	4	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.3		<1	<1	1	1	3	3	3
B. *Operated*	5139	2.6	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	113	1.4	1	<1	<1	1	1	3	4	5
B. *Operated*	5568	2.8	2	1	2	3	3	4	5	7
1. SINGLE DX	5157	2.6	1	1	2	2	3	4	4	5
2. MULTIPLE DX	5681	2.8	2	1	1	3	3	4	5	7
A. NOT OPERATED	131	1.4	1	<1	<1	1	1	3	3	5
B. OPERATED	10707	2.7	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	2363	2.7	1	1	2	3	3	4	4	6
20-34	5018	2.7	1	1	2	3	3	4	4	6
35-49	2032	2.8	1	1	2	3	3	4	5	6
50-64	1187	2.8	2	1	2	3	3	4	5	7
65+	238	3.3	5	1	2	3	4	5	7	18
GRAND TOTAL	**10838**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	45	2.1	1	<1	<1	2	3	4	4	5
20-34	90	2.4	1	<1	1	2	3	4	4	6
35-49	121	2.2	1	<1	<1	2	3	4	4	6
50-64	179	2.6	6	<1	1	2	3	4	5	10
65+	109	2.5	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	2.2	3	1	1	2	3	5	5	5
35-49	3	7.7	114	1	1	2	15	20	20	20
50-64	5	11.0	176	<1	<1	7	18	33	33	33
65+	9	3.3	24	<1	<1	1	3	11	16	16
B. *Operated*										
0-19 YRS	56	2.5	2	<1	1	2	3	4	5	7
20-34	155	2.9	4	1	1	3	3	4	5	7
35-49	229	2.8	2	<1	1	3	3	4	5	8
50-64	304	3.2	5	1	2	3	4	5	6	14
65+	208	3.6	13	1	2	3	4	5	7	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	544	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	25	5.0	60	<1	<1	2	4	16	23	33
B. *Operated*	954	3.1	6	1	1	3	4	5	6	13
1. SINGLE DX	547	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	979	3.1	7	1	1	3	4	5	6	16
A. NOT OPERATED	28	4.7	54	<1	<1	2	4	15	21	33
B. OPERATED	1498	2.8	5	<1	1	2	3	5	5	11
TOTAL 0-19 YRS	105	2.4	1	<1	<1	2	3	4	5	6
20-34	251	2.7	3	1	1	2	3	4	5	7
35-49	354	2.6	2	<1	1	2	3	4	5	9
50-64	489	3.1	8	1	1	2	3	5	6	15
65+	327	3.3	10	1	1	2	4	5	7	18
GRAND TOTAL	**1526**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.3	3	<1	<1	2	3	5	6	7
20-34	17	2.9	3	<1	<1	3	4	5	6	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	13426	1.6	1	<1	<1	2	2	2	3	3
20-34	4011	2.1	1	1	1	2	2	3	3	4
35-49	305	2.2	1	1	1	2	2	3	4	4
50-64	48	2.4	1	<1	2	2	3	3	4	8
65+	23	2.8	8	<1	1	2	3	4	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	1.5	2	<1	<1	1	1	3	5	8
20-34	58	1.9	2	<1	<1	1	2	4	5	8
35-49	8	2.0	1	<1	<1	2	3	3	3	3
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	6	8.2	18	4	4	8	12	13	13	13
B. *Operated*										
0-19 YRS	6298	1.6	1	<1	<1	1	2	2	3	4
20-34	442	2.4	1	1	1	2	3	4	5	7
35-49	65	2.8	4	1	1	2	3	4	5	13
50-64	29	3.3	8	<1	<1	3	3	7	9	14
65+	14	4.5	24	1	1	2	6	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.5	3	<1	<1	2	4	5	6	8
B. *Operated*	17813	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	376	1.7	3	<1	<1	1	1	4	5	10
B. *Operated*	6848	1.6	1	<1	<1	1	2	2	3	5
1. SINGLE DX	17895	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	7224	1.6	2	<1	<1	1	2	2	3	5
A. NOT OPERATED	458	1.9	3	<1	<1	1	2	4	6	9
B. OPERATED	24661	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	20084	1.6	1	<1	<1	1	2	2	3	4
20-34	4528	2.1	1	1	1	2	2	3	3	5
35-49	380	2.3	1	1	1	2	3	3	4	6
50-64	83	2.7	4	<1	1	2	3	4	8	12
65+	44	4.3	17	1	1	2	5	12	13	16
GRAND TOTAL	25119	1.7	1	<1	<1	2	2	2	3	4

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	536	3.1	3	<1	1	3	4	5	6	10
20-34	282	3.5	3	1	2	3	4	6	7	10
35-49	135	3.4	8	<1	1	3	4	7	9	13
50-64	111	3.0	5	<1	1	2	4	6	8	12
65+	44	2.8	3	<1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS	523	2.9	4	<1	1	2	4	5	6	10
20-34	1024	2.7	7	<1	1	2	3	5	6	13
35-49	946	2.3	3	<1	1	2	2	4	5	9
50-64	1119	2.3	4	<1	1	2	2	3	5	12
65+	477	2.7	17	1	1	2	2	4	6	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	290	4.0	6	1	1	3	5	7	9	11
20-34	172	4.5	6	1	2	4	6	8	9	12
35-49	126	4.2	8	<1	1	3	6	9	10	13
50-64	147	5.0	21	1	1	4	7	10	13	20
65+	157	7.0	44	1	2	5	9	14	17	34
B. *Operated*										
0-19 YRS	277	3.5	8	1	1	3	4	6	8	20
20-34	555	3.6	17	1	1	3	4	6	9	19
35-49	523	4.1	30	1	1	3	4	7	10	32
50-64	716	4.1	25	1	1	2	4	8	13	30
65+	468	5.2	48	1	2	3	6	11	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	3.2	4	<1	1	3	4	6	7	10
B. *Operated*	4089	2.6	6	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	892	4.8	16	1	1	4	6	9	11	18
B. *Operated*	2539	4.1	27	1	1	3	4	8	11	30
1. SINGLE DX	5197	2.7	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	3431	4.3	24	1	1	3	5	8	11	27
A. NOT OPERATED	2000	3.0	10	1	1	3	5	7	9	15
B. OPERATED	6628	3.2	15	<1	1	2	3	5	8	20
TOTAL 0-19 YRS	1626	3.3	5	<1	1	3	4	6	7	11
20-34	2033	3.2	9	1	1	3	4	6	8	14
35-49	1730	3.1	13	<1	1	2	3	5	7	17
50-64	2093	3.2	13	1	1	2	3	6	9	19
65+	1146	4.3	35	1	1	2	4	9	13	31
GRAND TOTAL	8628	3.3	14	1	1	2	4	6	8	18

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5263	4.7	7	2	2	4	6	8	9	14
20-34	1145	5.8	9	2	3	5	7	10	12	16
35-49	911	6.5	15	2	3	6	8	11	13	17
50-64	985	7.3	16	3	3	7	9	12	15	20
65+	1656	9.1	34	3	4	8	11	15	19	28
B. *Operated*										
0-19 YRS	30	9.2	146	2	2	6	11	15	17	69
20-34	34	10.4	52	1	4	9	14	19	27	32
35-49	45	10.6	66	1	2	9	14	23	26	42
50-64	151	10.1	55	1	2	10	14	19	23	33
65+	136	10.7	80	1	2	9	15	21	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4482	5.7	17	2	2	5	7	10	13	20
20-34	1149	8.4	41	3	3	7	10	14	18	37
35-49	1507	9.0	41	3	4	8	11	16	20	36
50-64	3557	10.4	49	3	4	9	13	18	23	39
65+	12956	13.8	106	4	5	11	16	25	33	70
B. *Operated*										
0-19 YRS	90	16.6	211	4	5	13	20	30	54	80
20-34	112	18.1	171	4	7	14	25	44	55	99+
35-49	271	16.5	160	3	6	13	21	31	43	70
50-64	715	19.0	223	3	6	15	24	37	52	89
65+	1735	23.8	276	7	8	19	30	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9960	6.0	16	2	2	5	7	11	13	19
B. *Operated*	396	10.3	71	1	2	9	14	23	26	41
2. MULTIPLE DX										
A. *Not Operated*	23651	11.2	83	3	4	9	14	20	27	55
B. *Operated*	2923	21.5	254	5	7	17	28	45	62	99+
1. SINGLE DX	10356	6.1	19	2	2	5	8	11	14	21
2. MULTIPLE DX	26574	12.3	113	3	4	10	15	24	32	69
A. NOT OPERATED	33611	9.6	69	2	3	7	12	18	24	47
B. OPERATED	3319	20.2	246	3	6	16	26	47	59	99+
TOTAL 0-19 YRS	9865	5.2	15	2	2	4	6	9	11	19
20-34	2440	7.6	39	2	3	6	9	14	17	37
35-49	2734	9.0	52	3	3	7	11	16	22	38
50-64	5408	11.0	77	3	4	9	13	20	26	50
65+	16483	14.3	129	4	5	11	17	27	36	80
GRAND TOTAL	**36930**	**10.6**	**94**	**2**	**3**	**8**	**13**	**20**	**28**	**59**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	3.4	3	1	1	3	4	6	7	9
20-34	105	3.4	3	1	2	3	4	6	7	8
35-49	56	4.1	6	1	2	3	5	8	9	10
50-64	77	5.1	12	1	2	4	6	8	10	22
65+	116	7.0	37	2	3	5	8	13	17	36
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	12.7	110	2	2	13	20	23	23	23
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	404	4.2	8	1	2	4	5	7	9	14
20-34	189	4.7	14	1	2	4	6	8	11	17
35-49	172	6.5	16	2	2	6	9	12	14	20
50-64	330	7.9	50	2	3	6	9	15	18	50
65+	981	10.0	57	3	4	8	12	19	25	46
B. *Operated*										
0-19 YRS	6	10.5	30	4	4	10	16	16	16	16
20-34	7	9.1	41	2	2	6	15	18	18	18
35-49	3	15.7	142	6	6	12	25	29	29	29
50-64	18	17.1	245	5	6	14	21	56	67	99+
65+	71	21.9	173	5	7	19	31	45	50	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	4.4	13	1	2	4	5	7	9	17
B. *Operated*	5	8.2	93	1	1	2	15	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	2076	7.8	45	2	2	6	9	15	20	38
B. *Operated*	105	19.4	180	5	6	16	26	41	50	84
1. SINGLE DX	599	4.4	14	1	2	4	5	8	10	19
2. MULTIPLE DX	2181	8.3	57	2	2	6	10	17	22	46
A. NOT OPERATED	2670	7.0	40	2	2	5	8	14	18	32
B. OPERATED	110	18.9	181	4	5	15	25	41	50	82
TOTAL 0-19 YRS	651	4.0	7	1	2	3	5	7	8	14
20-34	304	4.5	13	1	2	4	6	7	11	17
35-49	231	6.0	17	2	2	5	8	11	14	20
50-64	426	7.7	56	2	3	6	9	15	20	53
65+	1168	10.4	71	3	3	8	13	20	27	50
GRAND TOTAL	**2780**	**7.5**	**51**	**2**	**2**	**5**	**9**	**15**	**20**	**43**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	807	3.3	3	1	1	3	4	6	7	9
20-34	63	4.2	8	1	1	4	5	7	10	16
35-49	100	5.4	13	2	2	4	7	10	12	19
50-64	239	6.9	28	2	2	6	9	12	15	30
65+	324	8.0	40	2	3	6	10	15	18	34
B. Operated										
0-19 YRS	8	4.6	11	<1	<1	5	7	9	9	9
20-34	14	4.6	16	2	2	3	5	10	14	15
35-49	46	4.6	26	<1	<1	3	5	11	19	23
50-64	61	3.1	6	<1	1	2	3	6	9	12
65+	64	7.1	57	1	2	4	9	18	24	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	652	4.4	7	2	2	4	6	8	9	14
20-34	156	5.9	19	1	2	5	7	12	15	20
35-49	300	7.0	50	1	2	6	8	12	17	37
50-64	1108	8.8	57	3	3	7	11	16	21	42
65+	2234	10.5	81	3	4	8	13	19	25	54
B. Operated										
0-19 YRS	11	6.6	23	2	3	5	8	13	19	20
20-34	37	6.2	28	1	2	4	9	12	14	28
35-49	100	7.7	84	1	2	5	9	14	24	86
50-64	231	9.5	72	2	2	7	13	21	26	49
65+	348	15.8	270	2	3	11	19	36	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1533	5.0	20	1	2	4	6	9	12	22
B. Operated	193	5.0	31	<1	1	3	6	11	18	31
2. MULTIPLE DX										
A. Not Operated	4450	8.8	64	2	3	7	11	17	22	44
B. Operated	727	12.1	178	2	2	9	15	26	39	95
1. SINGLE DX	1726	5.0	21	1	2	4	6	10	13	22
2. MULTIPLE DX	5177	9.2	82	2	3	7	11	18	24	55
A. NOT OPERATED	5983	7.8	56	2	2	6	10	15	20	40
B. OPERATED	920	10.6	156	1	2	7	13	23	34	91
TOTAL 0-19 YRS	1478	3.8	5	1	2	3	5	7	8	11
20-34	270	5.5	18	1	2	4	7	11	15	20
35-49	546	6.6	48	1	2	5	8	12	17	39
50-64	1639	8.4	55	2	3	7	10	16	21	41
65+	2970	10.8	102	3	3	8	13	20	28	69
GRAND TOTAL	6903	8.2	70	2	2	6	10	16	21	48

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	6	5.0	12	2	2	3	9	10	10	10
35-49	18	7.7	43	2	2	6	8	17	24	28
50-64	130	8.2	40	2	3	7	10	16	19	34
65+	202	10.0	77	3	4	8	13	17	25	72
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	4	14.0	59	7	7	12	19	25	25	25
50-64	6	11.2	61	<1	<1	12	14	22	23	23
65+	4	13.8	171	1	1	14	25	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	8	9.8	33	5	5	8	12	19	21	21
35-49	89	10.3	76	2	3	8	13	18	27	48
50-64	666	11.6	100	3	4	9	14	23	30	63
65+	1570	12.6	116	3	4	10	15	25	36	78
B. Operated										
0-19 YRS	4	8.3	31	3	3	7	12	16	16	16
20-34	20	18.6	248	4	6	13	21	44	98	98
35-49	18	15.4	113	4	6	14	19	28	41	50
50-64	92	18.7	216	5	6	14	24	39	49	95
65+	190	21.7	272	5	7	18	28	48	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	356	9.2	62	2	3	7	11	17	23	46
B. Operated	17	12.3	72	<1	1	12	19	25	26	26
2. MULTIPLE DX										
A. Not Operated	2336	12.2	110	3	4	9	15	24	34	74
B. Operated	324	20.1	246	5	6	16	25	44	56	99
1. SINGLE DX	373	9.3	62	2	3	7	12	17	24	45
2. MULTIPLE DX	2660	13.2	133	3	4	10	16	27	38	78
A. NOT OPERATED	2692	11.8	105	3	4	9	14	23	33	67
B. OPERATED	341	19.7	240	4	6	16	24	43	55	99
TOTAL 0-19 YRS	8	7.4	40	1	2	5	12	17	18	18
20-34	36	13.7	177	3	3	9	17	23	47	68
35-49	129	10.7	79	2	3	8	14	20	28	50
50-64	894	11.9	110	3	4	9	14	23	33	67
65+	1966	13.2	135	3	4	10	16	27	39	78
GRAND TOTAL	3033	12.7	126	3	4	9	15	25	36	78

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7091	3.6	4	1	2	3	4	6	7	10
20-34	2158	4.7	8	1	2	4	6	8	9	14
35-49	1906	5.5	10	1	2	5	7	10	12	16
50-64	1688	6.3	14	2	2	6	8	11	13	19
65+	875	7.1	21	2	3	6	9	12	14	28
B. *Operated*										
0-19 YRS	13	5.7	9	2	2	4	8	10	11	11
20-34	21	10.9	138	2	3	8	10	28	43	46
35-49	25	6.8	43	<1	1	6	8	12	19	33
50-64	23	8.6	45	2	2	7	11	17	24	29
65+	10	9.5	25	5	5	8	13	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3108	4.4	7	2	2	4	5	8	9	15
20-34	1360	6.2	16	2	2	5	8	11	13	22
35-49	1848	7.5	24	2	3	6	9	13	17	26
50-64	3192	8.8	47	3	3	7	11	15	20	34
65+	3480	10.5	58	3	4	9	13	18	23	40
B. *Operated*										
0-19 YRS	36	10.8	251	3	3	6	11	19	38	91
20-34	48	12.0	65	3	4	11	17	20	22	49
35-49	127	15.1	131	4	5	12	18	32	40	70
50-64	185	16.5	249	3	4	12	18	33	49	88
65+	195	18.8	174	4	7	15	25	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13718	4.6	9	1	2	4	6	8	10	15
B. *Operated*	92	8.3	59	2	2	7	10	15	22	44
2. MULTIPLE DX										
A. *Not Operated*	12988	7.7	39	2	3	6	10	14	18	31
B. *Operated*	591	16.2	188	3	4	12	20	33	48	90
1. SINGLE DX	13810	4.6	10	1	2	4	6	8	10	15
2. MULTIPLE DX	13579	8.1	49	2	3	6	10	15	20	35
A. NOT OPERATED	26706	6.1	26	2	2	5	8	11	15	26
B. OPERATED	683	15.2	178	3	4	11	19	32	45	88
TOTAL 0-19 YRS	10248	3.9	6	1	2	3	5	7	8	12
20-34	3587	5.4	14	1	2	5	7	9	12	20
35-49	3906	6.8	24	2	2	6	8	12	15	26
50-64	5088	8.2	47	2	3	7	10	14	18	34
65+	4560	10.2	61	3	4	8	12	18	24	42
GRAND TOTAL	**27389**	**6.4**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.2	12	1	1	4	6	11	12	13
20-34	19	5.4	13	<1	1	5	8	11	12	12
35-49	144	7.7	63	1	2	6	9	14	21	51
50-64	755	7.9	31	2	3	7	10	14	18	34
65+	1295	9.1	58	2	3	7	11	16	22	41
B. *Operated*										
0-19 YRS	4	8.5	68	2	2	6	14	20	20	20
20-34	11	6.0	17	2	2	4	10	12	12	12
35-49	21	4.6	12	1	1	4	7	9	11	14
50-64	46	8.2	61	1	1	7	10	20	26	32
65+	54	11.1	58	1	2	9	17	20	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	9.2	68	2	3	6	9	22	31	34
20-34	51	8.1	35	2	2	6	11	17	22	24
35-49	413	9.0	84	2	3	7	10	17	25	51
50-64	3180	10.4	77	3	4	8	12	19	27	50
65+	7504	12.2	108	3	4	9	15	23	32	70
B. *Operated*										
0-19 YRS	7	18.4	313	3	3	17	28	47	51	51
20-34	14	16.0	210	2	3	11	24	41	43	43
35-49	80	14.5	160	2	5	9	20	29	40	61
50-64	441	18.6	269	3	5	14	23	41	63	99+
65+	933	21.5	311	4	6	16	28	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2230	8.6	49	2	3	7	10	15	20	38
B. *Operated*	136	8.6	53	1	2	7	12	18	24	33
2. MULTIPLE DX										
A. *Not Operated*	11179	11.5	98	3	4	9	14	22	30	63
B. *Operated*	1475	20.2	292	3	5	15	26	48	65	99+
1. SINGLE DX	2366	8.6	49	2	3	7	11	16	20	38
2. MULTIPLE DX	12654	12.5	129	3	4	9	15	25	35	79
A. NOT OPERATED	13409	11.0	91	3	4	9	13	21	29	59
B. OPERATED	1611	19.2	282	2	4	15	25	45	63	99+
TOTAL 0-19 YRS	59	9.1	89	2	2	6	10	20	31	49
20-34	95	8.5	63	1	2	6	11	18	23	42
35-49	658	9.2	91	2	3	7	10	19	26	56
50-64	4422	10.8	96	3	3	8	13	20	29	63
65+	9786	12.7	129	3	4	9	15	25	36	80
GRAND TOTAL	**15020**	**11.9**	**118**	**3**	**4**	**9**	**14**	**23**	**33**	**72**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.8	5	1	1	3	5	7	8	10
20-34	179	4.5	9	1	1	4	6	8	10	17
35-49	60	4.9	9	1	2	4	6	9	11	14
50-64	21	5.8	8	3	3	4	7	9	12	13
65+	15	8.4	30	1	3	7	13	16	18	19
B. *Operated*										
0-19 YRS	137	6.9	19	2	3	6	8	12	16	24
20-34	570	7.2	22	2	3	6	9	13	17	24
35-49	187	7.5	27	2	3	6	9	14	18	24
50-64	73	8.1	26	3	3	6	11	14	20	25
65+	46	8.8	35	3	3	6	11	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.8	22	2	2	4	7	12	18	21
20-34	37	5.8	25	2	2	4	7	11	16	27
35-49	21	4.7	6	2	2	5	6	9	10	10
50-64	49	10.8	159	3	4	7	12	17	21	88
65+	77	13.6	138	4	5	11	16	25	29	74
B. *Operated*										
0-19 YRS	39	13.7	156	2	4	9	18	28	39	63
20-34	166	11.2	57	3	4	9	15	19	22	47
35-49	96	12.2	79	3	4	9	17	21	29	49
50-64	131	14.2	85	5	5	12	19	26	30	46
65+	212	18.2	222	4	6	14	23	36	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	4.7	10	1	2	4	6	8	10	16
B. *Operated*	1013	7.3	24	2	3	6	9	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	208	9.8	108	2	3	7	12	19	25	63
B. *Operated*	644	14.4	134	4	5	11	18	27	35	66
1. SINGLE DX	1356	6.7	21	2	2	5	8	12	16	24
2. MULTIPLE DX	852	13.3	131	3	4	10	16	25	33	66
A. NOT OPERATED	551	6.6	53	1	2	5	8	12	17	30
B. OPERATED	1657	10.1	78	3	3	7	12	20	25	45
TOTAL 0-19 YRS	268	7.0	44	2	2	5	8	13	20	34
20-34	952	7.3	30	2	3	6	9	14	19	27
35-49	364	8.2	43	2	3	6	10	16	20	32
50-64	274	11.3	85	3	4	9	14	21	27	40
65+	350	15.5	183	4	5	12	19	29	40	69
GRAND TOTAL	**2208**	**9.2**	**74**	**2**	**3**	**7**	**11**	**19**	**24**	**43**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	3.9	12	1	1	3	4	7	11	18
20-34	169	5.5	32	1	1	4	6	11	18	33
35-49	166	5.5	32	1	1	4	6	11	14	35
50-64	242	5.7	18	1	2	5	7	11	14	22
65+	354	8.2	60	1	2	6	10	16	21	34
B. *Operated*										
0-19 YRS	41	6.6	74	<1	1	3	7	14	25	45
20-34	97	7.4	43	1	1	6	11	15	19	32
35-49	145	8.6	57	1	2	7	11	18	21	35
50-64	273	8.7	65	1	2	7	12	18	24	37
65+	249	9.1	72	1	2	7	12	20	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	6.2	34	1	2	4	8	13	17	27
20-34	312	7.3	49	2	2	5	9	15	20	36
35-49	468	8.3	49	2	2	6	10	17	21	38
50-64	1404	9.5	60	2	3	8	12	19	24	41
65+	4168	12.3	94	3	4	10	15	24	31	56
B. *Operated*										
0-19 YRS	60	12.5	196	1	2	10	16	26	47	71
20-34	164	13.8	189	1	2	10	20	36	49	99+
35-49	319	15.2	191	2	2	12	20	35	44	79
50-64	869	15.9	205	2	3	12	21	33	46	84
65+	1382	18.4	238	2	4	15	25	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1123	6.1	37	1	1	5	7	12	17	29
B. *Operated*	805	8.5	64	1	2	7	12	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	6687	10.9	82	2	3	9	14	21	28	49
B. *Operated*	2794	16.9	221	2	3	13	22	37	52	99+
1. SINGLE DX	1928	7.1	49	1	1	5	9	15	20	34
2. MULTIPLE DX	9481	12.7	131	2	3	9	16	26	36	70
A. NOT OPERATED	7810	10.2	79	2	3	8	13	20	27	47
B. OPERATED	3599	15.0	198	2	2	11	20	33	46	98
TOTAL 0-19 YRS	628	6.1	50	1	1	4	7	13	18	36
20-34	742	8.3	84	1	2	5	10	19	27	54
35-49	1098	9.9	101	1	2	7	13	21	29	56
50-64	2788	11.1	113	2	2	8	14	23	31	61
65+	6153	13.3	132	2	4	10	17	27	37	71
GRAND TOTAL	**11409**	**11.7**	**121**	**2**	**3**	**9**	**15**	**25**	**34**	**64**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.4	15	1	1	3	6	8	12	21
20-34	26	3.2	11	<1	<1	2	5	7	9	15
35-49	14	3.4	4	<1	1	3	4	7	7	7
50-64	12	4.3	11	<1	<1	4	6	9	12	12
65+	10	3.1	5	1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	5027	1.7	1	<1	<1	2	2	2	3	5
20-34	4197	1.8	1	<1	<1	2	2	2	3	5
35-49	845	2.1	2	<1	<1	2	2	3	4	7
50-64	615	2.3	5	<1	<1	2	2	3	4	11
65+	272	2.5	4	1	1	2	2	4	6	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	2.2	4	<1	<1	1	3	5	7	9
20-34	112	3.2	20	<1	<1	2	4	7	10	24
35-49	67	4.2	35	<1	<1	2	5	9	12	40
50-64	59	3.7	15	<1	1	2	5	8	10	21
65+	58	5.4	29	1	1	4	7	13	21	93
B. *Operated*										
0-19 YRS	1733	2.1	2	<1	1	2	2	4	5	7
20-34	2146	2.2	3	<1	1	2	2	4	5	9
35-49	1060	2.5	9	<1	1	2	2	4	6	11
50-64	1183	2.7	9	1	1	2	3	4	6	13
65+	866	3.5	18	1	2	2	3	6	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.8	12	<1	<1	3	6	7	9	18
B. *Operated*	10956	1.9	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	425	3.4	19	<1	<1	2	4	7	10	26
B. *Operated*	6988	2.5	7	<1	1	2	2	4	6	12
1. SINGLE DX	11069	1.9	2	<1	<1	2	2	2	3	6
2. MULTIPLE DX	7413	2.5	8	<1	1	2	2	4	6	12
A. NOT OPERATED	538	3.5	17	<1	<1	2	5	7	10	22
B. OPERATED	17944	2.1	4	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	6940	1.9	1	<1	<1	2	2	2	4	7
20-34	6481	2.0	2	<1	<1	2	2	3	4	7
35-49	1986	2.4	7	<1	1	2	2	4	5	11
50-64	1869	2.6	8	<1	1	2	3	4	6	13
65+	1206	3.3	16	1	2	2	3	6	10	25
GRAND TOTAL	**18482**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.9	6	1	1	3	5	7	9	12
20-34	37	3.7	4	1	1	4	5	7	8	8
35-49	39	4.4	5	1	1	4	6	7	8	9
50-64	24	4.3	7	<1	1	4	6	8	10	11
65+	18	5.0	4	2	3	4	7	8	9	9
B. *Operated*										
0-19 YRS	168	2.8	7	<1	<1	2	3	6	7	14
20-34	189	3.1	5	<1	1	3	4	5	8	12
35-49	181	3.3	5	1	1	3	4	6	7	12
50-64	193	3.2	4	<1	1	3	4	5	7	11
65+	131	4.6	25	1	2	4	5	8	12	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.2	7	1	1	4	5	8	9	13
20-34	51	5.5	22	1	2	4	7	10	16	27
35-49	28	5.5	14	1	1	5	6	12	13	16
50-64	54	8.3	57	1	2	6	10	16	19	48
65+	131	10.3	88	2	3	8	11	18	28	55
B. *Operated*										
0-19 YRS	84	3.3	5	<1	1	3	4	7	9	10
20-34	101	4.4	10	1	1	4	6	8	11	17
35-49	134	4.3	10	1	2	3	5	9	10	14
50-64	179	4.7	18	1	2	3	5	9	13	27
65+	176	7.3	75	2	2	4	9	17	22	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	4.1	5	1	1	4	5	7	8	11
B. *Operated*	862	3.3	9	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	378	7.2	51	1	2	5	9	13	18	46
B. *Operated*	674	5.1	30	1	2	4	6	10	14	27
1. SINGLE DX	1073	3.5	8	<1	1	3	4	6	8	13
2. MULTIPLE DX	1052	5.8	39	1	2	4	7	12	16	33
A. NOT OPERATED	589	6.1	37	1	2	5	7	11	15	35
B. OPERATED	1536	4.1	19	<1	1	3	5	8	11	23
TOTAL 0-19 YRS	459	3.5	7	<1	1	3	5	7	9	12
20-34	378	3.8	9	<1	1	3	5	7	9	17
35-49	382	4.0	8	1	2	3	5	7	9	13
50-64	450	4.5	19	1	2	3	5	9	12	22
65+	456	7.3	66	2	2	5	9	15	20	54
GRAND TOTAL	**2125**	**4.7**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	4.1	12	<1	1	3	5	9	11	18
20-34	137	3.7	10	<1	1	3	4	8	10	17
35-49	226	3.8	10	<1	1	3	5	7	8	13
50-64	183	4.0	17	<1	1	3	5	7	8	17
65+	188	4.2	14	<1	1	3	5	8	10	23
B. *Operated*										
0-19 YRS	52	6.8	102	<1	1	2	8	15	37	46
20-34	74	6.7	62	<1	<1	5	9	12	17	51
35-49	113	5.3	24	<1	1	4	7	12	14	25
50-64	202	5.9	34	<1	1	4	8	14	17	28
65+	318	6.7	49	<1	1	5	9	15	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	6.1	27	1	2	5	7	12	17	27
20-34	292	5.0	16	<1	1	4	6	9	11	19
35-49	518	5.7	16	1	2	5	7	11	14	18
50-64	764	6.3	33	1	2	5	8	11	15	34
65+	1193	7.8	45	2	2	6	9	15	20	31
B. *Operated*										
0-19 YRS	39	12.8	127	<1	1	10	20	29	34	43
20-34	134	8.0	43	1	2	6	10	17	23	29
35-49	288	9.6	130	1	1	8	11	17	25	63
50-64	572	9.5	88	1	2	7	12	20	28	39
65+	1083	12.2	160	2	2	8	16	27	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	882	3.9	13	<1	1	3	5	7	9	18
B. *Operated*	759	6.3	46	<1	1	4	9	14	18	39
2. MULTIPLE DX										
A. *Not Operated*	2912	6.7	34	1	2	5	8	13	16	29
B. *Operated*	2116	10.8	130	1	2	8	14	23	33	68
1. SINGLE DX	1641	5.0	29	<1	1	3	6	10	15	27
2. MULTIPLE DX	5028	8.4	79	1	2	6	10	17	24	46
A. NOT OPERATED	3794	6.1	30	1	2	5	7	12	15	27
B. OPERATED	2875	9.6	112	1	2	7	12	20	30	55
TOTAL 0-19 YRS	384	6.1	47	<1	1	4	7	14	19	37
20-34	637	5.6	28	<1	1	4	7	10	14	25
35-49	1145	6.3	49	1	1	5	8	12	16	37
50-64	1721	7.1	53	1	2	5	9	15	20	36
65+	2782	9.1	95	1	2	6	11	19	27	53
GRAND TOTAL	**6669**	**7.6**	**69**	**1**	**2**	**5**	**9**	**16**	**22**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	6	<1	1	4	6	8	9	9
20-34	77	5.0	10	<1	1	5	7	9	12	15
35-49	92	5.2	18	<1	1	4	6	11	14	21
50-64	152	5.1	11	<1	1	4	7	9	12	16
65+	127	6.4	15	1	2	5	8	12	14	18
B. *Operated*										
0-19 YRS	3	6.0	21	<1	<1	7	9	10	10	10
20-34	32	7.7	34	1	2	6	10	19	19	22
35-49	102	8.0	59	<1	<1	7	11	16	22	72
50-64	135	9.0	48	<1	<1	8	13	18	20	30
65+	117	7.9	50	<1	1	6	11	17	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.6	21	2	2	4	8	13	17	17
20-34	85	6.0	17	1	2	5	7	10	13	25
35-49	187	7.6	27	2	3	6	10	14	18	26
50-64	342	7.8	35	2	3	7	10	13	17	25
65+	562	9.2	48	2	3	8	11	16	22	33
B. *Operated*										
0-19 YRS	6	4.5	4	2	2	4	5	8	8	8
20-34	56	10.4	89	2	4	9	12	18	22	65
35-49	171	11.0	71	2	3	9	14	19	25	49
50-64	330	12.1	98	2	3	10	15	22	29	57
65+	572	14.6	145	2	4	11	18	29	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.4	14	<1	1	5	7	10	13	17
B. *Operated*	389	8.3	50	<1	<1	7	12	17	21	41
2. MULTIPLE DX										
A. *Not Operated*	1187	8.3	39	2	3	7	10	15	19	30
B. *Operated*	1135	13.1	119	2	4	10	16	25	35	63
1. SINGLE DX	854	6.7	32	<1	1	5	9	14	17	27
2. MULTIPLE DX	2322	10.6	84	2	3	8	13	20	26	49
A. NOT OPERATED	1652	7.5	34	1	2	6	10	14	17	26
B. OPERATED	1524	11.8	106	1	2	10	15	23	31	55
TOTAL 0-19 YRS	37	4.9	11	1	2	4	7	9	10	17
20-34	250	6.9	37	1	2	6	9	13	17	25
35-49	552	8.3	49	<1	2	7	10	17	21	42
50-64	959	9.0	61	1	2	7	12	17	21	42
65+	1378	11.1	95	2	3	9	14	21	29	50
GRAND TOTAL	**3176**	**9.6**	**73**	**1**	**2**	**8**	**12**	**18**	**24**	**47**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.6	7	3	3	5	8	10	11	11
20-34	32	5.9	8	2	2	6	8	10	10	14
35-49	74	5.5	5	3	3	5	7	8	9	13
50-64	113	6.3	10	2	3	6	8	11	14	15
65+	164	7.9	17	3	4	7	10	13	15	24
B. *Operated*										
0-19 YRS	9	9.0	20	3	4	9	11	16	18	18
20-34	21	9.2	10	5	5	8	11	14	16	16
35-49	55	10.1	33	3	4	9	11	17	24	30
50-64	102	11.1	40	4	5	10	13	19	24	35
65+	117	13.8	94	4	5	11	17	24	32	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	11	1	1	5	9	10	10	10
20-34	55	6.9	17	2	3	6	9	11	13	25
35-49	84	7.6	30	3	3	6	9	14	16	35
50-64	282	9.0	42	3	4	8	11	16	20	31
65+	649	11.3	67	4	5	9	14	20	26	54
B. *Operated*										
0-19 YRS	3	5.7	5	3	3	7	7	7	7	7
20-34	31	14.3	184	2	5	10	17	28	55	61
35-49	97	15.6	200	5	6	11	17	32	41	73
50-64	304	14.6	130	4	5	11	18	27	36	65
65+	692	17.7	162	6	7	14	22	34	44	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	6.8	13	3	3	6	8	11	14	20
B. *Operated*	304	11.8	59	4	5	10	14	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	1079	10.1	57	3	4	8	12	19	24	43
B. *Operated*	1127	16.6	159	5	6	13	21	33	42	74
1. SINGLE DX	697	9.0	39	3	4	7	11	15	20	34
2. MULTIPLE DX	2206	13.4	119	4	5	10	16	26	35	65
A. NOT OPERATED	1472	9.2	47	3	4	7	11	16	21	37
B. OPERATED	1431	15.6	142	5	6	12	19	30	40	69
TOTAL 0-19 YRS	31	6.7	13	2	3	6	9	11	12	18
20-34	139	8.7	60	2	3	7	10	13	19	57
35-49	310	10.1	93	3	4	7	11	18	26	65
50-64	801	11.0	80	3	4	8	13	21	27	50
65+	1622	13.9	117	4	5	11	17	27	36	66
GRAND TOTAL	**2903**	**12.4**	**104**	**3**	**4**	**9**	**15**	**24**	**33**	**61**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	4.4	8	1	1	4	6	8	10	15
20-34	412	4.6	8	1	2	4	6	8	10	14
35-49	457	5.3	11	1	2	5	7	10	11	18
50-64	426	5.5	10	2	2	5	7	9	11	17
65+	226	6.7	22	2	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	3	4.7	10	<1	<1	6	7	7	7	7
20-34	69	9.1	44	<1	1	8	12	16	20	41
35-49	104	9.7	38	1	2	8	12	19	23	27
50-64	96	9.8	33	1	3	9	12	20	22	27
65+	52	11.3	60	1	3	10	15	22	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.4	9	2	2	5	7	10	11	14
20-34	398	6.1	19	2	2	5	7	10	13	25
35-49	665	6.8	29	2	2	6	8	12	14	26
50-64	959	7.1	22	2	3	6	9	13	16	27
65+	1215	9.2	41	3	4	8	11	16	22	41
B. *Operated*										
0-19 YRS	7	10.7	56	<1	1	7	18	20	20	20
20-34	87	8.6	34	2	3	8	10	15	22	32
35-49	195	12.8	103	3	5	10	15	24	36	51
50-64	293	13.1	79	2	4	11	17	24	32	43
65+	368	15.2	143	3	5	12	19	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1647	5.3	12	1	2	5	7	9	11	18
B. *Operated*	324	9.8	41	1	2	9	12	19	23	29
2. MULTIPLE DX										
A. *Not Operated*	3305	7.7	31	2	3	6	9	13	17	31
B. *Operated*	950	13.4	108	3	4	11	17	26	34	56
1. SINGLE DX	1971	6.0	19	1	2	5	7	11	14	23
2. MULTIPLE DX	4255	8.9	54	2	3	7	11	17	23	39
A. NOT OPERATED	4952	6.9	26	2	2	6	8	12	16	29
B. OPERATED	1274	12.5	93	2	4	10	16	24	30	51
TOTAL 0-19 YRS	204	5.0	11	1	2	4	7	9	11	18
20-34	966	5.9	20	1	2	5	7	11	13	23
35-49	1421	7.4	40	2	2	6	9	13	18	35
50-64	1774	7.9	36	2	3	6	10	15	19	32
65+	1861	10.1	67	3	4	8	12	19	26	48
GRAND TOTAL	**6226**	**8.0**	**45**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	5.3	6	2	2	5	7	9	10	10
20-34	259	5.6	15	2	2	5	7	8	11	16
35-49	307	5.9	7	2	3	5	7	10	11	14
50-64	399	6.4	10	3	3	6	8	10	11	18
65+	347	8.0	34	3	3	7	9	13	14	41
B. *Operated*										
0-19 YRS	12	8.0	8	3	4	8	10	12	13	13
20-34	92	9.8	22	6	6	9	11	15	17	34
35-49	131	10.5	19	5	6	9	13	17	19	24
50-64	169	11.5	39	4	5	10	14	19	23	32
65+	163	13.6	72	6	7	12	16	21	25	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	7.1	15	2	3	7	9	14	16	16
20-34	160	6.3	14	3	3	5	8	11	13	16
35-49	301	6.8	15	2	3	6	8	11	14	19
50-64	731	8.4	26	3	4	7	10	14	17	27
65+	1385	10.7	67	4	4	9	13	19	24	47
B. *Operated*										
0-19 YRS	6	12.3	77	5	5	9	15	28	29	29
20-34	48	14.1	134	3	4	11	18	27	34	67
35-49	137	13.8	92	4	6	11	17	25	34	52
50-64	319	16.3	137	5	6	13	21	31	39	64
65+	692	20.3	231	6	7	16	26	39	54	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1349	6.5	17	2	3	6	8	10	12	18
B. *Operated*	567	11.5	42	5	6	10	14	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	2608	9.3	48	3	4	9	11	16	20	41
B. *Operated*	1202	18.2	192	5	6	14	23	36	48	87
1. SINGLE DX	1916	8.0	30	3	3	7	10	14	17	27
2. MULTIPLE DX	3810	12.1	111	3	4	9	14	23	33	65
A. NOT OPERATED	3957	8.3	39	3	4	7	10	14	18	35
B. OPERATED	1769	16.1	153	5	6	12	19	31	40	74
TOTAL 0-19 YRS	86	6.8	17	2	3	6	9	11	15	24
20-34	559	7.2	32	2	3	6	8	12	16	34
35-49	876	8.1	33	3	3	7	10	14	18	32
50-64	1618	9.8	58	3	4	8	11	18	23	44
65+	2587	13.1	127	4	5	10	15	25	36	74
GRAND TOTAL	**5726**	**10.7**	**87**	**3**	**4**	**8**	**12**	**20**	**28**	**54**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	9	5.6	12	1	1	6	8	10	11	11
35-49	11	5.9	6	2	3	6	8	9	9	9
50-64	28	8.5	25	1	3	7	11	17	18	22
65+	25	11.2	165	5	6	8	11	15	30	71
B. *Operated*										
0-19 YRS										
20-34	14	11.0	60	1	1	10	14	24	26	26
35-49	39	15.0	107	6	7	13	18	20	25	70
50-64	52	14.6	59	6	7	13	18	24	31	43
65+	51	19.4	139	6	8	17	23	33	44	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	25	9.0	32	3	4	8	11	14	20	30
35-49	21	8.3	31	3	4	7	11	14	21	28
50-64	60	9.3	35	2	4	8	11	16	24	93
65+	110	13.2	115	5	6	11	16	22	28	72
B. *Operated*										
0-19 YRS										
20-34	23	20.2	196	7	8	15	29	42	50	57
35-49	38	17.4	114	4	7	15	22	26	36	61
50-64	117	18.0	131	7	9	16	22	30	39	69
65+	169	22.8	256	7	9	19	29	50	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	8.6	70	1	4	7	10	15	17	59
B. *Operated*	156	15.9	103	5	7	14	20	25	32	68
2. MULTIPLE DX										
A. *Not Operated*	218	11.1	78	3	4	9	13	20	28	71
B. *Operated*	347	20.4	198	7	9	17	24	40	55	99+
1. SINGLE DX	231	13.5	104	4	5	11	17	24	28	70
2. MULTIPLE DX	565	16.8	172	4	6	13	21	33	46	98
A. NOT OPERATED	293	10.5	77	3	4	8	12	19	27	70
B. OPERATED	503	19.0	173	6	8	16	23	35	48	96
TOTAL 0-19 YRS	4	5.8	5	3	3	6	7	8	8	8
20-34	71	12.6	116	1	4	9	15	28	36	55
35-49	109	13.6	100	4	5	12	18	23	27	65
50-64	257	14.2	98	4	6	12	19	24	31	55
65+	355	18.5	209	6	7	14	22	36	54	99+
GRAND TOTAL	**796**	**15.9**	**154**	**4**	**6**	**13**	**20**	**30**	**41**	**89**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	639	2.8	3	1	1	2	3	5	6	8
20-34	882	3.7	7	1	1	3	5	7	8	12
35-49	672	4.1	7	1	1	3	5	7	9	14
50-64	520	4.5	10	<1	1	4	6	8	10	16
65+	303	5.3	13	1	1	5	7	10	12	17
B. *Operated*										
0-19 YRS	16	4.0	7	<1	<1	4	6	8	8	8
20-34	60	7.3	86	<1	<1	5	7	17	23	58
35-49	74	6.3	25	<1	<1	5	9	12	12	28
50-64	102	7.3	39	<1	<1	6	11	15	20	27
65+	90	7.1	53	<1	<1	5	9	16	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	875	3.5	7	1	1	3	4	6	8	14
20-34	1362	5.1	13	1	2	4	6	9	11	19
35-49	1682	6.0	20	2	2	5	7	11	13	26
50-64	1980	6.5	22	2	2	5	8	12	15	23
65+	2594	8.5	49	2	3	7	10	15	20	38
B. *Operated*										
0-19 YRS	20	6.6	20	<1	1	6	8	12	17	19
20-34	218	8.7	66	1	2	7	10	15	21	53
35-49	352	10.8	85	2	3	9	13	19	25	53
50-64	526	12.0	110	2	4	9	14	23	33	54
65+	777	13.7	136	2	4	11	17	27	39	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3016	3.9	8	1	1	3	5	7	9	13
B. *Operated*	342	6.9	46	<1	<1	5	9	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	8493	6.5	29	2	2	5	8	12	16	27
B. *Operated*	1893	12.0	113	2	3	10	14	23	33	69
1. SINGLE DX	3358	4.2	12	1	1	3	5	8	11	17
2. MULTIPLE DX	10386	7.5	49	2	2	6	9	14	19	39
A. NOT OPERATED	11509	5.8	25	1	2	5	7	11	14	24
B. OPERATED	2235	11.2	106	1	2	9	14	22	31	66
TOTAL 0-19 YRS	1550	3.3	5	1	1	3	4	6	7	11
20-34	2522	5.0	19	1	1	4	6	9	12	21
35-49	2780	6.2	29	1	2	5	7	11	15	28
50-64	3128	7.1	41	1	2	6	9	13	18	35
65+	3764	9.3	70	2	3	7	11	18	24	53
GRAND TOTAL	**13744**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.4	10	1	1	3	4	7	8	19
20-34	119	4.1	7	1	1	3	6	8	10	12
35-49	100	4.2	7	1	1	4	5	8	9	14
50-64	87	5.2	24	1	1	4	6	10	13	28
65+	63	5.5	14	1	2	5	7	12	14	17
B. *Operated*										
0-19 YRS	50	5.6	10	2	3	4	7	10	11	19
20-34	17	11.5	99	<1	<1	9	18	24	32	36
35-49	26	9.7	58	1	2	8	12	14	21	41
50-64	22	15.0	140	3	4	9	20	29	41	51
65+	32	13.2	97	<1	1	12	17	27	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.1	8	1	1	4	5	8	9	15
20-34	211	5.6	25	1	1	4	7	10	14	29
35-49	239	6.2	21	1	2	5	8	12	15	25
50-64	304	7.1	46	1	2	6	8	14	19	35
65+	408	9.4	72	2	2	7	12	20	26	45
B. *Operated*										
0-19 YRS	23	9.7	72	2	4	6	12	21	31	36
20-34	51	12.6	108	1	3	9	18	29	41	99
35-49	59	15.6	187	<1	4	12	21	34	63	99+
50-64	153	17.7	228	4	5	13	21	38	54	82
65+	211	21.4	268	3	5	17	27	43	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	4.4	12	1	1	4	5	8	11	17
B. *Operated*	147	10.1	78	1	2	8	13	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	1276	7.1	46	1	2	5	9	14	20	35
B. *Operated*	497	18.1	231	3	4	14	24	39	53	90
1. SINGLE DX	615	5.7	34	1	1	4	7	11	16	31
2. MULTIPLE DX	1773	10.2	122	1	2	7	12	23	33	62
A. NOT OPERATED	1744	6.4	38	1	2	5	8	13	17	32
B. OPERATED	644	16.3	207	2	4	12	21	35	47	82
TOTAL 0-19 YRS	286	4.6	17	1	1	4	5	9	11	24
20-34	398	6.3	41	1	1	4	8	13	21	36
35-49	424	7.2	55	1	2	5	9	14	21	56
50-64	566	10.0	120	1	2	6	12	21	31	60
65+	714	12.8	158	2	3	9	16	28	38	66
GRAND TOTAL	**2388**	**9.1**	**103**	**1**	**2**	**6**	**11**	**20**	**29**	**57**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.4	6	<1	1	3	4	6	9	13
20-34	62	2.7	2	1	1	2	4	5	6	7
35-49	13	3.0	3	<1	1	3	4	5	6	6
50-64	3	5.0	12	1	1	7	7	7	7	7
65+	3	5.7	9	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS	4922	4.3	3	2	3	4	5	6	7	10
20-34	2869	4.6	4	2	3	4	5	7	8	11
35-49	772	5.4	10	3	3	5	6	8	10	17
50-64	351	6.0	6	3	3	6	7	10	11	15
65+	134	7.4	9	4	5	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.2	4	1	1	3	4	6	7	9
20-34	34	3.6	10	1	1	3	4	6	12	15
35-49	10	3.7	11	2	2	3	3	8	13	13
50-64	11	6.4	23	3	3	4	7	15	16	16
65+	5	16.8	28	10	10	18	21	23	23	23
B. *Operated*										
0-19 YRS	689	6.6	21	3	3	5	8	12	15	25
20-34	573	7.0	21	3	4	6	8	12	16	26
35-49	221	8.7	32	3	4	7	10	17	20	29
50-64	215	10.6	43	4	5	9	14	18	23	33
65+	152	12.4	79	4	5	10	15	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.2	5	1	1	3	4	5	7	13
B. *Operated*	9048	4.6	5	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	108	4.3	17	1	1	3	4	9	15	21
B. *Operated*	1850	7.9	33	3	4	6	9	15	18	30
1. SINGLE DX	9201	4.6	5	2	3	4	5	7	8	12
2. MULTIPLE DX	1958	7.7	33	3	3	6	9	15	18	29
A. NOT OPERATED	261	3.6	10	1	1	3	4	7	10	18
B. OPERATED	10898	5.2	11	2	3	4	6	8	10	18
TOTAL 0-19 YRS	5731	4.6	6	2	3	4	5	7	8	14
20-34	3538	4.9	7	2	3	4	6	7	9	16
35-49	1016	6.1	16	3	3	5	7	10	13	25
50-64	580	7.7	25	3	4	6	9	14	17	28
65+	294	10.1	52	4	5	8	13	17	22	35
GRAND TOTAL	**11159**	**5.1**	**11**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	11.6	37	4	5	11	15	18	24	29
20-34	23	9.2	22	3	5	8	12	16	19	20
35-49	12	6.3	6	1	3	6	8	9	10	10
50-64	11	9.2	7	4	5	9	11	12	13	13
65+	4	9.5	12	6	6	9	12	13	13	13
B. *Operated*										
0-19 YRS	934	8.1	17	3	4	7	10	13	15	23
20-34	479	8.0	15	3	4	7	10	12	15	21
35-49	314	9.2	17	4	5	8	11	14	17	25
50-64	256	10.7	29	5	6	9	12	16	20	34
65+	136	12.1	32	6	7	11	15	19	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	11.0	36	1	3	13	16	18	18	18
20-34	8	10.0	72	<1	1	8	15	24	26	26
35-49	7	7.3	36	<1	<1	5	12	15	16	16
50-64	6	11.8	9	8	8	11	12	17	17	17
65+	7	10.1	21	7	7	7	12	18	19	19
B. *Operated*										
0-19 YRS	355	12.4	55	4	5	10	15	22	26	39
20-34	267	11.8	52	5	6	10	14	20	26	44
35-49	229	12.9	55	5	7	11	15	21	27	40
50-64	306	14.5	50	7	8	12	18	24	29	39
65+	288	18.6	139	7	8	15	23	34	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	9.6	25	4	4	9	13	15	19	28
B. *Operated*	2119	8.8	20	3	4	8	11	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	37	10.1	35	1	2	11	13	18	19	26
B. *Operated*	1445	14.0	76	5	7	12	17	24	31	48
1. SINGLE DX	2197	8.8	21	3	4	8	11	14	17	25
2. MULTIPLE DX	1482	13.9	75	5	7	12	17	24	30	47
A. NOT OPERATED	115	9.8	28	2	4	9	13	17	19	27
B. OPERATED	3564	10.9	49	4	5	9	13	19	24	38
TOTAL 0-19 YRS	1326	9.3	31	3	4	8	11	16	20	29
20-34	777	9.3	32	3	4	8	11	15	20	31
35-49	562	10.6	36	4	5	9	12	18	22	34
50-64	579	12.7	43	6	7	11	15	21	26	37
65+	435	16.3	112	7	7	13	20	29	38	74
GRAND TOTAL	**3679**	**10.9**	**49**	**4**	**5**	**9**	**13**	**19**	**24**	**37**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.6	3	1	1	2	3	5	7	8
20-34	50	3.0	5	1	1	2	4	5	8	12
35-49	16	3.8	7	1	1	3	4	9	9	9
50-64	5	4.4	8	2	2	3	7	8	8	8
65+	5	5.4	7	2	2	5	7	9	9	9
B. *Operated*										
0-19 YRS	237	5.1	7	3	3	4	6	8	10	13
20-34	140	5.5	7	3	3	5	6	9	12	17
35-49	45	6.4	7	3	4	6	8	9	12	14
50-64	20	9.9	83	3	3	7	11	18	31	43
65+	8	8.5	31	2	3	6	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.0	12	1	1	3	5	8	11	17
20-34	29	3.8	4	1	2	3	6	6	8	8
35-49	9	4.7	11	1	1	4	6	10	12	12
50-64	8	5.4	11	2	2	4	8	10	11	11
65+	7	12.4	180	2	3	9	11	36	42	42
B. *Operated*										
0-19 YRS	117	5.5	6	3	3	5	7	10	11	14
20-34	123	7.5	28	3	4	6	8	14	18	31
35-49	44	9.4	50	4	5	8	10	15	23	43
50-64	29	11.0	67	4	5	8	14	17	21	47
65+	20	12.4	42	4	5	12	15	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.0	5	1	1	2	4	6	8	10
B. *Operated*	450	5.6	12	3	3	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	86	4.8	26	1	1	4	6	9	11	33
B. *Operated*	333	7.7	31	3	4	6	9	14	18	31
1. SINGLE DX	606	4.9	11	1	2	4	6	9	11	16
2. MULTIPLE DX	419	7.1	31	2	3	5	8	13	17	31
A. NOT OPERATED	242	3.6	13	1	1	3	4	8	9	13
B. OPERATED	783	6.5	21	3	3	5	7	11	15	25
TOTAL 0-19 YRS	467	4.7	7	1	2	4	6	8	10	13
20-34	342	5.7	17	2	2	5	6	10	13	23
35-49	114	7.1	28	2	2	6	9	12	14	33
50-64	62	9.4	64	2	3	8	11	16	20	47
65+	40	10.8	61	2	4	9	14	20	25	42
GRAND TOTAL	**1025**	**5.8**	**20**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.6	1	<1	<1	1	2	3	4	4
20-34	18	3.4	7	<1	1	3	5	6	10	12
35-49	15	2.2	3	<1	<1	1	3	6	6	6
50-64	14	3.1	6	<1	1	3	4	6	8	9
65+	22	4.4	11	<1	1	4	6	10	11	12
B. *Operated*										
0-19 YRS	4628	2.1	2	<1	<1	2	3	4	4	6
20-34	3877	3.7	2	2	2	3	4	5	6	8
35-49	3498	4.1	3	2	2	4	5	6	7	10
50-64	5689	4.4	4	2	3	4	5	7	8	11
65+	3933	5.1	9	2	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	1.4	2	<1	<1	1	1	2	3	8
20-34	57	2.6	18	<1	<1	1	2	6	10	26
35-49	37	2.7	8	<1	<1	2	3	7	8	15
50-64	103	4.1	16	<1	<1	2	6	9	13	18
65+	170	5.3	30	1	1	3	7	12	15	32
B. *Operated*										
0-19 YRS	2064	2.2	3	<1	<1	2	3	4	5	9
20-34	1154	4.4	5	2	2	4	5	7	8	12
35-49	1726	5.1	8	2	3	4	6	8	10	16
50-64	4166	5.8	15	3	3	5	6	9	12	22
65+	4739	7.8	47	3	3	6	9	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.7	6	<1	<1	2	4	6	7	12
B. *Operated*	21625	3.8	5	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	611	3.1	17	<1	<1	1	4	8	12	20
B. *Operated*	13849	5.7	26	1	2	5	7	10	14	25
1. SINGLE DX	21732	3.8	5	1	2	4	5	6	7	10
2. MULTIPLE DX	14460	5.6	26	1	2	5	7	10	13	25
A. NOT OPERATED	718	3.1	15	<1	<1	1	4	7	11	19
B. OPERATED	35474	4.6	14	1	2	4	5	8	10	18
TOTAL 0-19 YRS	6974	2.1	2	<1	<1	2	3	4	4	7
20-34	5106	3.8	3	2	2	4	4	6	7	10
35-49	5276	4.4	5	2	2	4	5	7	8	13
50-64	9972	5.0	9	2	3	4	6	8	10	16
65+	8864	6.5	32	2	3	5	7	11	15	30
GRAND TOTAL	**36192**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	4.0	9	1	1	4	6	7	7	7
65+	12	3.2	6	<1	<1	3	4	7	9	9
B. *Operated*										
0-19 YRS	299	2.4	3	<1	1	2	3	5	6	9
20-34	145	4.1	3	2	2	4	5	6	7	11
35-49	151	4.9	7	2	3	4	6	7	9	15
50-64	275	5.2	6	2	3	5	6	8	10	15
65+	370	6.8	14	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	7	<1	1	1	3	5	9	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	4.8	4	2	2	5	6	7	7	7
50-64	12	2.3	3	<1	<1	2	3	5	6	6
65+	52	9.8	116	1	1	7	11	23	31	60
B. *Operated*										
0-19 YRS	143	3.2	9	1	1	2	3	6	8	21
20-34	43	5.3	35	2	2	4	6	8	11	40
35-49	82	7.0	21	2	3	6	8	13	18	21
50-64	246	8.7	54	3	4	7	9	15	21	45
65+	798	11.8	89	4	5	9	14	22	28	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	5	<1	<1	2	4	6	7	9
B. *Operated*	1240	4.8	10	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	84	7.1	85	1	1	4	8	17	25	52
B. *Operated*	1312	9.8	76	2	3	8	12	19	26	57
1. SINGLE DX	1266	4.8	10	1	1	4	6	8	10	16
2. MULTIPLE DX	1396	9.6	77	2	3	7	12	19	26	57
A. NOT OPERATED	110	6.1	70	<1	1	4	7	15	22	45
B. OPERATED	2552	7.4	50	1	2	6	9	14	20	41
TOTAL 0-19 YRS	467	2.6	5	<1	1	2	3	5	6	10
20-34	189	4.4	10	2	2	4	5	7	7	13
35-49	238	5.7	13	2	3	5	6	9	12	20
50-64	536	6.7	32	2	3	5	8	11	15	34
65+	1232	10.1	72	3	4	8	12	19	25	61
GRAND TOTAL	**2662**	**7.3**	**51**	**1**	**2**	**5**	**9**	**14**	**20**	**41**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	16	<1	<1	2	5	11	11	11
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	512	2.1	2	<1	<1	2	2	3	4	6
20-34	225	3.5	3	1	2	3	4	5	6	10
35-49	249	3.7	2	2	2	3	4	6	7	8
50-64	223	4.6	6	2	2	4	6	7	9	12
65+	106	5.3	17	2	2	4	6	9	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.4	2	<1	<1	1	1	2	6	8
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49	12	3.2	9	<1	<1	2	4	7	10	11
50-64	13	4.4	6	1	1	4	6	8	8	8
65+	23	8.9	67	<1	1	6	12	20	27	32
B. *Operated*										
0-19 YRS	79	2.5	3	1	1	2	3	5	8	99+
20-34	103	4.8	9	2	2	4	6	8	10	18
35-49	187	6.8	37	2	2	5	8	11	17	36
50-64	250	6.9	16	2	3	6	9	13	16	20
65+	132	8.6	44	3	3	7	10	19	23	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.0	11	<1	<1	2	3	10	11	11
B. *Operated*	1315	3.3	5	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	87	4.1	29	<1	<1	2	5	11	14	29
B. *Operated*	751	6.4	26	2	2	5	8	12	16	30
1. SINGLE DX	1329	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	838	6.2	27	1	2	5	8	12	16	30
A. NOT OPERATED	101	4.0	27	<1	<1	2	5	11	13	28
B. OPERATED	2066	4.5	15	1	2	3	5	8	11	21
TOTAL 0-19 YRS	632	2.1	2	<1	<1	2	2	3	4	10
20-34	335	3.8	5	1	2	3	4	6	8	11
35-49	450	5.0	19	2	2	4	6	8	11	23
50-64	487	5.8	12	2	3	5	7	10	13	18
65+	263	7.3	37	2	3	6	8	14	20	34
GRAND TOTAL	**2167**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	12	<1	<1	<1	5	7	7	7
20-34	8	4.1	7	1	1	4	6	7	8	8
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	12	3.5	4	<1	1	3	4	7	8	8
65+	13	4.3	9	1	1	3	7	9	10	10
B. *Operated*										
0-19 YRS	129	2.7	3	<1	1	2	3	4	6	11
20-34	383	4.4	5	2	2	4	5	7	8	12
35-49	625	5.5	6	2	3	5	7	9	10	13
50-64	789	6.3	7	3	3	6	8	9	11	16
65+	484	7.5	13	3	4	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	13	2.7	7	<1	<1	1	4	7	9	9
35-49	38	4.4	15	<1	<1	3	6	9	12	18
50-64	62	4.9	14	1	1	4	7	10	12	17
65+	101	9.0	160	1	2	6	10	16	21	86
B. *Operated*										
0-19 YRS	38	3.9	7	<1	1	3	5	7	9	14
20-34	211	6.2	12	3	3	5	7	10	14	19
35-49	458	7.7	23	3	3	7	9	13	16	25
50-64	770	9.3	36	3	4	8	11	16	20	34
65+	765	11.6	75	4	5	10	14	19	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.8	6	<1	1	3	5	8	8	10
B. *Operated*	2410	5.8	9	2	3	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	218	6.5	87	<1	1	5	8	12	16	52
B. *Operated*	2242	9.4	47	3	4	8	11	16	20	37
1. SINGLE DX	2451	5.8	9	2	3	5	7	9	11	16
2. MULTIPLE DX	2460	9.1	52	3	3	8	11	16	20	38
A. NOT OPERATED	259	6.1	75	<1	1	4	8	11	15	40
B. OPERATED	4652	7.5	31	2	3	6	9	13	17	29
TOTAL 0-19 YRS	174	2.9	4	<1	1	2	4	5	7	12
20-34	615	5.0	9	2	2	4	6	8	10	17
35-49	1126	6.3	14	2	3	6	8	10	13	20
50-64	1633	7.7	24	3	3	7	9	13	16	26
65+	1363	9.9	63	3	4	8	12	17	22	46
GRAND TOTAL	**4911**	**7.5**	**33**	**2**	**3**	**6**	**9**	**13**	**16**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	9	1	1	3	6	8	8	8
20-34	36	4.4	7	2	2	4	5	7	9	15
35-49	112	4.1	5	1	2	4	5	7	9	12
50-64	172	4.5	5	1	2	4	6	7	9	11
65+	173	5.1	9	1	2	5	7	8	10	16
B. *Operated*										
0-19 YRS	5	13.8	339	2	2	2	25	44	44	44
20-34	13	7.7	18	2	2	8	9	13	16	17
35-49	44	8.4	14	2	3	8	11	14	15	17
50-64	49	8.8	20	3	4	8	10	14	16	25
65+	50	13.1	49	4	5	12	16	22	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	9	<1	1	4	7	9	9	9
20-34	115	5.6	12	1	2	5	7	11	12	16
35-49	479	5.4	11	1	2	5	7	9	11	18
50-64	998	6.0	14	2	2	5	8	11	13	20
65+	1775	7.7	36	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	4	17.5	230	2	2	18	30	31	31	31
20-34	72	9.3	66	<1	2	8	11	18	25	44
35-49	184	10.7	91	2	3	9	12	19	27	58
50-64	360	10.8	62	1	2	9	13	21	25	42
65+	448	13.1	109	2	3	11	17	26	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	4.6	7	1	2	4	6	8	9	14
B. *Operated*	161	10.1	40	2	4	9	12	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	3378	6.8	26	2	3	6	8	12	15	26
B. *Operated*	1068	11.7	89	2	3	10	14	22	29	52
1. SINGLE DX	658	5.9	20	1	2	5	8	11	14	24
2. MULTIPLE DX	4446	8.0	46	2	3	6	10	15	20	33
A. NOT OPERATED	3875	6.5	24	2	2	5	8	12	15	24
B. OPERATED	1229	11.5	83	2	3	10	14	22	28	49
TOTAL 0-19 YRS	24	8.5	125	1	2	4	8	30	35	44
20-34	236	6.6	31	1	2	5	8	12	16	30
35-49	819	6.6	34	1	2	5	8	12	14	29
50-64	1579	7.0	29	2	2	6	9	13	17	28
65+	2446	8.6	53	2	3	7	11	16	22	37
GRAND TOTAL	**5104**	**7.7**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.6	8	<1	<1	4	6	8	8	8
35-49	3	16.7	450	2	2	7	32	41	41	41
50-64	9	4.6	13	1	1	3	7	10	11	11
65+	7	3.4	3	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	36	2.3	2	<1	<1	2	3	4	5	8
20-34	88	3.8	2	2	2	4	5	6	6	9
35-49	116	4.2	10	1	2	4	5	6	8	17
50-64	138	4.9	6	2	3	5	6	8	9	13
65+	137	5.7	7	2	3	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.4	9	1	1	4	5	9	11	11
35-49	8	5.1	20	<1	<1	4	8	12	13	13
50-64	10	8.2	46	1	2	6	10	20	20	20
65+	23	7.9	44	1	2	6	10	18	22	28
B. *Operated*										
0-19 YRS	9	7.4	22	2	3	6	9	15	17	17
20-34	39	5.6	28	2	3	4	5	8	19	27
35-49	81	6.4	23	2	3	5	7	12	14	31
50-64	94	7.2	74	2	3	6	8	12	17	28
65+	194	9.2	60	3	4	7	11	17	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.4	60	<1	1	4	6	8	17	41
B. *Operated*	515	4.6	7	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	49	6.9	36	1	1	5	9	16	20	28
B. *Operated*	417	7.8	38	3	3	6	9	15	18	39
1. SINGLE DX	541	4.6	10	1	2	4	6	8	9	13
2. MULTIPLE DX	466	7.7	38	2	3	6	9	15	19	38
A. NOT OPERATED	75	6.4	44	1	1	5	8	13	20	30
B. OPERATED	932	6.0	23	2	3	5	7	10	15	28
TOTAL 0-19 YRS	45	3.3	10	<1	<1	2	4	7	9	17
20-34	142	4.3	10	2	2	4	5	6	8	26
35-49	208	5.3	22	1	2	4	6	9	12	34
50-64	251	5.9	15	2	3	5	7	10	12	21
65+	361	7.7	36	2	3	6	9	14	18	42
GRAND TOTAL	**1007**	**6.1**	**25**	**2**	**2**	**5**	**7**	**10**	**15**	**28**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	6	4.5	16	<1	<1	3	9	10	10	10
35-49	11	3.5	7	<1	<1	3	5	7	9	9
50-64	29	4.3	11	1	1	4	5	9	12	14
65+	29	4.5	5	1	1	5	6	7	8	10
B. *Operated*										
0-19 YRS	61	4.2	50	1	1	3	4	7	12	50
20-34	130	4.4	6	2	2	4	5	8	10	13
35-49	228	5.1	9	2	2	5	6	9	10	16
50-64	293	6.7	13	3	3	6	8	11	14	19
65+	401	9.7	52	3	4	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	5.8	27	3	3	4	7	15	15	15
35-49	19	6.2	46	1	1	4	8	11	22	31
50-64	43	6.9	30	1	2	6	8	16	19	23
65+	135	10.3	122	2	3	8	12	20	26	62
B. *Operated*										
0-19 YRS	9	6.2	64	1	1	3	6	19	27	27
20-34	76	8.3	39	3	3	6	10	16	20	36
35-49	193	9.3	87	3	3	7	10	15	24	59
50-64	444	11.0	76	3	4	9	13	20	26	43
65+	944	15.8	165	5	6	12	19	29	40	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.2	8	1	1	4	6	8	10	13
B. *Operated*	1113	7.1	32	2	3	6	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	203	9.1	95	1	2	7	11	17	23	56
B. *Operated*	1666	13.4	134	3	4	10	16	25	35	75
1. SINGLE DX	1192	6.9	31	2	2	6	8	12	16	28
2. MULTIPLE DX	1869	12.9	132	3	4	10	16	24	34	72
A. NOT OPERATED	282	7.7	76	1	1	5	9	14	20	53
B. OPERATED	2779	10.8	103	3	3	8	13	21	28	61
TOTAL 0-19 YRS	75	4.3	49	1	1	3	4	7	13	47
20-34	217	5.8	21	2	2	4	7	11	15	22
35-49	451	6.9	48	2	3	5	8	12	15	39
50-64	809	9.0	53	3	3	7	11	17	21	39
65+	1509	13.5	137	4	5	10	16	26	35	76
GRAND TOTAL	**3061**	**10.6**	**101**	**2**	**3**	**8**	**13**	**21**	**28**	**58**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	17	1	1	3	5	8	11	24
20-34	249	4.9	13	1	1	4	6	9	10	16
35-49	320	5.6	13	1	2	5	7	10	13	18
50-64	478	5.9	13	1	2	5	7	11	13	19
65+	582	7.3	25	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	106	7.5	15	3	3	7	9	13	15	20
20-34	151	11.2	78	5	5	9	12	18	24	59
35-49	187	12.4	48	6	7	11	15	19	22	44
50-64	251	13.1	56	6	7	11	15	22	25	46
65+	306	15.2	73	7	9	13	17	23	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.4	24	1	1	4	7	11	16	27
20-34	222	5.7	24	1	2	5	7	10	12	23
35-49	341	7.2	24	2	3	6	9	13	18	24
50-64	748	7.9	41	2	3	7	10	14	19	31
65+	1992	10.2	64	3	4	8	13	18	25	47
B. *Operated*										
0-19 YRS	114	11.2	86	4	4	9	12	22	31	58
20-34	194	15.3	158	5	6	11	18	29	43	81
35-49	331	16.6	172	6	7	13	19	29	36	86
50-64	656	19.7	174	7	8	16	24	39	49	99+
65+	1502	22.9	220	8	10	19	29	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1774	6.0	18	1	2	5	8	11	13	21
B. *Operated*	1001	12.7	64	5	6	11	15	21	25	45
2. MULTIPLE DX										
A. *Not Operated*	3395	9.0	54	2	3	7	11	16	21	39
B. *Operated*	2797	20.4	204	7	8	16	25	40	54	99+
1. SINGLE DX	2775	8.4	45	2	2	7	11	16	19	35
2. MULTIPLE DX	6192	14.1	154	3	4	11	18	30	40	87
A. NOT OPERATED	5169	8.0	43	2	2	6	10	15	19	34
B. OPERATED	3798	18.4	178	6	7	15	22	35	48	99+
TOTAL 0-19 YRS	457	7.0	42	1	2	6	8	13	18	32
20-34	816	8.7	80	1	2	7	10	16	23	55
35-49	1179	10.2	87	2	3	8	13	19	25	49
50-64	2133	11.7	110	2	3	9	14	23	33	63
65+	4382	14.5	152	3	4	11	18	30	41	90
GRAND TOTAL	**8967**	**12.4**	**127**	**2**	**3**	**9**	**15**	**25**	**35**	**72**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5268	3.1	4	1	1	3	4	5	6	10
20-34	2157	3.2	5	1	1	3	4	6	7	10
35-49	855	3.9	8	1	1	3	5	7	9	15
50-64	644	4.0	18	1	1	3	5	8	9	12
65+	585	4.9	16	1	2	4	6	9	11	23
B. *Operated*										
0-19 YRS	94	5.3	9	1	2	5	7	9	11	14
20-34	188	6.6	39	1	2	5	7	12	17	36
35-49	77	8.0	41	2	2	6	10	15	19	34
50-64	67	7.3	35	<1	1	6	9	16	22	87
65+	59	9.5	81	<1	1	6	13	20	24	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5809	4.0	9	1	2	3	5	7	9	15
20-34	1773	4.3	11	1	1	3	5	8	10	17
35-49	1121	5.5	18	1	2	4	7	10	13	22
50-64	1751	6.3	27	2	2	5	8	11	15	26
65+	3582	8.6	70	2	3	7	10	16	21	54
B. *Operated*										
0-19 YRS	123	9.1	141	2	3	6	9	15	44	76
20-34	221	8.7	62	1	3	7	11	15	20	46
35-49	174	10.6	71	3	4	9	13	18	21	38
50-64	257	11.8	98	2	4	9	14	24	28	61
65+	443	16.8	193	3	5	13	21	35	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9509	3.3	6	1	1	3	4	6	7	11
B. *Operated*	485	7.0	39	1	2	5	9	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	14035	5.6	31	1	2	4	7	11	14	28
B. *Operated*	1218	12.6	137	2	4	9	15	25	39	85
1. SINGLE DX	9994	3.5	9	1	1	3	4	6	8	14
2. MULTIPLE DX	15254	6.2	43	1	2	4	7	12	16	35
A. NOT OPERATED	23545	4.7	22	1	2	4	6	9	12	23
B. OPERATED	1703	11.0	116	2	3	8	14	22	32	80
TOTAL 0-19 YRS	11294	3.6	8	1	1	3	4	6	8	13
20-34	4339	4.0	13	1	1	3	5	7	9	17
35-49	2227	5.4	22	1	2	4	7	10	13	22
50-64	2719	6.3	36	1	2	5	8	12	16	29
65+	4669	8.9	83	2	3	7	11	17	25	62
GRAND TOTAL	**25248**	**5.1**	**31**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	20	2	2	5	8	14	15	15
20-34	68	5.8	11	1	2	5	7	10	12	18
35-49	459	5.9	12	2	2	5	8	10	12	17
50-64	961	5.7	11	1	2	5	8	10	12	15
65+	1331	6.1	20	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	3	8.7	41	4	4	6	13	16	16	16
20-34	47	10.0	25	5	6	9	11	14	19	32
35-49	152	11.7	30	5	6	11	14	19	22	31
50-64	312	13.2	49	3	7	12	16	21	26	39
65+	322	14.8	79	2	6	13	18	26	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	65	7	7	7	18	21	21	21
20-34	54	6.3	15	2	3	5	7	12	15	19
35-49	423	6.6	12	2	3	6	8	11	13	17
50-64	1670	7.1	20	2	3	6	9	12	15	24
65+	5764	8.9	53	2	3	7	11	15	20	43
B. *Operated*										
0-19 YRS	3	24.7	614	7	7	14	43	53	53	53
20-34	50	12.4	91	6	6	9	15	21	31	62
35-49	345	15.1	68	6	7	13	18	26	31	42
50-64	1182	16.7	126	4	7	14	20	28	36	66
65+	2139	19.2	207	4	6	15	24	39	51	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2826	5.9	15	1	2	5	8	10	13	18
B. *Operated*	836	13.3	58	3	6	12	16	23	28	36
2. MULTIPLE DX										
A. *Not Operated*	7914	8.4	44	2	3	7	10	14	19	37
B. *Operated*	3719	17.9	169	4	6	15	22	34	45	79
1. SINGLE DX	3662	7.6	35	1	2	6	10	14	18	29
2. MULTIPLE DX	11633	11.4	104	2	3	9	14	22	31	60
A. NOT OPERATED	10740	7.7	38	2	3	7	10	14	17	33
B. OPERATED	4555	17.1	152	4	6	14	21	31	42	75
TOTAL 0-19 YRS	16	11.2	153	2	3	7	14	20	43	53
20-34	219	8.3	40	2	3	7	10	15	18	33
35-49	1379	9.1	43	2	3	8	12	17	21	33
50-64	4125	10.0	72	2	3	8	12	19	25	42
65+	9556	11.0	105	2	3	8	13	22	31	62
GRAND TOTAL	**15295**	**10.5**	**90**	**2**	**3**	**8**	**13**	**20**	**28**	**55**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	10	1	1	2	4	5	7	18
20-34	48	3.6	7	<1	1	3	4	8	9	13
35-49	44	4.2	7	1	2	3	6	9	10	11
50-64	28	6.0	98	1	1	3	6	12	20	53
65+	17	4.6	10	<1	1	4	7	9	10	11
B. *Operated*										
0-19 YRS	175	3.4	4	<1	1	3	4	6	7	12
20-34	1183	3.7	5	1	2	3	5	6	7	11
35-49	1094	3.8	5	1	2	3	5	6	8	11
50-64	631	4.3	8	1	2	4	5	7	9	17
65+	218	4.9	20	1	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.7	12	<1	1	4	6	9	12	17
20-34	45	5.3	43	1	1	3	6	10	18	32
35-49	47	5.3	15	<1	1	4	8	9	10	24
50-64	77	6.3	22	1	2	5	9	11	16	25
65+	81	8.8	78	1	2	6	11	16	22	56
B. *Operated*										
0-19 YRS	91	4.9	17	1	2	4	5	9	12	24
20-34	834	4.6	8	2	2	4	5	7	10	16
35-49	927	5.1	28	2	2	4	5	8	11	22
50-64	893	5.9	23	2	2	5	7	11	15	31
65+	492	9.7	117	2	3	6	11	19	28	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.2	23	1	1	3	5	8	10	18
B. *Operated*	3301	3.9	7	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	288	6.4	40	1	1	5	8	13	16	32
B. *Operated*	3237	5.9	38	2	2	4	6	10	15	32
1. SINGLE DX	3471	3.9	7	1	2	3	5	6	8	13
2. MULTIPLE DX	3525	6.0	38	2	2	4	6	11	15	32
A. NOT OPERATED	458	5.6	35	1	1	4	7	10	15	31
B. OPERATED	6538	4.9	23	1	2	4	5	8	11	24
TOTAL 0-19 YRS	337	3.9	10	1	1	3	5	7	9	18
20-34	2110	4.1	7	1	2	4	5	7	8	13
35-49	2112	4.4	16	1	2	4	5	7	9	17
50-64	1629	5.3	19	2	2	4	6	9	13	26
65+	808	8.2	89	2	2	5	10	16	23	58
GRAND TOTAL	**6996**	**5.0**	**24**	**1**	**2**	**4**	**5**	**9**	**12**	**24**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	711	4.5	23	1	1	3	6	9	12	28
20-34	1152	6.0	25	1	2	5	8	11	15	25
35-49	733	5.9	25	1	1	4	7	12	15	28
50-64	630	5.8	26	1	1	5	7	12	15	24
65+	741	5.8	29	1	1	4	7	11	15	28
B. *Operated*										
0-19 YRS	244	8.6	58	1	2	7	11	18	24	36
20-34	705	9.5	81	1	2	7	12	19	27	45
35-49	485	9.1	80	1	2	7	12	19	26	39
50-64	517	8.4	60	1	1	6	11	19	25	35
65+	573	10.6	117	2	2	7	15	24	32	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582	5.4	30	1	1	4	7	10	14	24
20-34	1078	7.2	44	1	2	5	9	14	19	36
35-49	1133	7.1	33	2	2	6	9	13	18	29
50-64	1529	7.3	38	1	2	6	9	14	17	28
65+	3728	9.3	79	2	3	7	11	18	25	53
B. *Operated*										
0-19 YRS	220	11.7	183	1	2	8	15	25	42	88
20-34	1018	13.2	163	2	3	9	17	30	39	72
35-49	964	13.2	158	2	3	10	16	29	41	70
50-64	1411	14.8	210	2	3	11	19	33	47	99+
65+	2202	17.0	207	3	4	13	22	37	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3967	5.6	26	1	1	4	7	11	15	26
B. *Operated*	2524	9.3	83	1	2	7	13	20	27	42
2. MULTIPLE DX										
A. *Not Operated*	8050	8.0	58	1	2	6	10	16	21	40
B. *Operated*	5815	15.0	194	2	3	11	19	33	46	93
1. SINGLE DX	6491	7.1	52	1	1	5	9	15	21	36
2. MULTIPLE DX	13865	10.9	127	2	2	8	13	23	33	69
A. NOT OPERATED	12017	7.2	49	1	2	5	9	14	19	35
B. OPERATED	8339	13.3	167	2	2	10	17	29	41	81
TOTAL 0-19 YRS	1757	6.3	56	1	1	4	7	13	18	42
20-34	3953	8.8	84	1	2	6	11	18	27	50
35-49	3315	8.9	83	1	2	6	11	18	26	50
50-64	4087	9.8	112	1	2	7	12	20	29	65
65+	7244	11.4	131	2	2	8	14	24	34	72
GRAND TOTAL	**20356**	**9.7**	**106**	**1**	**2**	**7**	**12**	**21**	**29**	**60**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	33	8.3	48	2	2	6	11	14	28	31
35-49	96	10.6	59	3	3	8	14	22	27	37
50-64	125	10.7	80	2	3	8	14	21	27	46
65+	51	11.1	72	3	4	8	15	19	26	50
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	11	8.2	51	2	2	8	9	20	24	24
35-49	37	8.5	94	1	1	5	12	20	24	51
50-64	59	10.3	78	1	2	8	14	25	29	38
65+	26	13.1	109	2	2	11	17	26	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	196	11.9	91	3	4	9	15	25	30	50
35-49	590	13.3	119	3	4	10	17	26	35	60
50-64	971	15.3	162	3	5	11	20	30	43	69
65+	509	16.1	199	4	5	12	19	32	45	79
B. *Operated*										
0-19 YRS										
20-34	72	16.4	215	2	4	12	19	32	49	74
35-49	218	18.9	226	4	5	16	25	36	54	96
50-64	361	20.0	256	3	6	16	26	39	57	98
65+	145	21.3	205	4	6	19	30	43	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	10.4	69	2	3	8	13	21	27	39
B. *Operated*	134	10.2	87	1	2	8	14	22	28	49
2. MULTIPLE DX										
A. *Not Operated*	2267	14.6	154	3	4	11	18	29	40	68
B. *Operated*	796	19.6	236	3	5	16	26	39	56	99+
1. SINGLE DX	442	10.4	74	2	2	8	14	21	27	42
2. MULTIPLE DX	3063	15.9	180	3	4	12	20	32	44	77
A. NOT OPERATED	2575	14.1	146	3	4	10	18	28	38	66
B. OPERATED	930	18.3	225	2	4	15	24	38	52	99
TOTAL 0-19 YRS	5	5.8	34	1	1	4	7	16	16	16
20-34	312	12.4	119	2	4	9	15	25	32	62
35-49	941	14.1	145	3	4	11	18	28	37	68
50-64	1516	15.8	182	3	4	12	20	32	44	77
65+	731	16.7	195	4	5	13	22	35	47	86
GRAND TOTAL	**3505**	**15.2**	**170**	**3**	**4**	**11**	**19**	**30**	**41**	**74**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	14	1	1	6	7	11	12	12
20-34	48	6.6	44	1	2	5	8	14	16	42
35-49	66	6.6	31	<1	<1	5	10	15	17	25
50-64	75	9.3	104	1	2	7	11	18	26	63
65+	78	8.5	58	1	2	7	10	16	20	48
B. *Operated*										
0-19 YRS	29	3.0	6	1	1	2	3	6	9	12
20-34	186	4.0	27	1	1	2	5	9	11	33
35-49	150	4.4	35	<1	1	2	4	11	17	29
50-64	187	5.5	60	1	1	2	6	14	24	38
65+	82	7.0	101	1	1	3	8	18	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	24	1	1	4	7	12	17	18
20-34	77	9.4	58	1	2	7	11	20	29	35
35-49	204	11.8	97	2	3	9	14	21	30	56
50-64	583	12.4	97	2	3	10	15	25	32	50
65+	603	14.0	129	3	4	11	18	27	38	70
B. *Operated*										
0-19 YRS	12	9.3	91	1	1	5	13	25	30	31
20-34	110	10.3	113	1	1	7	15	22	32	51
35-49	207	12.8	213	1	2	8	16	31	42	72
50-64	418	14.6	250	1	2	10	21	33	45	82
65+	388	17.0	182	2	3	14	23	35	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	7.9	61	1	2	6	10	15	19	47
B. *Operated*	634	4.9	48	1	1	2	5	12	18	36
2. MULTIPLE DX										
A. *Not Operated*	1480	12.8	109	3	4	10	16	26	33	57
B. *Operated*	1135	14.6	209	1	2	11	20	32	44	72
1. SINGLE DX	908	5.8	54	1	1	3	7	13	19	38
2. MULTIPLE DX	2615	13.6	153	2	2	10	18	28	39	66
A. NOT OPERATED	1754	12.0	105	2	3	9	15	24	32	55
B. OPERATED	1769	11.1	173	1	1	6	16	27	38	67
TOTAL 0-19 YRS	61	5.0	31	1	1	3	6	12	16	30
20-34	421	6.9	64	1	1	4	9	15	22	41
35-49	627	9.8	125	1	1	7	13	21	30	59
50-64	1263	11.9	151	1	2	8	15	27	35	65
65+	1151	14.1	148	2	3	11	18	29	39	66
GRAND TOTAL	**3523**	**11.6**	**139**	**1**	**2**	**8**	**15**	**26**	**35**	**61**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	5.8	15	2	2	5	8	11	14	20
20-34	193	6.5	14	2	2	6	8	12	14	16
35-49	98	7.0	20	2	3	6	9	13	14	24
50-64	104	8.9	89	1	2	7	11	17	25	58
65+	71	9.0	46	2	2	8	11	18	19	40
B. *Operated*										
0-19 YRS	3	21.3	54	13	13	24	26	27	27	27
20-34	46	7.5	57	1	1	3	12	20	23	26
35-49	45	6.9	50	1	1	4	11	15	21	33
50-64	60	9.9	160	1	1	6	13	21	40	64
65+	27	10.7	73	1	2	10	18	23	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.9	22	2	2	6	8	13	16	23
20-34	174	8.6	69	2	3	7	11	15	21	33
35-49	230	10.5	69	3	4	8	13	19	26	39
50-64	419	12.8	109	3	4	9	16	28	36	64
65+	521	13.0	107	4	4	10	16	25	31	63
B. *Operated*										
0-19 YRS	11	10.5	77	2	2	11	15	24	27	27
20-34	50	10.8	86	1	2	9	14	20	35	44
35-49	80	15.1	240	1	2	11	21	35	43	82
50-64	149	16.7	151	2	3	16	22	30	39	62
65+	194	21.8	330	3	6	16	29	46	62	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	7.3	35	2	2	6	9	13	17	26
B. *Operated*	181	8.8	95	1	1	5	13	21	25	49
2. MULTIPLE DX										
A. *Not Operated*	1391	11.8	97	3	4	9	14	23	32	56
B. *Operated*	484	17.7	242	2	2	14	23	37	48	87
1. SINGLE DX	713	7.7	51	1	2	6	10	15	20	33
2. MULTIPLE DX	1875	13.3	141	2	4	10	16	27	36	68
A. NOT OPERATED	1923	10.5	84	2	3	8	13	21	28	49
B. OPERATED	665	15.3	217	1	2	12	21	33	44	83
TOTAL 0-19 YRS	127	7.0	29	2	2	5	9	14	21	27
20-34	463	7.8	48	2	2	6	10	14	19	34
35-49	453	10.2	93	2	2	7	13	21	29	44
50-64	732	12.8	125	2	3	9	17	27	35	63
65+	813	14.7	170	3	4	11	18	29	42	82
GRAND TOTAL	**2588**	**11.8**	**122**	**2**	**3**	**8**	**15**	**24**	**34**	**63**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	15	1	1	3	5	11	15	16
20-34	327	3.7	6	1	1	3	5	7	8	12
35-49	362	4.0	7	1	1	4	5	8	9	13
50-64	374	4.7	10	1	2	4	6	9	11	16
65+	332	6.1	16	2	2	5	8	10	14	21
B. *Operated*										
0-19 YRS	190	7.7	9	5	5	7	9	11	13	19
20-34	2892	7.7	7	5	5	7	9	11	13	17
35-49	3012	8.1	9	5	5	7	9	12	14	19
50-64	3272	8.8	12	5	6	8	10	13	15	21
65+	1716	10.8	24	6	7	9	13	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.5	9	1	1	3	6	10	11	12
20-34	255	4.7	11	1	1	4	6	9	11	19
35-49	383	5.6	14	1	2	5	7	10	13	20
50-64	848	6.5	18	2	2	6	8	12	14	22
65+	1805	9.2	52	2	3	7	11	17	23	46
B. *Operated*										
0-19 YRS	89	10.4	25	5	5	10	14	16	17	30
20-34	1555	9.9	24	5	6	8	12	16	19	29
35-49	2390	10.5	33	5	6	9	12	16	20	31
50-64	4066	12.0	43	6	7	10	14	19	24	37
65+	4758	16.3	94	7	8	14	20	27	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1429	4.6	11	1	1	4	6	8	10	16
B. *Operated*	11082	8.6	13	5	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	3315	7.7	38	2	2	6	10	14	18	33
B. *Operated*	12858	13.0	64	6	7	11	16	22	27	46
1. SINGLE DX	12511	8.2	14	3	5	8	9	13	15	21
2. MULTIPLE DX	16173	11.9	64	4	5	10	15	21	26	44
A. NOT OPERATED	4744	6.8	32	1	2	6	8	13	17	30
B. OPERATED	23940	11.0	45	5	6	9	13	18	23	38
TOTAL 0-19 YRS	337	7.9	17	2	3	7	10	14	16	21
20-34	5029	8.0	16	3	4	7	9	13	15	23
35-49	6147	8.6	22	3	5	8	10	14	16	24
50-64	8560	9.9	32	4	5	9	12	16	20	31
65+	8611	13.3	80	4	6	11	16	24	29	51
GRAND TOTAL	**28684**	**10.3**	**46**	**4**	**5**	**8**	**12**	**18**	**22**	**37**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.6	13	2	2	4	5	7	12	20
20-34	357	4.3	7	1	2	4	6	8	9	12
35-49	300	4.5	7	1	1	4	6	8	10	13
50-64	277	5.0	10	1	1	4	7	9	11	15
65+	252	6.0	13	1	2	5	8	11	12	19
B. *Operated*										
0-19 YRS	21	10.0	25	5	5	9	12	19	19	20
20-34	261	8.8	16	5	5	8	10	14	16	24
35-49	276	8.5	15	4	5	7	10	14	17	21
50-64	265	10.6	35	5	6	9	12	16	19	40
65+	202	12.2	35	6	7	11	14	19	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.8	13	1	2	4	6	8	9	22
20-34	252	4.9	11	1	2	4	6	9	12	16
35-49	295	6.5	20	2	2	6	8	11	15	25
50-64	456	7.0	25	2	2	6	9	12	15	26
65+	930	9.8	58	3	4	8	12	18	24	54
B. *Operated*										
0-19 YRS	16	10.6	74	3	4	8	10	29	32	33
20-34	238	11.0	36	5	6	9	14	19	22	33
35-49	381	12.2	48	5	6	10	15	21	27	39
50-64	497	13.7	78	6	6	11	16	23	30	54
65+	705	19.2	162	7	8	16	23	36	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1219	4.9	9	1	2	4	7	9	11	14
B. *Operated*	1025	9.9	27	5	6	8	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	1973	7.9	41	2	3	6	10	14	20	36
B. *Operated*	1837	15.1	110	6	7	12	18	27	36	67
1. SINGLE DX	2244	7.1	23	1	2	6	9	13	16	23
2. MULTIPLE DX	3810	11.4	87	2	3	9	14	22	30	56
A. NOT OPERATED	3192	6.7	31	1	2	5	8	12	16	30
B. OPERATED	2862	13.2	86	5	6	10	16	23	31	57
TOTAL 0-19 YRS	110	6.6	30	2	2	5	8	11	19	32
20-34	1108	6.9	23	2	2	6	9	13	16	24
35-49	1252	8.2	33	2	3	7	10	15	19	31
50-64	1495	9.5	53	2	3	8	11	17	22	42
65+	2089	12.7	109	3	4	10	15	25	34	77
GRAND TOTAL	**6054**	**9.8**	**68**	**2**	**3**	**8**	**12**	**19**	**25**	**46**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	44	2	2	3	11	14	14	14
20-34	24	4.3	9	1	1	4	6	8	10	11
35-49	39	4.3	10	1	1	4	6	9	11	13
50-64	36	5.9	14	2	2	5	7	10	15	17
65+	71	6.0	14	1	2	5	8	10	11	20
B. *Operated*										
0-19 YRS	10	11.1	45	2	4	9	17	21	24	24
20-34	95	8.6	14	1	5	8	11	14	16	18
35-49	112	9.5	55	1	2	9	12	17	21	41
50-64	176	9.8	29	2	3	9	13	17	20	27
65+	243	13.4	71	2	3	13	18	24	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	14	8.2	50	2	3	5	12	17	26	28
35-49	41	6.8	12	2	3	6	8	12	14	16
50-64	62	8.5	40	2	3	7	10	17	21	33
65+	233	9.8	55	2	3	8	12	18	23	49
B. *Operated*										
0-19 YRS	3	12.3	21	7	7	15	15	15	15	15
20-34	74	10.8	35	2	5	10	13	16	19	37
35-49	102	14.4	76	5	7	12	17	24	29	53
50-64	249	15.6	62	4	7	15	19	25	32	43
65+	689	19.7	139	4	8	18	25	33	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	5.3	13	1	1	5	8	10	11	17
B. *Operated*	636	11.0	51	2	2	10	15	20	24	30
2. MULTIPLE DX										
A. *Not Operated*	353	9.1	47	2	3	8	12	17	21	39
B. *Operated*	1117	17.7	116	4	7	16	22	30	38	63
1. SINGLE DX	809	9.8	48	1	2	9	13	18	23	29
2. MULTIPLE DX	1470	15.6	113	3	5	14	20	28	36	62
A. NOT OPERATED	526	7.9	39	2	2	6	10	15	19	30
B. OPERATED	1753	15.2	103	2	5	13	20	27	33	58
TOTAL 0-19 YRS	19	9.6	40	2	2	8	15	18	21	24
20-34	207	8.8	27	1	3	8	11	15	16	31
35-49	294	10.1	62	1	2	9	13	18	23	37
50-64	523	12.2	57	2	3	11	16	21	25	35
65+	1236	15.8	124	2	4	14	21	28	37	63
GRAND TOTAL	**2279**	**13.5**	**98**	**2**	**3**	**12**	**18**	**25**	**30**	**55**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.6	10	3	4	7	9	12	13	13
20-34	25	5.7	15	1	1	6	7	12	14	14
35-49	37	5.6	12	1	1	5	8	11	12	12
50-64	55	7.1	18	1	2	7	10	13	15	16
65+	68	7.1	53	2	3	5	8	13	16	48
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	24	6.2	44	1	1	4	9	18	23	24
35-49	26	8.5	61	1	1	6	11	21	27	29
50-64	31	6.3	51	1	1	3	9	20	23	26
65+	45	12.4	99	2	2	12	16	28	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	9	<1	1	5	8	9	11	11
20-34	24	7.8	35	2	3	6	10	17	21	25
35-49	62	6.7	16	2	2	6	9	12	14	19
50-64	127	9.8	76	2	3	8	12	17	23	47
65+	342	13.6	156	3	4	10	16	23	39	83
B. *Operated*										
0-19 YRS	2	19.0	578	2	2	19	36	36	36	36
20-34	33	17.2	244	3	4	15	21	42	53	65
35-49	63	17.7	171	2	3	15	25	37	51	94
50-64	145	20.5	229	2	4	17	26	36	52	93
65+	319	22.5	216	5	8	20	28	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	6.7	29	1	2	6	9	12	14	26
B. *Operated*	128	8.9	74	1	1	6	12	22	26	36
2. MULTIPLE DX										
A. *Not Operated*	566	11.6	122	2	3	9	14	21	33	64
B. *Operated*	562	21.1	219	3	5	18	27	40	53	98
1. SINGLE DX	320	7.5	48	1	1	6	10	15	21	31
2. MULTIPLE DX	1128	16.3	193	2	4	13	21	34	46	84
A. NOT OPERATED	758	10.3	103	2	3	8	12	19	26	54
B. OPERATED	690	18.8	214	2	3	16	25	37	50	92
TOTAL 0-19 YRS	22	7.3	51	1	2	6	8	12	22	36
20-34	106	9.9	120	1	1	6	14	22	28	59
35-49	188	10.4	100	1	2	8	13	25	33	54
50-64	358	13.4	162	1	2	10	17	28	38	79
65+	774	16.6	195	3	4	13	21	34	46	88
GRAND TOTAL	**1448**	**14.4**	**174**	**2**	**3**	**11**	**19**	**30**	**41**	**81**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	6.0	10	2	3	6	7	9	11	19
20-34	563	7.0	34	2	3	6	8	12	15	27
35-49	668	7.5	31	2	3	6	9	14	17	34
50-64	438	7.7	31	2	3	7	9	13	16	29
65+	268	8.1	39	2	3	7	10	13	19	36
B. *Operated*										
0-19 YRS	7	10.1	109	<1	<1	7	12	28	32	32
20-34	66	13.2	108	1	2	11	17	26	36	48
35-49	100	14.1	191	1	2	11	16	25	44	75
50-64	77	12.9	129	1	2	10	19	34	38	86
65+	46	13.3	213	1	1	10	16	37	45	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.8	12	2	3	5	7	9	11	22
20-34	750	8.8	44	2	3	7	11	17	21	32
35-49	1253	9.3	53	3	4	7	11	16	22	41
50-64	1060	9.9	59	3	4	8	12	18	23	39
65+	1013	11.7	81	3	5	9	14	21	28	58
B. *Operated*										
0-19 YRS	11	19.9	222	2	5	16	31	42	49	50
20-34	190	18.7	253	3	5	14	22	39	55	93
35-49	311	19.9	266	3	5	15	25	47	56	79
50-64	358	20.1	202	4	6	16	25	40	53	81
65+	314	22.9	245	6	8	19	28	46	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2023	7.4	32	2	3	6	9	13	16	31
B. *Operated*	296	13.4	156	1	2	10	17	28	41	68
2. MULTIPLE DX										
A. *Not Operated*	4122	9.9	61	3	4	8	12	18	24	44
B. *Operated*	1184	20.6	240	4	6	17	26	44	56	93
1. SINGLE DX	2319	8.2	52	2	3	6	10	15	20	41
2. MULTIPLE DX	5306	12.3	120	3	4	9	15	24	33	63
A. NOT OPERATED	6145	9.1	53	3	3	7	11	16	21	40
B. OPERATED	1480	19.1	232	2	5	15	25	41	54	82
TOTAL 0-19 YRS	150	7.2	43	2	3	6	8	12	19	36
20-34	1569	9.5	82	2	3	7	11	18	25	49
35-49	2332	10.4	97	2	3	8	12	20	29	60
50-64	1933	11.4	100	3	4	8	14	23	30	58
65+	1641	13.3	133	3	4	10	16	26	38	68
GRAND TOTAL	**7625**	**11.0**	**103**	**2**	**3**	**8**	**13**	**22**	**30**	**59**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.9	7	1	1	3	5	7	9	12
20-34	152	4.6	10	1	1	4	6	8	11	14
35-49	147	4.3	8	1	1	4	6	7	9	12
50-64	199	5.6	16	1	2	5	7	10	13	22
65+	364	6.9	22	1	2	6	9	13	16	24
B. *Operated*										
0-19 YRS	6	5.0	3	2	2	5	6	7	7	7
20-34	20	6.9	25	1	1	6	10	14	16	18
35-49	25	7.4	26	1	2	6	10	14	18	20
50-64	33	10.5	57	2	3	9	14	17	20	42
65+	58	8.7	34	2	3	8	11	14	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	4.6	17	1	1	4	6	8	10	24
20-34	291	5.0	21	1	2	4	6	9	11	16
35-49	469	6.8	30	2	2	6	8	12	15	27
50-64	1028	7.9	38	2	3	7	10	14	18	31
65+	2984	9.7	68	3	3	8	12	17	23	51
B. *Operated*										
0-19 YRS	17	8.8	31	1	1	9	12	15	19	21
20-34	53	10.0	111	2	3	8	12	16	24	73
35-49	122	10.9	96	2	3	8	14	22	28	53
50-64	344	13.8	118	4	5	10	17	29	37	61
65+	785	15.7	143	4	5	13	20	31	43	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	5.6	16	1	2	5	7	10	14	21
B. *Operated*	142	8.5	36	2	2	7	11	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	4876	8.6	56	2	3	7	10	15	20	41
B. *Operated*	1321	14.4	132	4	5	11	18	29	39	76
1. SINGLE DX	1100	5.9	20	1	2	5	8	11	14	22
2. MULTIPLE DX	6197	9.9	78	2	3	8	12	19	26	54
A. NOT OPERATED	5834	8.1	51	2	3	6	10	15	19	38
B. OPERATED	1463	13.9	126	3	5	11	17	28	38	74
TOTAL 0-19 YRS	223	4.6	15	1	1	4	6	9	11	17
20-34	516	5.5	29	1	2	4	7	10	13	21
35-49	763	7.0	40	1	2	6	8	13	17	32
50-64	1604	8.9	60	2	3	7	11	16	22	43
65+	4191	10.6	84	3	3	8	13	20	28	54
GRAND TOTAL	**7297**	**9.3**	**71**	**2**	**3**	**7**	**11**	**18**	**24**	**49**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.0	12	2	2	4	5	10	12	18
20-34	12	7.1	23	2	3	6	9	13	19	20
35-49	11	5.7	11	<1	1	5	9	10	10	10
50-64	13	8.2	61	2	2	5	8	24	26	26
65+	15	9.8	43	1	3	7	16	19	21	21
B. *Operated*										
0-19 YRS	7	6.9	121	<1	<1	2	7	27	31	31
20-34	11	7.2	29	1	1	7	10	16	18	18
35-49	10	14.8	385	<1	2	8	11	48	65	65
50-64	18	9.2	34	2	2	9	13	18	20	21
65+	14	13.9	124	1	1	10	22	30	36	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.6	27	2	2	5	8	13	21	25
20-34	31	10.7	64	2	3	9	15	23	25	34
35-49	39	9.9	63	3	3	8	12	18	27	41
50-64	58	12.6	97	2	3	10	16	26	32	51
65+	92	13.7	104	3	4	11	18	25	35	55
B. *Operated*										
0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	19	13.5	96	2	3	12	19	29	32	35
35-49	33	17.6	217	3	4	15	20	36	54	62
50-64	42	19.9	322	3	5	13	27	38	67	82
65+	39	22.9	390	5	6	17	30	47	73	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	6.3	25	2	2	5	8	11	19	25
B. *Operated*	60	10.6	123	<1	1	8	13	23	31	62
2. MULTIPLE DX										
A. *Not Operated*	270	11.3	83	2	3	8	15	23	28	46
B. *Operated*	136	19.0	285	3	4	14	25	40	60	83
1. SINGLE DX	176	7.7	62	1	2	5	10	17	22	36
2. MULTIPLE DX	406	13.9	164	2	3	10	18	28	37	69
A. NOT OPERATED	386	9.8	71	2	3	7	13	21	25	41
B. OPERATED	196	16.4	250	2	3	11	20	34	50	81
TOTAL 0-19 YRS	125	5.8	24	2	2	4	7	11	16	26
20-34	73	10.3	64	2	2	9	14	23	28	35
35-49	93	12.7	159	2	3	9	16	30	40	64
50-64	131	14.0	173	2	3	10	17	28	35	76
65+	160	15.6	185	3	4	12	19	30	41	78
GRAND TOTAL	**582**	**12.0**	**141**	**2**	**3**	**9**	**15**	**26**	**34**	**64**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	7.4	34	1	2	6	10	15	20	30
20-34	34	6.5	34	1	2	5	8	15	21	26
35-49	16	6.2	12	1	2	6	9	11	12	12
50-64	9	10.4	27	2	3	11	14	17	18	18
65+	16	11.3	138	2	3	8	11	22	42	50
B. *Operated*										
0-19 YRS	43	5.0	23	2	2	3	6	11	17	23
20-34	50	4.3	11	1	2	3	6	9	12	15
35-49	34	5.2	14	2	2	4	7	11	13	19
50-64	24	6.2	26	2	2	4	9	13	17	21
65+	12	9.8	42	2	2	9	14	18	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	7.7	32	1	2	7	10	16	21	25
20-34	22	6.7	13	3	3	6	8	10	14	20
35-49	45	10.1	50	2	3	8	14	20	25	31
50-64	58	11.4	82	3	4	8	13	26	30	46
65+	146	13.9	172	1	2	10	18	32	48	68
B. *Operated*										
0-19 YRS	25	10.2	171	1	2	5	13	24	35	63
20-34	70	10.0	64	2	3	7	15	22	27	30
35-49	70	12.6	121	2	2	9	19	28	34	46
50-64	112	12.8	131	2	3	9	18	28	39	77
65+	99	17.9	242	1	3	15	24	40	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.6	42	2	2	6	10	15	21	33
B. *Operated*	163	5.4	20	2	2	3	7	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	339	11.3	109	1	2	8	14	23	31	60
B. *Operated*	376	13.4	155	2	2	9	19	29	40	70
1. SINGLE DX	337	6.5	33	2	2	5	8	13	18	24
2. MULTIPLE DX	715	12.4	134	2	2	9	17	27	37	65
A. NOT OPERATED	513	10.0	89	1	2	8	12	21	27	50
B. OPERATED	539	11.0	128	2	2	7	15	25	36	64
TOTAL 0-19 YRS	235	7.3	47	1	2	5	10	15	20	28
20-34	176	7.3	42	2	2	5	8	19	22	28
35-49	165	9.8	77	2	2	7	13	22	28	44
50-64	203	11.5	104	2	3	8	15	26	35	55
65+	273	15.0	194	1	3	11	18	36	48	74
GRAND TOTAL	**1052**	**10.5**	**109**	**2**	**2**	**7**	**14**	**23**	**31**	**60**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	5.8	14	2	2	5	6	11	13	19
20-34	7	5.4	18	1	1	3	9	12	12	12
35-49	4	4.5	6	3	3	4	6	8	8	8
50-64	2	13.5	221	3	3	13	24	24	24	24
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	7	3.1	5	1	1	2	5	7	7	7
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.2	24	1	2	7	10	13	15	23
20-34	8	7.9	12	3	4	7	9	13	15	15
35-49	7	0.6	34	4	5	9	14	20	21	21
50-64	5	8.0	20	3	3	7	12	14	14	14
65+	18	15.6	138	3	4	11	23	36	39	39
B. *Operated*										
0-19 YRS	7	10.1	50	3	3	9	12	22	24	24
20-34	3	8.7	2	7	7	9	10	10	10	10
35-49	12	11.6	43	2	5	11	14	20	27	28
50-64	3	9.3	140	2	2	3	18	23	23	23
65+	15	19.3	169	7	7	13	27	38	46	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.9	19	2	2	5	7	12	14	23
B. *Operated*	17	3.1	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	73	9.7	61	2	3	7	12	20	27	39
B. *Operated*	40	13.8	107	2	4	10	17	28	35	49
1. SINGLE DX	81	5.3	17	2	2	4	6	10	13	22
2. MULTIPLE DX	113	11.2	80	2	3	9	13	23	29	43
A. NOT OPERATED	137	7.9	45	2	2	6	10	15	22	39
B. OPERATED	57	10.6	100	2	2	8	13	26	31	48
TOTAL 0-19 YRS	99	6.4	21	2	2	6	9	13	15	24
20-34	23	6.2	14	1	2	7	9	11	13	15
35-49	26	9.2	39	2	3	8	13	16	22	28
50-64	12	8.4	63	2	2	4	12	23	24	24
65+	34	16.9	151	4	4	12	26	38	39	49
GRAND TOTAL	**194**	**8.7**	**62**	**2**	**2**	**7**	**11**	**19**	**26**	**39**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	5	<1	<1	2	4	6	7	7
20-34	20	2.5	6	1	1	1	2	7	8	9
35-49	26	3.9	46	<1	<1	1	2	12	21	30
50-64	63	4.7	65	1	1	2	4	9	16	47
65+	74	4.9	72	<1	1	2	5	10	21	47
B. *Operated*										
0-19 YRS	6	8.2	215	1	1	3	3	34	38	38
20-34	54	9.4	103	1	2	4	13	24	28	45
35-49	63	5.7	40	1	2	4	6	10	24	32
50-64	148	6.8	88	<1	<1	3	8	17	23	54
65+	109	7.6	63	2	2	4	9	18	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.8	310	<1	1	6	12	33	60	62
20-34	72	7.3	85	1	1	4	9	16	18	50
35-49	131	4.4	26	1	1	2	5	12	15	25
50-64	324	7.1	78	1	1	4	9	16	23	44
65+	522	11.6	100	1	2	9	15	24	31	50
B. *Operated*										
0-19 YRS	20	11.7	177	1	2	5	19	40	70	99+
20-34	194	12.3	170	1	2	7	17	30	41	70
35-49	298	11.9	146	1	2	8	17	30	38	58
50-64	701	11.4	182	<1	<1	7	15	29	39	78
65+	627	18.5	335	2	3	12	27	46	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.3	56	<1	1	2	4	9	14	45
B. *Operated*	380	7.3	77	<1	1	4	8	20	25	43
2. MULTIPLE DX										
A. *Not Operated*	1060	9.0	92	1	1	6	13	19	27	49
B. *Operated*	1840	14.0	237	<1	1	9	19	35	48	92
1. SINGLE DX	571	6.3	72	<1	1	3	7	16	23	43
2. MULTIPLE DX	2900	12.2	190	<1	1	8	16	30	41	82
A. NOT OPERATED	1251	8.3	89	1	1	5	11	19	27	48
B. OPERATED	2220	12.8	216	<1	1	8	17	32	45	85
TOTAL 0-19 YRS	45	9.4	183	<1	1	4	11	36	49	99+
20-34	340	10.2	139	1	1	5	14	25	34	64
35-49	518	8.8	110	1	1	5	11	22	31	51
50-64	1236	9.4	143	<1	<1	5	12	24	34	70
65+	1332	14.1	226	1	2	9	18	34	47	92
GRAND TOTAL	**3471**	**11.2**	**175**	**<1**	**1**	**7**	**15**	**29**	**39**	**78**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	128	2	2	6	22	26	26	26
20-34	4	5.3	11	1	1	5	7	9	9	9
35-49	5	7.2	48	1	1	3	13	17	17	17
50-64	9	6.3	11	<1	1	7	8	11	12	12
65+	32	10.5	103	<1	1	7	13	29	35	36
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	5.3	16	1	1	6	8	9	9	9
35-49	14	10.4	92	2	2	7	15	24	33	36
50-64	18	10.3	185	<1	1	4	11	32	43	49
65+	14	19.6	667	<1	1	10	26	54	87	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.3	49	<1	<1	4	15	18	21	21
20-34	36	10.4	231	1	1	5	10	28	35	82
35-49	39	8.6	34	1	2	8	13	18	20	21
50-64	102	10.3	74	1	2	8	14	23	27	39
65+	457	14.8	157	2	4	12	19	31	39	99
B. *Operated*										
0-19 YRS	37	1.4	1	<1	<1	<1	<1	3	5	5
20-34	27	15.9	260	<1	1	9	26	40	54	59
35-49	52	18.4	341	2	4	13	23	41	60	95
50-64	112	20.4	307	2	3	16	28	44	67	99+
65+	232	25.3	370	4	5	20	36	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	9.2	79	<1	1	6	12	21	33	36
B. *Operated*	52	12.0	283	<1	1	5	16	31	47	95
2. MULTIPLE DX										
A. *Not Operated*	644	13.3	143	2	3	10	17	28	36	96
B. *Operated*	460	20.9	356	<1	2	16	30	48	69	99+
1. SINGLE DX	107	10.6	178	<1	1	6	12	26	35	69
2. MULTIPLE DX	1104	16.5	246	1	2	12	22	37	53	99+
A. NOT OPERATED	699	13.0	139	2	2	10	17	27	36	88
B. OPERATED	512	20.0	355	<1	2	16	29	48	68	99+
TOTAL 0-19 YRS	55	3.4	30	<1	<1	<1	3	6	19	26
20-34	70	12.0	228	1	1	6	14	29	41	77
35-49	110	13.4	207	2	3	9	17	31	41	76
50-64	241	14.8	214	1	2	11	21	33	44	99
65+	735	18.0	256	2	4	13	24	40	58	99+
GRAND TOTAL	**1211**	**15.9**	**242**	**1**	**2**	**12**	**21**	**36**	**49**	**99+**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	4.8	7	2	2	4	6	7	8	16
20-34	294	5.1	6	2	3	5	6	8	10	14
35-49	69	5.2	5	2	3	5	6	8	9	11
50-64	60	5.4	6	2	3	5	7	8	10	14
65+	55	7.5	15	3	4	7	9	12	15	21
B. *Operated*										
0-19 YRS	11	6.5	4	3	4	7	8	9	10	10
20-34	11	6.7	8	3	3	7	9	10	11	11
35-49	8	7.8	13	4	4	7	11	13	13	13
50-64	5	7.4	39	1	1	5	13	15	15	15
65+	6	9.3	14	4	4	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	5.9	10	2	3	5	7	9	12	18
20-34	286	6.1	9	2	3	6	8	10	12	17
35-49	176	7.8	13	3	4	7	10	12	14	21
50-64	189	8.5	28	3	4	7	10	15	17	26
65+	353	11.6	55	4	5	9	14	21	26	38
B. *Operated*										
0-19 YRS	24	10.1	32	2	4	9	14	18	21	21
20-34	55	9.7	37	2	4	8	12	18	22	33
35-49	53	12.8	108	3	5	10	16	21	36	52
50-64	59	12.5	45	4	6	11	17	22	24	38
65+	104	18.1	142	7	8	15	22	32	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	661	5.2	8	2	3	5	6	8	10	15
B. *Operated*	41	7.3	12	3	3	7	10	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	1150	8.4	32	3	4	7	10	14	19	32
B. *Operated*	295	13.8	98	4	5	11	17	25	33	55
1. SINGLE DX	702	5.4	8	2	3	5	7	9	11	15
2. MULTIPLE DX	1445	9.5	50	3	4	8	11	17	23	39
A. NOT OPERATED	1811	7.2	26	2	3	6	9	13	17	27
B. OPERATED	336	13.0	92	4	5	11	16	23	31	53
TOTAL 0-19 YRS	364	5.6	12	2	2	5	7	9	12	20
20-34	646	6.0	12	2	3	5	7	10	12	21
35-49	306	8.1	33	3	3	7	10	13	16	34
50-64	313	8.6	32	3	4	7	10	16	20	27
65+	518	12.4	77	4	5	10	15	23	29	53
GRAND TOTAL	**2147**	**8.2**	**40**	**2**	**3**	**6**	**10**	**15**	**20**	**33**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	4.7	9	2	2	4	6	7	10	15
20-34	334	4.7	6	2	2	4	6	8	9	14
35-49	107	5.5	15	2	2	5	7	9	11	23
50-64	59	5.9	12	2	2	5	8	10	14	92
65+	53	7.8	30	2	3	6	9	14	21	26
B. *Operated*										
0-19 YRS	37	5.3	19	<1	<1	5	7	9	15	20
20-34	62	7.0	28	1	2	7	9	13	18	26
35-49	29	7.8	39	1	2	7	10	16	18	27
50-64	27	6.4	37	1	1	4	8	18	20	21
65+	23	14.3	179	1	2	9	21	31	42	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.6	22	2	2	4	7	10	12	15
20-34	316	5.9	15	2	3	5	7	10	13	18
35-49	186	7.3	25	2	3	6	9	13	17	36
50-64	219	8.0	28	2	3	7	10	14	18	26
65+	428	11.3	65	4	5	9	13	20	25	46
B. *Operated*										
0-19 YRS	76	6.7	28	<1	1	6	9	15	16	23
20-34	119	8.9	37	2	2	8	11	19	22	51
35-49	120	12.2	71	2	3	10	16	22	30	39
50-64	151	14.5	129	2	3	11	20	29	36	54
65+	242	17.2	187	<1	3	14	23	38	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	782	5.1	11	2	2	4	6	9	11	19
B. *Operated*	178	7.6	55	<1	1	6	9	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	1312	8.2	41	2	3	7	10	14	20	39
B. *Operated*	708	13.2	126	1	2	10	18	27	37	59
1. SINGLE DX	960	5.6	20	1	2	5	7	10	13	26
2. MULTIPLE DX	2020	10.0	77	2	3	8	12	20	27	50
A. NOT OPERATED	2094	7.0	32	2	3	5	9	13	17	32
B. OPERATED	886	12.1	116	1	2	9	16	26	34	55
TOTAL 0-19 YRS	505	5.3	17	1	2	4	6	9	12	19
20-34	831	5.9	18	2	2	5	7	11	14	23
35-49	442	8.2	42	2	2	6	10	16	21	34
50-64	456	9.8	71	2	3	7	12	20	27	46
65+	746	13.1	115	2	4	10	16	25	36	57
GRAND TOTAL	**2980**	**8.5**	**63**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.1	3	1	1	3	4	5	6	8
20-34	427	2.6	4	1	1	2	3	5	6	9
35-49	526	2.6	3	1	1	2	3	5	6	9
50-64	331	3.0	6	1	1	2	4	6	7	13
65+	120	3.8	7	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	24	8.8	30	2	3	8	12	14	19	27
20-34	205	9.1	21	2	3	9	12	16	17	22
35-49	340	9.2	25	2	2	9	12	15	18	26
50-64	353	9.7	30	2	3	9	13	16	19	27
65+	158	10.9	38	2	3	10	14	18	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	4	1	1	3	5	6	7	7
20-34	292	3.7	10	1	1	3	5	7	9	14
35-49	394	3.9	11	1	1	3	5	7	9	16
50-64	522	4.5	12	1	2	3	6	9	11	19
65+	351	7.3	73	1	2	5	8	13	18	44
B. *Operated*										
0-19 YRS	21	8.7	26	1	3	8	12	16	18	19
20-34	156	9.2	31	2	3	8	11	17	21	26
35-49	322	10.4	65	2	3	9	13	19	24	44
50-64	608	11.6	71	2	3	10	15	22	27	44
65+	496	14.6	130	2	3	12	19	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1452	2.8	4	1	1	2	4	5	7	11
B. *Operated*	1080	9.6	28	2	3	9	12	16	18	27
2. MULTIPLE DX										
A. *Not Operated*	1598	4.8	26	1	1	4	6	9	12	22
B. *Operated*	1603	12.0	87	2	3	10	15	23	28	50
1. SINGLE DX	2532	5.7	26	1	1	4	9	13	15	23
2. MULTIPLE DX	3201	8.4	70	1	2	6	11	18	24	42
A. NOT OPERATED	3050	3.8	17	1	1	3	5	7	10	18
B. OPERATED	2683	11.0	65	2	3	10	14	20	25	42
TOTAL 0-19 YRS	132	5.1	18	1	1	4	7	11	14	20
20-34	1080	5.1	21	1	1	3	7	11	14	21
35-49	1582	5.9	33	1	1	4	8	13	16	26
50-64	1814	7.6	47	1	2	6	10	16	20	34
65+	1125	10.6	102	2	2	8	14	22	28	53
GRAND TOTAL	**5733**	**7.2**	**52**	**1**	**1**	**5**	**10**	**15**	**20**	**34**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.7	4	1	1	2	3	5	6	11
20-34	1292	2.3	2	1	1	2	3	4	5	8
35-49	1571	2.4	3	1	1	2	3	4	5	8
50-64	1125	2.8	3	1	1	2	3	5	6	9
65+	244	3.0	4	1	1	3	4	5	6	10
B. *Operated*										
0-19 YRS	53	6.2	11	2	3	5	8	11	12	17
20-34	764	6.6	17	2	2	6	9	12	14	20
35-49	953	6.6	19	2	2	6	9	12	15	21
50-64	875	7.1	22	2	2	6	9	13	16	23
65+	280	8.0	28	2	2	7	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.3	8	1	1	3	4	5	7	20
20-34	432	3.1	4	1	1	3	4	6	7	10
35-49	565	3.1	4	1	1	3	4	6	7	10
50-64	747	3.6	6	1	1	3	5	7	8	13
65+	343	4.9	15	1	2	4	6	10	12	23
B. *Operated*										
0-19 YRS	23	6.0	8	3	3	5	8	10	12	14
20-34	304	8.0	29	2	3	7	10	15	18	27
35-49	457	8.1	35	2	2	7	11	16	19	30
50-64	797	9.8	48	2	3	8	13	18	22	32
65+	573	12.4	87	3	4	10	16	23	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4350	2.5	3	1	1	2	3	5	6	8
B. *Operated*	2925	6.9	20	2	2	6	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	2136	3.6	7	1	1	3	5	7	8	13
B. *Operated*	2154	9.9	56	2	3	8	13	18	23	38
1. SINGLE DX	7275	4.3	14	1	1	3	5	9	12	18
2. MULTIPLE DX	4290	6.7	41	1	2	5	9	14	18	30
A. NOT OPERATED	6486	2.9	4	1	1	2	4	5	7	10
B. OPERATED	5079	8.1	37	2	2	7	10	15	19	29
TOTAL 0-19 YRS	243	3.9	9	1	1	3	5	8	10	16
20-34	2792	4.2	14	1	1	3	5	9	12	18
35-49	3546	4.4	17	1	1	3	6	10	12	19
50-64	3544	5.6	26	1	1	4	7	12	15	24
65+	1440	8.2	58	1	2	6	11	16	22	38
GRAND TOTAL	**11565**	**5.2**	**26**	**1**	**1**	**3**	**7**	**11**	**15**	**24**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.7	17	1	1	2	4	7	14	21
20-34	54	3.3	5	1	1	3	4	6	8	11
35-49	39	4.7	13	1	1	3	7	10	12	15
50-64	48	3.2	8	1	1	2	3	7	9	16
65+	51	4.9	12	1	2	4	7	10	13	15
B. *Operated*										
0-19 YRS	207	5.7	27	<1	<1	3	10	13	15	21
20-34	189	8.1	40	1	1	8	11	16	21	29
35-49	150	6.4	33	1	1	4	9	14	16	30
50-64	203	7.6	51	1	2	6	10	16	23	30
65+	141	8.0	89	1	1	4	12	18	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.9	13	1	1	3	5	7	8	23
20-34	93	5.5	35	1	2	4	7	10	14	39
35-49	82	6.9	52	1	1	4	9	15	22	37
50-64	180	7.3	43	2	2	6	9	14	18	39
65+	411	11.1	114	2	3	9	14	20	32	90
B. *Operated*										
0-19 YRS	247	8.1	56	<1	<1	8	12	16	22	35
20-34	231	10.2	66	1	2	8	15	20	26	38
35-49	311	10.2	83	1	2	9	14	20	26	46
50-64	530	12.0	123	2	2	9	16	26	32	57
65+	666	14.9	179	2	3	11	19	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.9	11	1	1	3	5	8	11	15
B. *Operated*	890	7.1	47	1	1	5	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	820	8.7	83	1	2	6	11	18	24	51
B. *Operated*	1985	12.0	126	1	2	9	16	25	33	57
1. SINGLE DX	1122	6.5	41	1	1	4	9	14	18	28
2. MULTIPLE DX	2805	11.0	115	1	2	8	14	23	32	56
A. NOT OPERATED	1052	7.7	71	1	2	5	10	16	21	44
B. OPERATED	2875	10.5	106	1	2	8	14	22	30	51
TOTAL 0-19 YRS	548	6.5	40	<1	<1	4	10	14	17	31
20-34	567	8.1	52	1	1	6	11	17	22	35
35-49	582	8.4	65	1	2	6	12	17	22	40
50-64	961	9.7	94	2	2	7	12	22	28	50
65+	1269	12.5	149	2	2	9	16	27	36	71
GRAND TOTAL	**3927**	**9.7**	**98**	**1**	**2**	**7**	**13**	**21**	**28**	**50**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	7	<1	<1	2	4	7	8	8
20-34	92	2.4	3	1	1	2	3	4	7	9
35-49	131	2.7	6	<1	1	2	3	5	7	13
50-64	72	2.8	4	1	1	2	4	5	7	9
65+	18	3.7	6	1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	8	8.0	67	1	1	4	15	20	21	21
20-34	56	7.0	26	1	2	6	9	16	17	23
35-49	69	6.4	27	1	2	4	9	12	15	31
50-64	108	6.7	38	2	2	4	9	14	16	36
65+	83	7.2	34	1	2	5	11	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	5	2	2	5	6	7	7	7
20-34	52	3.7	13	1	1	3	5	6	7	26
35-49	62	3.5	6	1	1	3	5	7	8	13
50-64	68	4.5	9	2	2	4	5	9	10	16
65+	59	6.5	37	2	2	5	7	11	17	36
B. *Operated*										
0-19 YRS	10	4.4	9	2	2	3	4	10	11	11
20-34	56	8.2	85	2	2	5	9	17	33	47
35-49	85	7.8	35	1	2	7	10	15	19	30
50-64	229	8.8	66	2	2	6	12	19	24	40
65+	451	11.3	89	2	3	10	14	22	29	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	2.7	5	1	1	2	3	5	7	10
B. *Operated*	324	6.9	33	1	2	5	10	14	16	29
2. MULTIPLE DX										
A. *Not Operated*	245	4.6	17	1	2	4	5	8	10	26
B. *Operated*	831	10.0	78	2	2	8	13	19	26	47
1. SINGLE DX	645	4.8	23	1	1	3	6	12	14	23
2. MULTIPLE DX	1076	8.7	69	2	2	6	12	18	24	44
A. NOT OPERATED	566	3.5	11	1	1	3	4	7	8	16
B. OPERATED	1155	9.1	68	2	2	7	12	18	24	41
TOTAL 0-19 YRS	30	5.0	25	1	1	3	6	12	18	21
20-34	256	4.9	33	1	1	3	6	10	16	37
35-49	347	4.9	22	1	1	3	7	10	14	24
50-64	477	6.8	47	1	2	4	9	15	19	36
65+	611	10.1	79	2	2	8	13	19	27	47
GRAND TOTAL	**1721**	**7.3**	**56**	**1**	**2**	**5**	**10**	**16**	**20**	**37**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.2	4	1	1	3	4	5	7	11
20-34	91	3.7	17	<1	1	3	4	6	9	26
35-49	38	3.3	3	1	1	4	4	6	6	7
50-64	36	4.3	6	1	2	4	6	7	10	12
65+	55	5.5	21	1	2	4	7	9	16	23
B. *Operated*										
0-19 YRS	180	2.3	4	<1	<1	2	3	5	6	9
20-34	254	3.1	14	<1	<1	2	4	6	8	20
35-49	248	2.8	4	<1	1	2	3	5	7	11
50-64	308	3.3	11	1	1	2	4	6	9	19
65+	388	4.5	17	1	1	3	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.4	4	1	1	3	4	6	6	12
20-34	120	4.5	10	1	1	4	6	3	10	20
35-49	84	5.3	13	1	2	5	7	9	11	73
50-64	149	7.2	43	2	2	6	8	14	18	35
65+	483	10.1	69	2	3	8	13	19	30	86
B. *Operated*										
0-19 YRS	209	2.7	6	<1	<1	2	3	6	7	15
20-34	380	3.8	18	<1	<1	2	5	9	12	21
35-49	500	4.5	22	<1	1	3	6	10	14	23
50-64	749	5.7	40	1	1	3	7	12	19	31
65+	1344	8.4	74	2	2	6	10	17	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.9	11	1	1	3	5	7	9	17
B. *Operated*	1378	3.4	12	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	936	7.8	52	2	2	6	9	16	22	58
B. *Operated*	3182	6.2	51	<1	1	4	8	14	19	36
1. SINGLE DX	1709	3.5	11	<1	1	2	4	7	9	19
2. MULTIPLE DX	4118	6.6	51	1	1	4	8	14	20	38
A. NOT OPERATED	1267	6.7	44	1	2	5	8	14	19	40
B. OPERATED	4560	5.4	40	<1	1	3	7	12	17	32
TOTAL 0-19 YRS	600	2.8	5	<1	<1	2	4	5	7	11
20-34	845	3.7	15	<1	<1	2	4	8	10	20
35-49	870	4.1	16	<1	1	3	5	9	12	21
50-64	1242	5.2	33	1	1	3	6	11	15	30
65+	2270	8.0	65	2	2	6	10	17	23	52
GRAND TOTAL	**5827**	**5.7**	**42**	**<1**	**1**	**4**	**7**	**12**	**17**	**38**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	3	6.0	28	2	2	4	10	12	12	12
35-49	7	2.4	5	<1	<1	1	3	6	7	7
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	14	5.3	20	1	2	4	6	12	16	17
B. *Operated*										
0-19 YRS	749	1.6	3	<1	<1	1	2	2	3	9
20-34	359	3.1	7	<1	<1	2	4	6	8	15
35-49	267	3.6	11	<1	1	2	5	7	10	15
50-64	285	3.7	10	<1	1	3	5	7	10	14
65+	402	4.9	17	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.3	1	<1	<1	1	1	3	3	4
20-34	6	6.8	35	<1	<1	6	9	16	17	17
35-49	5	4.4	12	1	1	3	7	9	9	9
50-64	24	4.4	12	<1	1	4	6	8	12	15
65+	85	6.7	45	1	1	5	8	18	23	78
B. *Operated*										
0-19 YRS	500	2.0	4	<1	<1	1	2	4	5	12
20-34	397	3.5	16	<1	1	2	4	7	9	19
35-49	413	4.6	37	<1	1	3	5	10	14	28
50-64	655	5.0	26	1	1	3	6	11	15	24
65+	1070	7.7	65	2	2	5	9	16	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.8	13	<1	<1	3	5	7	12	17
B. *Operated*	2062	3.0	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	144	5.3	34	<1	1	3	7	12	19	41
B. *Operated*	3035	5.2	41	<1	1	3	6	11	16	31
1. SINGLE DX	2098	3.0	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX	3179	5.2	41	<1	1	3	6	11	16	31
A. NOT OPERATED	180	5.0	30	<1	1	3	6	11	18	35
B. OPERATED	5097	4.3	30	<1	<1	2	5	10	14	27
TOTAL 0-19 YRS	1282	1.7	4	<1	<1	1	2	3	4	11
20-34	765	3.3	12	<1	1	2	4	7	9	18
35-49	692	4.2	27	<1	1	3	5	9	11	23
50-64	967	4.6	21	<1	1	3	6	10	13	22
65+	1571	6.9	53	1	2	5	8	14	20	37
GRAND TOTAL	5277	4.3	30	<1	<1	2	5	10	14	27

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	621	3.5	5	1	1	3	4	6	7	12
20-34	289	3.7	6	1	1	3	5	7	8	12
35-49	147	3.7	6	1	1	3	5	6	8	11
50-64	178	4.5	7	1	1	4	6	8	9	11
65+	316	6.1	20	1	2	5	8	12	16	21
B. *Operated*										
0-19 YRS	500	2.3	5	<1	<1	1	2	5	7	11
20-34	526	3.1	9	<1	<1	2	4	7	9	16
35-49	452	3.3	14	<1	<1	2	4	8	11	18
50-64	553	3.7	18	<1	1	2	4	7	11	20
65+	608	5.0	27	1	2	4	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	801	4.5	9	1	1	4	6	8	10	14
20-34	649	5.5	23	1	2	4	7	10	14	29
35-49	479	6.9	45	1	2	5	8	12	15	30
50-64	1015	7.7	36	2	3	6	10	14	18	30
65+	3857	11.5	115	3	4	9	14	21	31	80
B. *Operated*										
0-19 YRS	492	3.9	22	<1	<1	2	5	10	14	19
20-34	604	5.5	54	<1	1	3	7	13	17	35
35-49	727	5.3	34	<1	1	3	7	12	16	28
50-64	1322	7.0	61	1	1	4	9	16	21	38
65+	2685	11.3	131	2	2	8	15	24	36	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1551	4.2	10	1	1	3	5	8	10	17
B. *Operated*	2639	3.5	16	<1	<1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	6801	9.2	85	2	3	7	11	18	24	59
B. *Operated*	5830	8.3	94	1	1	5	11	19	26	57
1. SINGLE DX	4190	3.8	14	<1	1	3	5	8	10	17
2. MULTIPLE DX	12631	8.8	89	1	2	6	11	18	25	57
A. NOT OPERATED	8352	8.3	74	1	2	6	10	16	22	52
B. OPERATED	8469	6.8	75	<1	1	4	9	16	22	49
TOTAL 0-19 YRS	2414	3.7	10	<1	1	3	5	8	10	15
20-34	2068	4.6	27	<1	1	3	6	9	13	27
35-49	1805	5.1	31	<1	1	3	6	11	14	26
50-64	3068	6.5	44	1	1	5	8	13	18	31
65+	7466	10.7	114	2	2	8	13	21	31	74
GRAND TOTAL	16821	7.6	75	1	1	5	9	16	22	50

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	28	3.0	4	<1	<1	3	4	6	7	8
65+	67	3.6	6	1	1	3	5	6	7	13
B. *Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	8	3.9	18	<1	<1	2	4	11	14	14
35-49	154	4.4	9	<1	1	4	6	8	11	13
50-64	2350	6.8	15	1	2	6	9	11	14	20
65+	4187	8.1	23	2	3	7	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	8	6.4	15	1	2	6	8	12	14	14
50-64	172	5.3	27	1	1	4	6	10	13	27
65+	610	8.5	95	1	2	6	10	19	28	99+
B. *Operated*										
0-19 YRS	5	8.8	24	4	4	7	11	17	17	17
20-34	23	5.2	32	<1	<1	2	8	11	18	24
35-49	197	4.7	18	<1	1	3	7	10	12	20
50-64	3625	8.7	37	2	2	8	11	16	20	31
65+	9427	12.1	78	3	5	10	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.4	5	<1	1	3	5	6	7	12
B. *Operated*	6702	7.5	20	2	2	7	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	793	7.8	81	1	1	5	9	17	26	95
B. *Operated*	13277	11.1	68	2	3	9	14	20	26	45
1. SINGLE DX	6799	7.5	20	2	2	7	9	13	15	23
2. MULTIPLE DX	14070	10.9	70	2	3	9	14	20	26	45
A. NOT OPERATED	890	7.3	74	1	1	5	9	16	25	81
B. OPERATED	19979	9.9	55	2	3	8	12	18	23	39
TOTAL 0-19 YRS	9	6.3	22	2	2	6	8	14	17	17
20-34	34	4.6	26	<1	<1	2	7	10	15	24
35-49	360	4.6	14	<1	1	3	7	10	12	15
50-64	6175	7.9	29	1	2	7	10	14	17	27
65+	14291	10.7	66	2	4	9	13	19	25	44
GRAND TOTAL	**20869**	**9.8**	**56**	**2**	**3**	**8**	**12**	**18**	**23**	**40**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	5	2	2	2	5	7	8	8
20-34	56	3.5	4	<1	1	3	5	6	7	10
35-49	67	4.9	7	2	2	4	6	7	11	13
50-64	53	5.0	5	1	2	5	6	8	9	12
65+	30	4.6	5	1	2	5	5	8	9	10
B. *Operated*										
0-19 YRS	20	4.6	159	<1	<1	2	3	4	31	58
20-34	202	2.2	5	<1	<1	2	2	4	6	11
35-49	219	2.2	3	<1	<1	2	3	4	5	9
50-64	169	2.9	5	<1	1	2	3	6	7	14
65+	90	4.6	15	<1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	2	1	1	3	4	5	6	6
20-34	55	4.7	7	1	2	4	6	8	9	12
35-49	81	4.8	6	1	2	5	6	8	10	13
50-64	141	5.6	7	2	2	5	7	9	10	14
65+	116	7.3	32	2	3	6	8	13	20	34
B. *Operated*										
0-19 YRS	31	3.5	13	1	1	2	4	9	13	14
20-34	162	2.6	6	<1	1	2	3	6	8	13
35-49	240	3.2	8	<1	1	2	4	7	9	13
50-64	338	5.9	67	1	1	3	7	12	16	42
65+	295	8.6	73	2	2	6	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.5	6	1	2	4	6	7	9	13
B. *Operated*	700	2.7	10	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	403	5.8	15	2	2	5	7	9	12	21
B. *Operated*	1066	5.5	50	1	1	3	7	12	16	35
1. SINGLE DX	914	3.1	10	<1	1	2	4	6	8	13
2. MULTIPLE DX	1469	5.6	40	1	1	4	7	11	15	31
A. NOT OPERATED	617	5.3	12	2	2	5	6	9	11	19
B. OPERATED	1766	4.4	36	<1	1	2	5	10	13	26
TOTAL 0-19 YRS	69	3.8	51	<1	1	2	4	7	12	50
20-34	475	2.8	6	<1	1	2	3	6	8	12
35-49	607	3.3	7	<1	1	2	4	7	9	13
50-64	701	5.1	37	1	1	4	6	9	12	20
65+	531	7.4	53	1	2	6	9	14	20	37
GRAND TOTAL	**2383**	**4.6**	**30**	**<1**	**1**	**3**	**6**	**9**	**13**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	295	2.4	2	<1	1	2	3	4	5	7
20-34	173	3.7	3	1	2	3	4	6	7	11
35-49	190	3.6	3	2	2	3	4	5	6	12
50-64	358	3.9	4	2	2	3	4	6	8	13
65+	202	4.0	3	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.4	3	<1	<1	1	1	2	5	9
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	7	7.4	51	<1	<1	5	9	20	22	22
65+	15	7.3	96	1	1	3	8	19	33	38
B. *Operated*										
0-19 YRS	273	2.4	2	<1	1	2	3	4	5	8
20-34	73	4.0	5	2	2	3	5	7	8	13
35-49	107	4.6	7	2	2	4	6	9	10	15
50-64	283	5.1	11	2	2	4	6	9	12	19
65+	247	6.9	54	2	3	5	8	13	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.3	2	<1	<1	2	4	5	5	5
B. *Operated*	1218	3.5	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	55	3.9	40	<1	<1	1	4	9	17	37
B. *Operated*	983	4.7	21	1	2	4	5	9	12	20
1. SINGLE DX	1233	3.5	3	1	2	3	4	5	7	11
2. MULTIPLE DX	1038	4.6	22	1	1	4	5	9	12	21
A. NOT OPERATED	70	3.5	33	<1	<1	1	4	8	11	35
B. OPERATED	2201	4.0	12	1	2	3	5	7	9	15
TOTAL 0-19 YRS	605	2.4	2	<1	<1	2	3	4	5	7
20-34	249	3.7	4	1	2	3	5	6	8	11
35-49	302	3.9	5	2	2	3	4	6	8	13
50-64	650	4.4	8	2	2	4	5	7	10	17
65+	465	5.6	35	2	2	4	6	11	13	27
GRAND TOTAL	2271	4.0	12	1	1	3	5	7	9	16

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	4.1	7	1	1	4	6	8	9	14
20-34	229	4.6	6	1	2	4	6	8	9	12
35-49	116	5.3	9	1	2	5	7	9	11	16
50-64	107	6.6	11	2	3	6	8	11	13	16
65+	56	6.5	13	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	36	4.3	12	1	2	4	5	7	8	21
20-34	74	4.8	18	1	2	4	6	8	11	28
35-49	50	4.2	10	1	1	4	5	7	11	16
50-64	50	6.8	24	2	3	5	8	13	18	23
65+	27	6.8	18	2	3	5	10	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.3	7	1	1	4	5	7	9	14
20-34	62	6.2	19	1	2	5	9	11	13	26
35-49	72	5.8	8	2	2	5	8	10	10	14
50-64	123	8.1	27	3	4	7	10	13	17	34
65+	161	9.1	32	3	4	7	11	16	20	30
B. *Operated*										
0-19 YRS	24	5.3	12	2	2	4	7	10	12	16
20-34	49	5.9	14	2	3	5	7	10	12	22
35-49	52	6.1	15	2	2	5	8	11	13	22
50-64	84	8.5	43	2	3	7	10	17	20	35
65+	99	10.4	50	2	2	9	14	20	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	646	5.1	9	1	2	4	7	9	11	14
B. *Operated*	237	5.2	17	1	2	4	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	466	7.4	25	2	3	6	9	13	16	28
B. *Operated*	308	8.0	37	2	3	6	10	16	20	32
1. SINGLE DX	883	5.1	11	1	2	4	6	9	11	17
2. MULTIPLE DX	774	7.7	30	2	3	6	10	14	18	30
A. NOT OPERATED	1112	6.1	17	1	2	5	8	11	13	21
B. OPERATED	545	6.8	30	2	2	5	9	14	17	28
TOTAL 0-19 YRS	246	4.3	8	1	1	4	6	7	9	14
20-34	414	5.0	11	1	2	4	6	9	11	15
35-49	290	5.4	10	1	2	5	7	10	11	15
50-64	364	7.6	26	3	3	6	9	13	17	31
65+	343	8.8	35	3	3	7	11	16	20	30
GRAND TOTAL	1657	6.3	21	2	2	5	8	12	15	25

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	775	1.5		<1	<1	1	2	2	3	3
20-34	214	1.8	1	<1	<1	2	2	3	3	5
35-49	123	2.1	2	<1	1	2	2	3	5	8
50-64	127	2.2	1	1	1	2	2	3	4	7
65+	68	2.2	1	1	1	2	3	3	4	7
B. *Operated*										
0-19 YRS	463	1.6		<1	<1	2	2	2	3	4
20-34	174	2.0	1	<1	1	2	2	3	3	3
35-49	121	1.9		<1	1	2	2	2	3	3
50-64	83	2.2	2	1	1	2	2	3	4	10
65+	58	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	1.5	1	<1	<1	1	2	2	3	4
20-34	51	2.2	1	<1	1	2	3	3	4	6
35-49	97	3.0	6	<1	1	2	3	5	8	13
50-64	123	3.3	8	<1	1	2	3	7	9	16
65+	88	3.6	18	1	1	3	3	5	6	27
B. *Operated*										
0-19 YRS	141	2.0	2	<1	<1	2	2	4	5	7
20-34	95	2.9	13	<1	1	2	3	4	7	25
35-49	118	2.9	4	1	1	2	3	6	8	10
50-64	160	3.3	5	1	2	2	4	6	8	13
65+	176	5.7	33	2	2	3	7	13	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	899	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	519	2.6	7	<1	<1	2	3	5	7	14
B. *Operated*	690	3.5	14	<1	1	2	4	7	11	21
1. SINGLE DX	2206	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1209	3.1	11	<1	1	2	3	6	9	19
A. NOT OPERATED	1826	2.0	3	<1	<1	2	2	3	4	8
B. OPERATED	1589	2.6	7	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	1539	1.6	1	<1	<1	1	2	2	3	4
20-34	534	2.1	3	<1	<1	2	2	3	3	7
35-49	459	2.4	3	1	1	2	3	4	6	10
50-64	493	2.8	5	1	1	2	3	5	7	12
65+	390	4.1	21	1	2	3	4	8	14	26
GRAND TOTAL	**3415**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**3**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.1	3	<1	<1	2	2	4	5	9
20-34	76	3.2	5	<1	1	3	4	7	8	10
35-49	38	3.2	7	1	1	2	4	7	8	14
50-64	41	3.1	9	<1	1	2	3	8	11	12
65+	25	4.9	5	2	2	5	7	8	8	9
B. *Operated*										
0-19 YRS	637	2.6	3	1	1	2	3	4	6	10
20-34	532	3.0	6	<1	1	2	4	5	7	15
35-49	324	3.2	4	1	1	3	4	5	7	12
50-64	339	4.0	10	2	2	3	5	7	9	15
65+	112	4.7	11	1	2	4	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	6	<1	1	2	3	6	7	13
20-34	31	4.5	18	<1	1	3	6	9	15	19
35-49	45	4.0	16	1	1	2	5	8	12	23
50-64	63	3.6	13	1	1	2	4	9	11	20
65+	62	5.8	17	1	2	5	8	12	14	17
B. *Operated*										
0-19 YRS	212	3.3	8	1	1	3	4	5	8	16
20-34	262	3.9	12	1	2	3	4	7	9	21
35-49	254	5.0	23	1	2	3	6	10	12	23
50-64	339	6.3	45	2	2	5	8	11	14	35
65+	235	9.4	147	2	2	6	10	20	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.0	6	<1	1	2	4	7	8	11
B. *Operated*	1944	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	243	4.2	15	1	1	3	6	9	12	19
B. *Operated*	1302	5.6	50	1	2	4	6	11	15	44
1. SINGLE DX	2225	3.1	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1545	5.4	45	1	2	3	6	10	14	39
A. NOT OPERATED	524	3.5	10	<1	1	2	4	8	10	15
B. OPERATED	3246	4.2	25	1	1	3	5	8	11	24
TOTAL 0-19 YRS	992	2.7	4	1	1	2	3	5	6	11
20-34	901	3.3	8	1	1	3	4	6	8	15
35-49	661	3.9	13	1	1	3	4	8	10	19
50-64	782	4.9	27	1	2	4	6	9	12	25
65+	434	7.4	90	2	2	5	8	14	21	80
GRAND TOTAL	**3770**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		1	1	1	2	2	2	2
35-49	12	1.8	1	<1	<1	1	3	4	4	4
50-64	10	1.5	1	<1	<1	1	2	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	147	2.3	2	<1	1	2	3	4	4	7
20-34	1306	2.2	1	<1	<1	2	3	3	4	6
35-49	2780	2.3	1	<1	1	2	3	3	4	6
50-64	1293	2.4	1	<1	1	2	3	4	4	7
65+	408	3.0	3	1	2	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	12	5.4	49	<1	<1	2	9	15	23	24
35-49	21	3.0	10	<1	<1	2	3	9	11	12
50-64	10	6.6	76	<1	<1	2	10	21	28	28
65+	6	3.5	4	2	2	3	4	7	7	7
B. *Operated*										
0-19 YRS	40	2.9	2	<1	1	3	4	4	5	7
20-34	540	2.9	5	<1	1	2	3	5	6	11
35-49	1161	3.0	3	1	2	2	3	5	7	10
50-64	794	3.7	12	1	2	3	4	6	9	17
65+	372	5.2	56	2	2	3	5	10	15	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	5934	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	53	4.1	31	<1	<1	2	4	10	14	28
B. *Operated*	2907	3.5	13	1	2	3	4	6	8	16
1. SINGLE DX	5964	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX	2960	3.5	13	1	2	3	4	6	8	16
A. NOT OPERATED	83	3.2	21	<1	<1	2	3	9	11	27
B. OPERATED	8841	2.7	6	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	194	2.4	2	<1	<1	2	3	4	5	7
20-34	1862	2.4	3	<1	1	2	3	4	5	9
35-49	3974	2.5	2	<1	1	2	3	4	5	8
50-64	2107	2.9	6	1	2	2	3	5	6	12
65+	787	4.0	29	1	2	3	4	8	10	25
GRAND TOTAL	**8924**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.1	7	1	1	4	6	7	8	13
20-34	46	3.8	3	1	2	4	5	6	7	9
35-49	23	3.8	7	<1	<1	3	5	7	10	12
50-64	17	3.5	6	<1	<1	3	6	7	7	7
65+	10	4.0	5	1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	404	2.9	2	1	1	3	4	5	5	7
20-34	860	2.9	2	<1	1	3	4	5	6	8
35-49	592	2.9	3	<1	1	2	4	5	6	11
50-64	355	3.0	3	1	1	3	4	5	6	9
65+	213	3.3	4	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	6	<1	<1	2	4	7	8	8
20-34	46	2.7	8	<1	<1	1	4	5	7	17
35-49	46	3.0	9	<1	<1	2	3	8	11	13
50-64	33	4.0	25	<1	<1	2	5	11	15	23
65+	45	5.2	17	<1	1	5	8	11	12	16
B. *Operated*										
0-19 YRS	94	3.9	8	2	2	3	4	8	11	16
20-34	311	3.6	9	1	1	3	4	6	7	17
35-49	363	4.0	8	1	2	3	5	8	9	16
50-64	328	4.9	21	2	2	3	5	10	14	24
65+	216	5.0	23	2	2	3	6	9	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.8	5	<1	1	3	5	7	8	12
B. *Operated*	2424	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	182	3.6	14	<1	<1	2	5	9	11	17
B. *Operated*	1312	4.3	14	1	2	3	5	8	11	18
1. SINGLE DX	2550	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	1494	4.2	14	1	1	3	5	8	11	18
A. NOT OPERATED	308	3.7	11	<1	1	3	5	8	10	15
B. OPERATED	3736	3.4	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	540	3.2	3	1	1	3	4	5	6	11
20-34	1263	3.1	4	<1	1	3	4	5	6	9
35-49	1024	3.3	5	<1	1	3	4	6	8	13
50-64	733	3.9	13	1	2	3	4	7	10	19
65+	484	4.2	15	1	2	3	5	8	11	17
GRAND TOTAL	**4044**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	372	2.7	3	1	1	2	3	5	6	9
20-34	652	2.6	3	1	1	2	3	5	6	8
35-49	103	3.6	15	1	1	3	5	6	7	24
50-64	9	4.6	5	2	2	4	6	8	9	9
65+	4	3.8	1	3	3	4	4	5	5	5
B. *Operated*										
0-19 YRS	500	4.9	7	1	2	5	6	8	10	13
20-34	1733	4.8	9	1	1	5	6	8	9	13
35-49	423	6.0	10	1	2	6	8	9	11	16
50-64	78	7.2	10	2	2	7	8	10	13	17
65+	38	8.7	24	2	3	8	10	15	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.4	6	1	1	3	4	6	8	14
20-34	378	3.5	8	1	1	3	5	7	8	13
35-49	92	3.9	8	1	1	3	6	7	8	14
50-64	11	3.0	6	<1	<1	3	4	7	9	9
65+	8	6.1	8	2	3	6	8	10	11	11
B. *Operated*										
0-19 YRS	385	5.3	8	1	2	5	7	8	10	15
20-34	2460	6.0	12	1	2	6	7	9	12	18
35-49	1109	7.5	18	2	2	7	9	12	15	25
50-64	193	8.7	26	2	4	8	10	13	16	25
65+	87	12.9	90	6	7	10	14	25	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1140	2.8	4	1	1	2	3	5	6	9
B. *Operated*	2772	5.1	9	1	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	642	3.6	8	1	1	3	5	7	8	14
B. *Operated*	4234	6.6	17	1	2	6	8	10	13	21
1. SINGLE DX	3912	4.4	9	1	1	4	6	8	9	13
2. MULTIPLE DX	4876	6.2	17	1	2	6	8	10	13	20
A. NOT OPERATED	1782	3.1	5	1	1	2	4	6	7	11
B. OPERATED	7006	6.0	14	1	2	6	7	10	12	19
TOTAL 0-19 YRS	1410	4.3	7	1	1	4	6	8	9	13
20-34	5223	5.0	11	1	1	5	7	8	10	16
35-49	1727	6.7	17	1	2	7	8	11	13	24
50-64	291	7.9	22	2	3	7	9	12	15	22
65+	137	11.1	70	3	5	9	13	20	27	65
GRAND TOTAL	**8788**	**5.4**	**14**	**1**	**1**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	825	4.8	7	2	2	4	6	8	10	13
20-34	1992	5.0	9	2	2	4	6	8	10	15
35-49	307	5.7	9	2	2	5	7	10	11	17
50-64	17	7.2	29	2	2	6	9	17	19	20
65+	7	9.6	88	3	3	6	10	26	30	30
B. *Operated*										
0-19 YRS	238	5.5	18	1	2	5	7	10	13	21
20-34	1326	4.3	14	1	1	3	6	8	10	17
35-49	351	5.7	22	1	1	5	8	11	14	22
50-64	40	6.6	26	1	2	6	9	13	17	25
65+	14	7.2	37	<1	1	7	9	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	5.6	10	2	3	5	7	9	11	16
20-34	1031	5.8	14	1	2	5	7	10	13	20
35-49	229	7.7	20	3	3	7	10	13	15	24
50-64	32	8.1	28	3	4	7	10	12	23	27
65+	18	10.9	25	4	5	10	14	19	20	20
B. *Operated*										
0-19 YRS	280	6.5	16	1	2	6	8	12	14	18
20-34	2755	5.6	19	1	1	5	7	10	13	20
35-49	987	8.3	50	1	2	7	10	16	20	35
50-64	133	12.1	90	2	4	9	15	25	31	48
65+	55	16.2	164	2	3	13	26	35	44	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3148	5.0	8	2	2	4	6	8	10	15
B. *Operated*	1969	4.8	16	1	1	4	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	1639	6.1	15	2	2	5	8	11	14	20
B. *Operated*	4210	6.6	33	1	2	6	8	12	16	31
1. SINGLE DX	5117	4.9	12	1	2	4	6	9	11	18
2. MULTIPLE DX	5849	6.5	28	1	2	6	8	12	15	28
A. NOT OPERATED	4787	5.4	11	2	2	5	7	9	12	18
B. OPERATED	6179	6.1	29	1	1	6	8	11	15	28
TOTAL 0-19 YRS	1672	5.3	11	2	2	5	7	9	12	17
20-34	7104	5.2	14	1	2	5	7	9	12	19
35-49	1874	7.3	36	1	2	7	9	13	17	30
50-64	222	10.2	70	2	3	8	12	20	28	43
65+	94	13.3	123	2	3	9	19	30	36	82
GRAND TOTAL	**10966**	**5.8**	**21**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	6	1	2	3	6	8	8	8
20-34	75	3.9	7	<1	1	3	5	7	9	13
35-49	17	3.1	4	<1	1	2	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	65	3.6	6	1	1	3	5	8	9	10
20-34	1305	4.2	8	<1	1	3	7	8	8	11
35-49	584	5.7	10	1	2	6	8	8	10	16
50-64	47	5.6	12	1	1	7	8	9	10	13
65+	7	4.6	18	1	1	2	6	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	67	3.5	10	<1	1	3	5	7	8	18
35-49	32	5.9	13	1	2	5	9	12	12	14
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	59	4.3	8	1	1	4	6	8	9	15
20-34	2164	5.5	10	1	1	6	7	9	10	16
35-49	2173	7.4	15	2	2	7	8	11	13	21
50-64	308	7.7	10	2	3	8	9	11	13	18
65+	30	11.9	94	3	5	9	13	20	41	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.8	6	<1	1	3	5	7	8	12
B. *Operated*	2008	4.7	9	<1	1	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	105	4.2	12	<1	1	3	6	9	11	16
B. *Operated*	4734	6.5	14	1	2	7	8	10	12	19
1. SINGLE DX	2117	4.6	9	<1	1	5	7	8	9	12
2. MULTIPLE DX	4839	6.5	14	1	2	7	8	10	12	19
A. NOT OPERATED	214	4.0	9	<1	1	3	5	8	9	14
B. OPERATED	6742	6.0	13	1	2	6	8	9	11	17
TOTAL 0-19 YRS	146	4.0	7	1	1	3	6	8	8	11
20-34	3611	5.0	10	<1	1	5	7	8	9	14
35-49	2806	7.0	14	1	2	7	8	10	12	20
50-64	356	7.4	11	2	2	7	9	11	13	17
65+	37	10.5	87	2	2	8	12	19	34	46
GRAND TOTAL	**6956**	**5.9**	**13**	**1**	**1**	**6**	**8**	**9**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.8	3	3	3	4	6	7	7	7
35-49	2	6.0		6	6	6	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	3	3
20-34	245	2.0	2	<1	<1	2	2	3	4	8
35-49	237	2.4	6	<1	1	2	2	4	6	9
50-64	92	2.1	1	<1	1	2	2	3	4	7
65+	30	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	8	3.1	10	1	1	2	4	8	10	10
35-49	4	3.5	4	1	1	3	5	6	6	6
50-64	5	6.0	26	2	2	3	11	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	22	3.1	7	<1	1	2	4	7	10	11
20-34	580	3.0	7	<1	1	2	3	7	8	12
35-49	751	3.8	21	1	1	2	5	8	9	16
50-64	281	3.9	33	1	1	2	3	8	10	32
65+	101	4.4	11	2	2	3	6	9	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	4	2	2	4	6	7	7	7
B. *Operated*	624	2.2	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	23	4.0	10	1	1	3	5	10	11	12
B. *Operated*	1735	3.6	18	<1	1	2	4	8	9	16
1. SINGLE DX	632	2.2	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX	1758	3.6	18	<1	1	2	4	8	9	16
A. NOT OPERATED	31	4.1	8	1	1	3	6	8	11	12
B. OPERATED	2359	3.2	14	<1	1	2	3	7	9	14
TOTAL 0-19 YRS	48	2.5	5	<1	<1	2	3	5	6	11
20-34	837	2.7	6	<1	<1	2	3	7	8	11
35-49	994	3.4	18	<1	1	2	4	7	9	16
50-64	379	3.5	25	1	1	2	3	7	9	26
65+	132	4.0	10	1	2	3	5	9	11	15
GRAND TOTAL	**2390**	**3.2**	**14**	**<1**	**1**	**2**	**3**	**7**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	6	1	1	3	5	7	9	12
20-34	136	3.8	7	1	1	4	5	6	8	15
35-49	34	3.6	5	<1	1	3	5	7	8	9
50-64	9	4.1	11	<1	<1	4	6	9	10	10
65+	10	12.1	294	2	2	6	11	36	60	60
B. *Operated*										
0-19 YRS	138	2.3	2	<1	1	2	3	4	5	8
20-34	1221	2.1	2	<1	1	2	3	4	4	7
35-49	538	2.1	2	<1	1	2	3	4	5	7
50-64	169	2.4	2	1	1	2	3	4	5	7
65+	41	3.8	11	1	2	3	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.5	5	<1	1	4	6	7	9	11
20-34	131	4.5	6	1	1	4	6	8	9	12
35-49	53	5.9	47	1	2	5	6	11	14	48
50-64	18	11.2	127	2	3	8	11	29	42	46
65+	40	9.2	46	2	2	7	12	19	26	29
B. *Operated*										
0-19 YRS	57	3.5	6	1	1	3	5	7	8	12
20-34	399	3.0	7	<1	1	2	3	6	8	17
35-49	338	3.8	13	1	1	2	5	8	11	18
50-64	143	3.6	17	<1	1	2	4	7	11	22
65+	76	7.1	57	2	2	4	8	15	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	4.1	19	1	1	3	5	7	9	15
B. *Operated*	2107	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	286	5.8	31	1	2	5	7	10	13	33
B. *Operated*	1013	3.7	15	<1	1	2	4	8	10	20
1. SINGLE DX	2356	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	1299	4.2	20	<1	1	3	5	8	11	22
A. NOT OPERATED	535	5.0	26	1	1	4	6	9	12	27
B. OPERATED	3120	2.7	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	299	3.2	5	1	1	3	4	6	7	12
20-34	1857	2.6	4	<1	1	2	3	5	6	10
35-49	963	3.0	9	<1	1	2	3	6	8	14
50-64	339	3.4	19	<1	1	2	4	6	8	22
65+	167	7.0	61	2	2	4	9	13	22	39
GRAND TOTAL	3655	3.0	10	<1	1	2	3	6	8	15

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65+	12	4.8	9	2	2	4	6	8	12	13
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	249	5.7	13	<1	1	6	7	9	11	18
35-49	564	7.3	10	2	4	7	8	11	13	17
50-64	974	7.7	8	4	5	7	9	11	13	17
65+	817	8.3	10	5	5	8	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.5	10	<1	<1	1	2	9	11	11
35-49	36	1.9	2	<1	<1	1	2	6	6	6
50-64	47	3.8	13	<1	<1	2	[illegible]	11	11	13
65+	111	6.3	61	<1	1	4	8	13	20	72
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	763	6.0	11	<1	<1	6	8	10	12	15
35-49	1818	8.0	12	2	5	8	9	12	14	18
50-64	2030	9.0	16	5	6	8	10	13	16	25
65+	1872	10.2	34	5	6	9	11	15	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.2	12	<1	1	3	6	10	13	13
B. *Operated*	2605	7.6	10	3	5	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	209	4.7	39	<1	<1	3	6	11	13	49
B. *Operated*	6485	8.7	21	2	5	8	10	13	16	26
1. SINGLE DX	2624	7.6	11	3	4	7	9	11	13	18
2. MULTIPLE DX	6694	8.6	22	2	5	8	10	13	16	26
A. NOT OPERATED	228	4.7	37	<1	<1	3	6	11	13	47
B. OPERATED	9090	8.4	18	3	5	8	10	13	15	24
TOTAL 0-19 YRS	4	5.3	5	3	3	5	7	8	8	8
20-34	1027	5.9	12	<1	<1	6	8	10	12	16
35-49	2421	7.7	12	2	4	7	9	12	14	18
50-64	3054	8.5	14	4	5	8	10	13	15	24
65+	2812	9.5	29	4	5	8	11	14	17	32
GRAND TOTAL	9318	8.3	19	2	4	8	10	13	15	24

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	8	1.5		<1	<1	1	2	2	2	2
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	8	2.3	3	1	1	2	3	5	6	6
20-34	222	1.7	1	<1	<1	2	2	2	3	7
35-49	333	1.7	1	<1	<1	2	2	2	3	7
50-64	52	1.9	2	<1	<1	2	2	2	3	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.7	23	1	1	4	5	10	17	19
35-49	15	2.7	4	<1	<1	2	4	6	7	7
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	4	4	4
20-34	242	2.5	5	<1	<1	2	3	6	7	12
35-49	448	2.8	8	<1	1	2	2	7	8	15
50-64	69	2.3	4	<1	1	2	2	4	8	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	2	<1	<1	2	2	4	5	6
B. *Operated*	615	1.7	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	32	3.4	12	<1	<1	2	4	7	8	19
B. *Operated*	766	2.6	7	<1	1	2	2	6	8	13
1. SINGLE DX	630	1.7	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX	798	2.7	7	<1	1	2	2	6	8	14
A. NOT OPERATED	47	3.0	9	<1	<1	2	4	6	7	19
B. OPERATED	1381	2.2	4	<1	<1	2	2	3	7	12
TOTAL 0-19 YRS	18	2.4	1	1	1	2	3	4	5	6
20-34	485	2.2	4	<1	<1	2	2	4	6	11
35-49	800	2.3	5	<1	<1	2	2	4	7	12
50-64	125	2.1	3	<1	<1	2	2	3	8	10
65+										
GRAND TOTAL	**1428**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**7**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	1.8	1	<1	1	2	2	3	4	5
20-34	258	1.9	2	<1	1	2	2	3	4	8
35-49	100	1.8	1	<1	<1	1	2	3	4	7
50-64	10	1.9	1	1	1	2	2	3	4	4
65+										
B. *Operated*										
0-19 YRS	284	1.8	1	<1	<1	2	2	3	3	6
20-34	4603	1.7	1	<1	<1	1	2	2	3	7
35-49	6007	1.8	1	<1	<1	2	2	2	3	8
50-64	887	1.8	1	<1	<1	2	2	2	3	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.9	9	1	1	2	4	5	6	19
20-34	238	2.6	5	<1	<1	2	3	5	7	12
35-49	202	2.8	7	<1	<1	2	3	7	9	13
50-64	34	2.6	6	<1	<1	1	3	6	9	11
65+										
B. *Operated*										
0-19 YRS	211	2.5	7	<1	1	2	3	5	6	11
20-34	4239	2.8	8	<1	<1	2	3	6	8	12
35-49	7366	3.1	9	<1	<1	2	3	7	9	14
50-64	1048	2.9	9	<1	<1	2	3	7	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	11781	1.7	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	561	2.7	6	<1	<1	2	3	6	8	12
B. *Operated*	12864	3.0	9	<1	<1	2	3	7	9	14
1. SINGLE DX	12236	1.7	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX	13425	2.9	9	<1	<1	2	3	7	9	13
A. NOT OPERATED	1016	2.3	4	<1	1	2	3	4	6	11
B. OPERATED	24645	2.4	6	<1	<1	2	2	5	7	11
TOTAL 0-19 YRS	669	2.1	4	<1	1	2	2	4	5	8
20-34	9338	2.2	5	<1	<1	2	2	4	7	10
35-49	13675	2.5	6	<1	<1	2	2	6	8	12
50-64	1979	2.4	6	<1	<1	2	2	5	8	12
65+										
GRAND TOTAL	**25661**	**2.4**	**5**	**<1**	**<1**	**2**	**2**	**5**	**7**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.3	3	<1	<1	1	4	5	5	5
50-64	16	1.8	1	<1	1	2	2	3	4	5
65+	17	2.9	8	<1	<1	2	3	6	10	12
B. *Operated*										
0-19 YRS										
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	600	1.7	2	<1	<1	2	2	2	2	3
50-64	2162	1.8	1	<1	<1	2	2	2	3	6
65+	437	2.3	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	24	5.0	16	<1	<1	5	7	11	12	15
50-64	57	2.5	6	<1	<1	1	3	6	8	13
65+	67	5.0	16	1	1	4	7	11	14	86
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	9	2.8	4	<1	<1	2	4	6	6	6
35-49	489	2.7	17	<1	1	2	2	5	7	20
50-64	2104	2.7	9	<1	1	2	2	4	8	16
65+	797	3.9	23	1	2	2	4	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.3	4	<1	<1	2	3	5	6	12
B. *Operated*	3204	1.8	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	149	4.1	13	<1	<1	3	6	9	11	23
B. *Operated*	3401	3.0	14	<1	1	2	3	6	9	18
1. SINGLE DX	3246	1.8	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX	3550	3.0	14	<1	1	2	3	6	9	18
A. NOT OPERATED	191	3.7	12	<1	<1	2	5	8	11	20
B. OPERATED	6605	2.4	8	<1	1	2	2	3	7	13
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	15	2.9	5	<1	<1	2	3	6	8	9
35-49	1122	2.2	9	<1	<1	2	2	3	6	12
50-64	4339	2.2	5	<1	<1	2	2	3	5	12
65+	1318	3.4	16	1	1	2	3	7	10	18
GRAND TOTAL	**6796**	**2.4**	**8**	**<1**	**1**	**2**	**2**	**4**	**7**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	4	<1	1	2	3	3	7	11
20-34	115	2.8	11	<1	1	2	3	5	6	19
35-49	49	2.7	5	<1	<1	2	4	6	8	9
50-64	16	3.6	6	1	1	3	5	8	8	8
65+	12	6.4	29	2	3	4	6	17	18	18
B. *Operated*										
0-19 YRS	177	2.8	5	<1	<1	2	3	6	8	11
20-34	1950	2.7	8	<1	<1	2	3	5	7	10
35-49	1676	2.6	7	<1	<1	2	3	6	8	14
50-64	1070	2.4	6	<1	1	2	2	5	7	11
65+	309	3.8	47	1	1	2	3	7	10	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.3	6	1	1	2	4	7	7	11
20-34	112	2.7	4	<1	<1	2	4	6	7	9
35-49	73	3.1	6	<1	1	2	4	6	8	12
50-64	37	6.5	73	<1	1	5	7	11	24	46
65+	87	9.7	107	1	2	7	11	22	34	87
B. *Operated*										
0-19 YRS	152	3.4	7	1	1	2	5	7	9	13
20-34	1998	3.5	11	<1	1	2	5	7	9	15
35-49	3269	3.9	13	<1	1	2	6	8	10	16
50-64	2073	4.2	25	1	1	2	6	9	12	24
65+	772	7.2	91	1	2	3	9	17	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	2.9	10	<1	1	2	4	6	8	17
B. *Operated*	5182	2.7	9	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	340	5.0	47	<1	1	3	6	10	14	46
B. *Operated*	8264	4.2	24	<1	1	2	6	9	11	22
1. SINGLE DX	5414	2.7	9	<1	1	2	3	6	7	12
2. MULTIPLE DX	8604	4.2	25	<1	1	2	6	9	11	23
A. NOT OPERATED	572	4.2	33	<1	1	3	5	8	12	34
B. OPERATED	13446	3.6	19	<1	1	2	4	8	10	19
TOTAL 0-19 YRS	400	3.1	6	<1	1	2	4	7	8	12
20-34	4175	3.1	10	<1	1	2	3	7	8	13
35-49	5067	3.4	11	<1	1	2	4	8	9	15
50-64	3196	3.7	19	<1	1	2	4	8	11	22
65+	1180	6.5	83	1	2	3	8	15	22	53
GRAND TOTAL	**14018**	**3.6**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.2	4	1	1	2	3	4	5	7
20-34	340	2.3	3	<1	1	2	3	4	6	8
35-49	56	2.5	4	<1	<1	2	3	5	7	11
50-64	7	3.3	5	1	1	3	4	7	8	8
65+	5	3.2	4	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	115	2.5	3	<1	<1	2	3	5	7	9
20-34	1669	2.6	5	<1	<1	2	3	6	7	9
35-49	512	5.4	16	<1	1	5	8	10	12	18
50-64	252	8.2	16	1	2	8	10	13	14	22
65+	107	9.2	22	2	4	9	11	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	7	1	1	2	4	5	8	17
20-34	265	2.4	5	<1	1	2	3	5	6	12
35-49	65	2.3	4	<1	<1	1	3	5	7	10
50-64	19	4.6	43	<1	1	2	5	11	22	28
65+	25	9.7	112	1	1	7	14	19	27	50
B. *Operated*										
0-19 YRS	99	3.1	7	<1	1	2	4	6	8	14
20-34	2479	3.7	9	<1	1	2	6	8	8	14
35-49	973	5.9	16	1	1	6	8	10	12	19
50-64	306	10.0	36	2	3	9	12	15	18	36
65+	194	11.0	58	2	4	10	13	17	24	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	2.3	4	<1	1	2	3	4	6	8
B. *Operated*	2655	3.9	13	<1	1	2	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	506	2.9	14	<1	1	2	3	6	9	19
B. *Operated*	4051	5.1	20	<1	1	4	7	10	12	19
1. SINGLE DX	3332	3.6	12	<1	1	2	5	8	10	16
2. MULTIPLE DX	4557	4.8	19	<1	1	3	7	10	12	19
A. NOT OPERATED	1183	2.6	8	<1	1	2	3	5	6	15
B. OPERATED	6706	4.6	17	<1	1	3	7	9	12	18
TOTAL 0-19 YRS	615	2.6	5	<1	1	2	3	5	6	10
20-34	4753	3.2	7	<1	1	2	5	7	8	11
35-49	1606	5.5	16	1	1	6	8	10	12	19
50-64	584	9.0	29	2	2	9	11	14	17	27
65+	331	10.2	50	2	3	9	13	17	20	43
GRAND TOTAL	**7889**	**4.3**	**16**	**<1**	**1**	**2**	**7**	**9**	**11**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	30	4.2	33	<1	<1	3	4	10	11	31
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	96	6.1	4	4	4	6	7	8	8	16
20-34	1529	5.9	6	3	4	6	7	8	9	12
35-49	192	6.2	9	3	4	6	7	8	9	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	3.1	4	<1	<1	3	5	5	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	61	6.3	5	4	4	6	7	8	11	15
20-34	1075	6.6	9	4	4	6	7	9	10	17
35-49	210	6.9	6	4	4	7	8	10	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.8	28	<1	1	2	3	9	11	31
B. *Operated*	1817	5.9	6	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	15	3.1	3	<1	<1	2	5	5	7	7
B. *Operated*	1347	6.6	9	4	4	6	7	9	10	16
1. SINGLE DX	1853	5.9	6	3	4	6	7	8	9	12
2. MULTIPLE DX	1362	6.6	9	4	4	6	7	9	10	16
A. NOT OPERATED	51	3.6	21	<1	1	2	4	6	11	31
B. OPERATED	3164	6.2	7	3	4	6	7	8	10	14
TOTAL 0-19 YRS	159	6.1	4	4	4	6	7	8	9	15
20-34	2649	6.1	8	3	4	6	7	8	10	14
35-49	407	6.5	8	3	4	6	8	9	10	16
50-64										
65+										
GRAND TOTAL	**3215**	**6.2**	**7**	**3**	**4**	**6**	**7**	**8**	**10**	**14**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.3	1	<1	1	1	1	2	3	5
20-34	209	1.3	1	<1	<1	1	1	2	3	6
35-49	28	1.3		<1	1	1	1	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4043	1.4	1	<1	<1	1	2	2	3	4
20-34	11087	1.2	1	<1	<1	<1	1	2	2	4
35-49	1439	1.2	1	<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.2		<1	<1	1	1	2	2	3
20-34	70	1.7	5	<1	<1	<1	2	3	4	15
35-49	20	2.4	7	<1	<1	2	2	4	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	997	1.4	2	<1	<1	<1	1	2	4	8
20-34	3991	1.6	3	<1	<1	<1	2	3	4	9
35-49	1198	2.1	3	<1	<1	2	2	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	16569	1.3	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	121	1.7	4	<1	<1	1	2	3	4	14
B. *Operated*	6186	1.7	3	<1	<1	<1	2	3	4	8
1. SINGLE DX	16925	1.3	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	6307	1.7	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	477	1.4	2	<1	<1	1	1	2	3	6
B. OPERATED	22755	1.4	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	5190	1.4	1	<1	<1	1	2	2	3	5
20-34	15357	1.3	1	<1	<1	<1	1	2	3	6
35-49	2685	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	23232	1.4	1	<1	<1	<1	1	2	3	6

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
1. SINGLE DX	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	3	2.0	1	1	1	2	3	3	3	3
TOTAL 0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	4	2.0	1	1	1	2	3	3	3	3

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	1.7	3	<1	<1	1	2	3	4	6
20-34	654	1.6	1	<1	<1	1	2	3	3	6
35-49	63	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1698	1.5	1	<1	<1	1	2	2	3	5
20-34	12167	1.4	1	<1	<1	1	2	2	3	5
35-49	1986	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	4	1	1	2	3	6	7	9
20-34	132	2.5	7	1	1	2	3	4	6	17
35-49	15	2.5	3	<1	1	2	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	198	2.3	3	1	1	2	3	4	6	9
20-34	1509	2.3	5	<1	1	2	3	4	6	12
35-49	410	2.3	5	<1	1	2	2	4	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	15851	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	173	2.5	6	1	1	2	3	5	6	15
B. *Operated*	2117	2.3	5	<1	1	2	3	4	6	12
1. SINGLE DX	16748	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2290	2.3	5	<1	1	2	3	4	6	12
A. NOT OPERATED	1070	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	17968	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	2102	1.6	2	<1	<1	1	2	3	4	6
20-34	14462	1.5	2	<1	<1	1	2	2	3	6
35-49	2474	1.6	2	<1	<1	1	2	2	3	7
50-64										
65+										
GRAND TOTAL	**19038**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	5	<1	1	3	4	6	7	13
20-34	275	3.0	5	<1	1	2	4	6	8	11
35-49	34	2.1	2	1	1	2	2	3	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	158	2.1	3	<1	<1	2	2	4	5	9
20-34	1616	1.7	2	<1	<1	1	2	3	4	7
35-49	238	1.7	1	<1	<1	1	2	3	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	7	<1	<1	3	5	8	9	9
20-34	89	3.8	9	1	1	3	5	8	10	14
35-49	15	3.0	5	<1	1	2	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.6	63	<1	1	2	4	9	18	46
20-34	342	3.1	14	<1	1	2	4	7	9	14
35-49	81	3.3	9	1	1	2	4	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	3.0	5	<1	1	2	4	6	7	11
B. *Operated*	2012	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	128	3.6	8	1	1	3	5	8	9	13
B. *Operated*	461	3.3	18	<1	1	2	4	7	9	16
1. SINGLE DX	2404	1.9	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX	589	3.4	15	<1	1	2	4	7	9	16
A. NOT OPERATED	520	3.1	6	<1	1	2	4	6	8	11
B. OPERATED	2473	2.0	5	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	303	2.8	12	<1	1	2	3	5	7	14
20-34	2322	2.2	5	<1	<1	2	2	4	6	10
35-49	368	2.2	4	<1	1	2	2	4	6	11
50-64										
65+										
GRAND TOTAL	**2993**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	2.0	1	<1	<1	2	3	4	4	5
20-34	1445	2.3	2	<1	1	2	3	4	5	8
35-49	111	2.5	3	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	34	2.3	2	<1	1	2	3	5	6	6
35-49	6	2.3	3	<1	<1	2	2	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.1	1	1	1	2	2	4	5	6
20-34	190	3.4	9	1	1	3	4	6	8	17
35-49	20	3.8	5	2	2	3	4	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	27	2.5	2	1	1	2	3	5	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1760	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	46	2.3	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	234	3.3	8	1	1	3	4	6	8	16
B. *Operated*	29	2.7	3	1	1	2	3	5	6	8
1. SINGLE DX	1806	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	263	3.3	8	1	1	3	4	6	8	16
A. NOT OPERATED	1994	2.4	3	<1	1	2	3	4	5	8
B. OPERATED	75	2.5	3	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	236	2.0	1	<1	1	2	3	4	4	6
20-34	1696	2.4	3	<1	1	2	3	4	5	8
35-49	137	2.7	3	<1	1	2	3	5	6	11
50-64										
65+										
GRAND TOTAL	**2069**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	3	<1	<1	3	4	5	5	5
20-34	43	2.2	2	<1	1	2	3	4	5	6
35-49	4	4.0	5	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.4	1	<1	<1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*	4	2.3	4	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	8	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	56	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX	9	2.1	1	<1	<1	2	3	4	4	4
A. NOT OPERATED	60	2.4	2	<1	<1	2	3	5	6	6
B. OPERATED	5	2.4	3	<1	<1	2	3	5	5	5
TOTAL 0-19 YRS	8	2.4	2	<1	<1	2	3	4	5	5
20-34	52	2.3	2	<1	<1	2	3	4	5	6
35-49	5	3.4	6	1	1	2	6	6	6	6
50-64										
65+										
GRAND TOTAL	**65**	**2.4**	**2**	**<1**	**<1**	**2**	**3**	**5**	**5**	**6**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	4.0	9	1	2	3	5	8	10	16
20-34	892	3.8	9	1	1	3	5	7	9	16
35-49	86	4.5	9	1	2	4	5	9	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.4	3	1	1	3	5	6	7	8
20-34	109	3.8	7	<1	1	3	4	8	10	14
35-49	11	6.6	27	<1	1	4	9	14	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	8	1	2	3	7	8	10	14
20-34	229	4.4	11	1	2	3	5	8	13	18
35-49	38	5.0	11	1	2	4	6	10	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.1	15	1	1	4	9	10	13	14
20-34	52	5.4	17	<1	1	4	8	13	15	16
35-49	5	10.2	105	2	2	7	14	28	28	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1169	3.9	9	1	1	3	5	7	10	16
B. *Operated*	147	3.9	8	<1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	303	4.5	11	1	2	3	6	8	12	17
B. *Operated*	71	5.7	23	1	1	4	8	13	15	25
1. SINGLE DX	1316	3.9	9	1	1	3	5	7	10	16
2. MULTIPLE DX	374	4.7	13	1	2	4	6	9	13	17
A. NOT OPERATED	1472	4.0	9	1	2	3	5	7	10	16
B. OPERATED	218	4.5	14	<1	1	3	6	9	12	17
TOTAL 0-19 YRS	268	4.1	8	1	2	3	5	8	10	14
20-34	1282	4.0	10	1	1	3	5	7	10	16
35-49	140	5.0	15	1	2	4	6	10	12	19
50-64										
65+										
GRAND TOTAL	**1690**	**4.1**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.2	3	1	2	3	4	5	7	9
20-34	968	4.0	5	1	2	3	5	7	8	12
35-49	37	5.0	10	2	3	4	5	8	12	19
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.0	5	<1	<1	4	5	7	7	7
20-34	5	5.8	57	<1	<1	2	8	19	19	19
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.1	12	1	1	3	5	9	13	17
20-34	262	4.5	9	1	2	4	6	9	10	14
35-49	11	6.0	23	1	1	5	8	13	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	4	6.8	22	2	2	6	10	13	13	13
20-34	11	4.5	7	1	2	4	6	9	9	9
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1186	3.9	5	1	2	3	5	7	8	12
B. *Operated*	10	4.9	28	<1	<1	3	5	13	19	19
2. MULTIPLE DX										
A. *Not Operated*	330	4.5	10	1	2	3	6	9	11	16
B. *Operated*	17	5.1	9	1	2	4	6	9	12	13
1. SINGLE DX	1196	3.9	5	1	2	3	5	7	8	12
2. MULTIPLE DX	347	4.5	10	1	2	4	6	9	11	16
A. NOT OPERATED	1516	4.0	6	1	2	3	5	7	9	13
B. OPERATED	27	5.0	16	<1	1	4	6	9	14	19
TOTAL 0-19 YRS	247	3.5	6	1	2	3	4	6	8	13
20-34	1246	4.1	6	1	2	4	5	7	9	13
35-49	50	5.2	13	2	2	4	6	8	14	19
50-64										
65+										
GRAND TOTAL	**1543**	**4.0**	**6**	**1**	**2**	**3**	**5**	**7**	**9**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1243	1.1		<1	<1	<1	1	1	2	3
20-34	5395	1.2	2	<1	<1	<1	1	1	2	5
35-49	324	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	205	1.1		<1	<1	<1	1	1	1	4
20-34	824	1.1		<1	<1	<1	1	1	2	4
35-49	50	1.0		<1	<1	<1	1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	1.8	4	<1	<1	1	2	3	7	11
20-34	369	1.7	3	<1	<1	1	2	3	5	7
35-49	35	2.3	6	<1	<1	1	2	6	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.3	1	<1	<1	1	1	2	3	5
20-34	80	1.7	2	<1	<1	1	2	3	5	8
35-49	6	1.5	2	1	1	1	1	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6962	1.2	1	<1	<1	<1	1	1	2	5
B. *Operated*	1079	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	485	1.8	3	<1	<1	1	2	3	5	10
B. *Operated*	110	1.6	2	<1	<1	1	1	3	5	8
1. SINGLE DX	8041	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	595	1.8	3	<1	<1	1	2	3	5	9
A. NOT OPERATED	7447	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	1189	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1553	1.2	1	<1	<1	<1	1	1	2	4
20-34	6668	1.2	1	<1	<1	<1	1	1	2	5
35-49	415	1.3	2	<1	<1	<1	1	1	2	6
50-64										
65+										
GRAND TOTAL	8636	1.2	1	<1	<1	<1	1	1	2	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.4	3	<1	1	2	3	5	6	9
20-34	373	3.6	16	1	1	3	4	7	10	23
35-49	49	4.6	19	1	1	3	5	11	18	19
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	33	3.6	10	1	1	3	4	7	9	17
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	1	1	3	5	5	5	5
20-34	79	4.4	24	<1	1	3	5	9	13	30
35-49	13	4.1	17	<1	1	2	4	12	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	3.5	5	<1	<1	4	5	6	8	8
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	3.6	15	<1	1	3	4	7	10	21
B. *Operated*	38	3.5	10	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	98	4.2	21	<1	1	3	5	9	13	27
B. *Operated*	16	4.2	9	<1	<1	4	6	8	11	12
1. SINGLE DX	503	3.6	15	1	1	3	4	7	10	20
2. MULTIPLE DX	114	4.2	20	<1	1	3	5	8	13	25
A. NOT OPERATED	563	3.7	16	<1	1	3	4	7	11	21
B. OPERATED	54	3.7	9	<1	1	3	5	7	9	17
TOTAL 0-19 YRS	52	2.4	3	<1	1	2	3	5	5	9
20-34	498	3.7	16	<1	1	3	4	7	10	23
35-49	67	4.6	18	1	1	3	6	12	15	19
50-64										
65+										
GRAND TOTAL	617	3.7	16	<1	1	3	4	7	11	20

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.1	2	<1	<1	2	3	4	5	8
20-34	575	2.3	5	<1	1	2	3	4	5	10
35-49	47	2.8	7	<1	1	2	4	5	8	14
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.7	2	<1	<1	<1	2	4	5	5
20-34	72	2.5	8	<1	<1	2	3	4	7	18
35-49	6	3.2	8	<1	<1	2	5	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	2	1	1	2	4	5	5	5
20-34	133	2.9	11	<1	1	2	3	5	7	15
35-49	9	5.3	17	1	2	3	7	12	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	27	3.3	8	<1	<1	3	4	8	9	11
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.3	5	<1	1	2	3	4	5	10
B. *Operated*	89	2.4	7	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	151	3.1	11	<1	1	2	4	5	8	14
B. *Operated*	32	3.5	8	<1	<1	3	4	8	9	11
1. SINGLE DX	815	2.3	5	<1	<1	2	3	4	5	11
2. MULTIPLE DX	183	3.1	11	<1	1	2	4	6	8	13
A. NOT OPERATED	877	2.4	6	<1	1	2	3	4	6	11
B. OPERATED	121	2.7	7	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	127	2.2	2	<1	<1	2	3	4	5	9
20-34	807	2.4	6	<1	<1	2	3	4	6	11
35-49	64	3.2	9	<1	1	2	4	6	11	14
50-64										
65+										
GRAND TOTAL	998	2.5	6	<1	<1	2	3	4	5	12

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.6	4	1	1	3	5	6	8	10
20-34	483	3.6	5	<1	1	3	5	7	8	10
35-49	16	3.9	5	<1	1	3	5	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	72	1.5	3	<1	<1	<1	1	3	4	11
20-34	143	1.9	3	<1	<1	<1	2	4	6	6
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.1	8	1	1	4	5	7	8	17
20-34	296	4.2	6	1	1	4	5	7	9	11
35-49	12	4.6	12	1	2	4	6	9	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.2	11	<1	<1	3	4	6	7	18
20-34	61	3.9	12	<1	<1	3	5	10	12	13
35-49	4	4.5	6	2	2	4	5	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	3.6	5	<1	1	3	5	7	8	10
B. *Operated*	217	1.7	3	<1	<1	<1	1	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	413	4.2	6	1	1	4	5	7	8	12
B. *Operated*	95	3.7	12	<1	<1	3	5	9	12	16
1. SINGLE DX	874	3.1	5	<1	<1	3	4	6	8	10
2. MULTIPLE DX	508	4.1	7	<1	1	4	5	7	9	13
A. NOT OPERATED	1070	3.8	6	1	1	3	5	7	8	11
B. OPERATED	312	2.3	6	<1	<1	1	3	5	7	13
TOTAL 0-19 YRS	365	3.3	7	<1	<1	3	4	6	8	11
20-34	983	3.5	6	<1	<1	3	5	7	8	12
35-49	34	4.0	8	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	1382	3.5	6	<1	<1	3	5	7	8	12

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	5.5	43	<1	1	4	6	13	15	39
20-34	562	5.0	17	1	1	4	6	10	13	22
35-49	110	5.6	20	1	1	5	7	11	15	22
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.0	82	<1	1	3	7	23	27	27
20-34	71	3.3	31	<1	<1	<1	3	8	10	33
35-49	7	2.6	2	<1	<1	2	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	5.4	36	1	1	3	7	13	17	30
20-34	808	4.4	15	1	1	3	5	9	12	19
35-49	84	5.3	14	1	1	4	9	11	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.5	2	<1	<1	2	4	4	5	5
20-34	122	4.4	14	<1	1	3	6	9	12	18
35-49	13	4.4	11	<1	<1	4	6	8	12	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	748	5.1	20	1	1	4	6	10	14	22
B. *Operated*	85	3.6	33	<1	<1	1	3	8	10	33
2. MULTIPLE DX										
A. *Not Operated*	1018	4.6	17	1	1	3	6	9	12	22
B. *Operated*	150	4.2	13	<1	<1	3	5	9	11	17
1. SINGLE DX	833	5.0	21	<1	1	4	6	10	14	25
2. MULTIPLE DX	1168	4.5	17	1	1	3	6	9	12	22
A. NOT OPERATED	1766	4.8	18	1	1	4	6	9	13	22
B. OPERATED	235	4.0	20	<1	<1	3	5	9	11	27
TOTAL 0-19 YRS	224	5.3	38	1	1	3	6	13	16	36
20-34	1563	4.5	16	<1	1	3	6	9	12	21
35-49	214	5.3	17	1	1	4	7	11	13	21
50-64										
65+										
GRAND TOTAL	2001	4.7	19	<1	1	3	6	9	13	22

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	2.3	5	<1	<1	1	3	5	6	13
20-34	1815	2.8	15	<1	<1	2	3	6	8	18
35-49	121	3.3	11	<1	<1	2	4	7	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	116	1.8	2	<1	<1	1	2	3	5	7
20-34	1138	2.7	6	<1	<1	2	3	5	7	12
35-49	115	2.9	7	<1	<1	2	4	6	7	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.9	5	<1	1	2	4	6	7	11
20-34	768	3.8	26	<1	<1	2	4	8	11	21
35-49	69	3.7	22	<1	<1	3	4	7	10	29
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.7	8	<1	<1	3	5	7	8	16
20-34	387	4.1	20	<1	<1	3	5	9	11	23
35-49	42	4.8	34	<1	<1	3	6	10	22	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	2.7	13	<1	<1	2	3	6	8	17
B. *Operated*	1369	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	982	3.7	23	<1	<1	2	4	7	10	20
B. *Operated*	473	4.1	20	<1	<1	3	5	8	11	25
1. SINGLE DX	3694	2.7	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX	1455	3.8	22	<1	<1	3	5	8	11	22
A. NOT OPERATED	3307	3.0	16	<1	<1	2	4	6	9	18
B. OPERATED	1842	3.0	10	<1	<1	2	4	6	8	14
TOTAL 0-19 YRS	694	2.4	5	<1	<1	2	3	5	7	12
20-34	4108	3.1	15	<1	<1	2	4	6	9	17
35-49	347	3.5	15	<1	<1	2	4	7	10	22
50-64										
65+										
GRAND TOTAL	5149	3.0	14	<1	<1	2	4	6	8	17

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.4	1	2	2	3	4	4	5	9
20-34	564	3.7	4	2	3	3	4	5	6	11
35-49	55	3.9	3	1	2	4	4	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.1	7	3	3	4	6	9	11	14
20-34	218	5.2	14	2	3	4	6	8	12	21
35-49	24	5.3	9	2	3	5	6	9	11	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	3	2	3	3	4	5	7	10
20-34	387	4.4	26	2	3	4	4	6	8	39
35-49	45	5.0	11	2	3	4	5	9	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	68	7.5	83	2	3	4	7	16	29	44
20-34	807	6.4	42	3	3	5	7	11	14	35
35-49	110	8.3	53	3	3	5	9	17	25	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	703	3.7	3	2	3	3	4	5	6	10
B. *Operated*	265	5.2	13	2	3	4	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	489	4.4	22	2	3	4	4	6	9	31
B. *Operated*	985	6.7	46	3	3	5	7	11	16	38
1. SINGLE DX	968	4.1	6	2	3	3	4	6	8	15
2. MULTIPLE DX	1474	5.9	39	2	3	4	6	10	14	37
A. NOT OPERATED	1192	4.0	11	2	3	3	4	5	7	15
B. OPERATED	1250	6.4	39	3	3	5	7	11	15	36
TOTAL 0-19 YRS	232	4.9	29	2	3	3	5	7	13	41
20-34	1976	5.1	26	2	3	4	5	8	11	31
35-49	234	6.3	32	3	3	4	7	11	17	35
50-64										
65+										
GRAND TOTAL	**2442**	**5.2**	**27**	**2**	**3**	**4**	**5**	**9**	**12**	**31**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7290	3.2	1	2	2	3	4	4	4	5
20-34	52251	3.2	1	2	2	3	4	4	5	5
35-49	2997	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	898	3.3	1	2	2	3	4	4	5	6
20-34	6841	3.4	2	2	2	3	4	4	5	6
35-49	366	3.4	1	2	3	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.5	2	2	2	3	4	5	6	8
20-34	1155	3.6	2	2	2	3	4	5	6	8
35-49	87	3.7	2	2	2	4	4	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	104	3.8	3	2	3	3	4	5	7	10
20-34	5284	3.9	1	3	3	4	4	5	6	7
35-49	729	4.1	1	3	3	4	5	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62538	3.2	1	2	2	3	4	4	5	5
B. *Operated*	8105	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1399	3.6	2	2	2	3	4	5	6	8
B. *Operated*	6117	3.9	1	3	3	4	4	5	6	7
1. SINGLE DX	70643	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	7516	3.9	1	3	3	4	4	5	6	7
A. NOT OPERATED	63937	3.2	1	2	2	3	4	4	5	6
B. OPERATED	14222	3.6	1	2	3	3	4	5	5	6
TOTAL 0-19 YRS	8449	3.2	1	2	2	3	4	4	4	6
20-34	65531	3.3	1	2	2	3	4	4	5	6
35-49	4179	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**78159**	**3.3**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	44	3.9	3	1	2	4	4	6	7	11
35-49	5	5.2	3	4	4	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.9	2	3	4	6	7	8	8	8
20-34	184	9.6	123	4	5	7	8	16	26	71
35-49	25	9.6	125	4	5	6	8	20	32	59
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	45	2	2	3	10	16	16	16
20-34	15	4.9	9	<1	2	4	7	10	11	11
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.3	8	2	2	5	8	9	10	10
20-34	270	9.8	79	3	4	7	11	19	28	53
35-49	70	11.0	90	4	5	8	10	28	37	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.0	3	2	2	4	5	6	8	11
B. *Operated*	223	9.3	115	4	5	6	8	15	25	64
2. MULTIPLE DX										
A. *Not Operated*	19	5.2	14	1	2	4	7	11	14	16
B. *Operated*	355	9.9	79	3	4	7	10	19	31	47
1. SINGLE DX	275	8.3	98	3	3	6	7	11	24	59
2. MULTIPLE DX	374	9.6	77	3	4	7	10	18	30	47
A. NOT OPERATED	71	4.3	6	2	2	4	5	7	10	15
B. OPERATED	578	9.7	93	4	4	7	9	18	28	56
TOTAL 0-19 YRS	36	5.5	8	2	2	5	7	9	10	16
20-34	513	9.1	89	3	4	6	8	17	26	56
35-49	100	10.4	95	4	5	7	9	21	36	52
50-64										
65+										
GRAND TOTAL	649	9.1	86	3	4	7	9	17	26	55

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	3	1	1	3	4	5	6	10
20-34	238	3.2	3	1	1	3	4	5	7	9
35-49	15	3.1	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.9	2	2	3	5	6	6	7	7
20-34	212	5.1	4	2	3	5	6	7	8	10
35-49	18	5.4	7	2	3	5	7	8	11	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.9	3	2	2	3	5	6	8	10
20-34	141	3.6	4	1	2	3	4	6	7	11
35-49	8	3.5	2	2	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	60	5.3	12	2	2	4	6	9	13	20
20-34	471	5.8	12	2	3	5	7	9	11	16
35-49	58	6.9	47	2	3	6	7	9	11	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.2	3	1	1	3	4	5	6	9
B. *Operated*	254	5.1	4	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	171	3.6	4	1	2	3	4	6	7	11
B. *Operated*	589	5.8	15	2	3	5	7	9	11	19
1. SINGLE DX	539	4.1	4	1	2	4	6	7	7	9
2. MULTIPLE DX	760	5.3	13	2	3	5	7	8	10	17
A. NOT OPERATED	456	3.4	3	1	1	3	4	5	7	10
B. OPERATED	843	5.6	12	2	3	5	7	8	10	16
TOTAL 0-19 YRS	138	4.5	7	2	2	4	6	7	9	16
20-34	1062	4.8	8	1	2	4	6	8	9	13
35-49	99	5.8	31	2	2	5	7	8	10	42
50-64										
65+										
GRAND TOTAL	1299	4.8	10	1	2	4	6	8	9	14

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7		2	2	3	3	3	3	3
20-34	49	3.3	2	1	1	3	4	5	5	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.3	1	2	2	3	4	4	5	5
20-34	435	3.2	1	1	2	3	4	4	5	6
35-49	28	3.4	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	4.0	1	2	3	4	4	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.2	5	2	2	4	5	7	9	10
20-34	230	3.9	6	1	2	4	4	5	6	10
35-49	24	3.9	5	2	2	4	4	5	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.2	2	1	2	3	4	5	5	8
B. *Operated*	510	3.2	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	3.9	1	2	3	4	4	6	6	6
B. *Operated*	277	3.9	5	2	2	4	4	5	7	12
1. SINGLE DX	566	3.2	1	1	2	3	4	4	5	6
2. MULTIPLE DX	291	3.9	5	2	2	4	4	6	7	12
A. NOT OPERATED	70	3.4	2	1	2	3	4	5	5	8
B. OPERATED	787	3.4	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	77	3.5	2	2	2	3	4	5	6	10
20-34	727	3.4	3	1	2	3	4	5	5	7
35-49	53	3.6	3	1	2	4	4	5	6	13
50-64										
65+										
GRAND TOTAL	857	3.4	3	1	2	3	4	5	5	8

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	1	1	1	3	3	4	5	5
20-34	162	3.4	1	1	2	3	4	5	6	6
35-49	7	3.4	3	1	1	4	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.4	1	1	1	4	4	5	5	5
20-34	79	3.7	4	1	2	3	4	5	6	14
35-49	8	4.0	3	3	3	4	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	2	2	3	4	5	5	7	7
20-34	62	3.9	2	2	3	4	4	6	7	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3		3	3	3	4	4	4	4
20-34	90	4.7	16	1	2	4	5	7	10	27
35-49	11	4.6	4	1	2	5	6	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	3.4	1	1	2	3	4	5	6	6
B. *Operated*	98	3.7	4	1	2	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	77	3.9	2	2	3	4	4	6	7	9
B. *Operated*	107	4.6	14	1	2	4	5	7	9	24
1. SINGLE DX	288	3.5	2	1	2	3	4	5	6	8
2. MULTIPLE DX	184	4.3	9	2	3	4	5	6	7	14
A. NOT OPERATED	267	3.5	2	2	2	3	4	5	6	7
B. OPERATED	205	4.2	9	1	2	4	5	6	7	16
TOTAL 0-19 YRS	52	3.3	1	1	2	3	4	5	5	7
20-34	393	3.8	5	1	2	3	4	6	6	12
35-49	27	4.1	3	1	2	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	472	3.8	5	1	2	3	4	6	6	11

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	1	2	2	3	4	5	5	5
20-34	135	3.7	2	2	3	4	4	5	6	8
35-49	14	4.0	4	1	2	4	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	1	3	3	5	6	6	6	6
20-34	74	5.3	5	2	3	5	6	8	8	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	17	<1	1	3	5	12	13	13
20-34	99	3.9	2	2	3	4	4	5	7	8
35-49	11	4.6	6	2	2	4	6	8	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	43	6.6	19	2	3	6	8	10	16	24
20-34	569	6.4	32	3	3	5	7	9	13	40
35-49	55	7.1	57	3	4	5	7	8	13	48
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	3.7	2	2	3	4	4	5	6	9
B. *Operated*	81	5.2	5	2	3	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	121	4.1	3	2	3	4	5	6	7	12
B. *Operated*	667	6.5	33	3	3	5	7	9	13	41
1. SINGLE DX	241	4.2	3	2	3	4	5	6	7	12
2. MULTIPLE DX	788	6.1	30	3	3	5	7	9	12	38
A. NOT OPERATED	281	3.9	3	2	3	4	4	6	6	12
B. OPERATED	748	6.4	30	3	3	5	7	9	12	39
TOTAL 0-19 YRS	71	5.6	16	2	3	4	7	9	13	23
20-34	877	5.6	23	3	3	4	7	8	11	29
35-49	81	6.2	42	2	3	5	7	8	11	46
50-64										
65+										
GRAND TOTAL	1029	5.7	24	3	3	4	7	8	11	30

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	1	1	2	3	3	4	4	4
20-34	225	3.2	1	2	2	3	4	4	5	7
35-49	22	3.2	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	204	5.3	3	3	3	5	7	7	8	10
20-34	1620	5.3	4	3	3	5	6	7	8	9
35-49	93	5.4	5	2	3	6	7	8	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	20	2	2	3	6	12	14	14
20-34	59	3.5	2	1	2	3	4	6	6	7
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	172	6.2	8	3	3	6	7	9	11	19
20-34	1648	5.9	9	3	3	6	7	8	9	14
35-49	177	6.0	7	3	3	6	7	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.2	1	2	2	3	4	4	5	6
B. *Operated*	1917	5.3	4	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	72	3.5	4	1	2	3	4	6	7	13
B. *Operated*	1997	5.9	9	3	3	6	7	8	10	15
1. SINGLE DX	2184	5.0	4	2	3	5	6	7	8	9
2. MULTIPLE DX	2069	5.8	9	3	3	6	7	8	10	15
A. NOT OPERATED	339	3.2	2	2	2	3	4	4	5	8
B. OPERATED	3914	5.6	6	3	3	6	7	8	8	13
TOTAL 0-19 YRS	404	5.6	6	2	3	6	7	8	9	14
20-34	3552	5.4	7	3	3	5	7	7	8	12
35-49	297	5.5	6	2	3	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	4253	5.4	6	2	3	5	7	7	8	13

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	1	2	2	3	4	4	5	5
20-34	298	3.3	1	2	2	3	4	4	4	6
35-49	18	3.2	2	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	93	4.4	2	2	3	4	6	7	7	9
20-34	862	4.7	4	3	3	4	6	7	8	9
35-49	59	4.9	3	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	8	1	1	3	4	9	10	10
20-34	137	3.5	3	1	2	3	4	5	6	12
35-49	8	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	217	5.7	6	3	3	5	7	9	10	14
20-34	1986	5.7	9	3	3	5	7	8	9	13
35-49	211	6.5	14	3	3	6	7	8	9	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	3.3	1	2	2	3	4	4	5	6
B. *Operated*	1014	4.7	4	3	3	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	152	3.5	3	1	2	3	4	5	6	12
B. *Operated*	2414	5.7	10	3	3	5	7	8	9	14
1. SINGLE DX	1362	4.4	3	2	3	4	5	7	7	8
2. MULTIPLE DX	2566	5.6	9	3	3	5	7	8	9	14
A. NOT OPERATED	500	3.4	1	2	2	3	4	4	5	6
B. OPERATED	3428	5.4	8	3	3	5	7	8	9	13
TOTAL 0-19 YRS	349	5.1	5	3	3	5	6	7	9	14
20-34	3283	5.1	7	3	3	5	6	8	8	12
35-49	296	5.9	12	3	3	6	7	8	9	25
50-64										
65+										
GRAND TOTAL	3928	5.2	8	3	3	5	6	8	8	13

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.9	3	2	2	3	4	6	8	8
20-34	75	4.0	3	2	3	3	4	6	7	12
35-49	6	2.8	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	523	6.3	3	4	5	6	7	8	8	12
20-34	3237	6.1	2	4	5	6	7	8	8	9
35-49	142	6.4	2	5	5	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	11	2	2	4	6	11	12	12
20-34	42	4.8	3	3	3	4	6	8	8	8
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	631	6.9	5	4	5	6	8	9	11	14
20-34	4159	6.6	5	4	5	6	7	9	10	14
35-49	326	6.9	4	5	5	7	7	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.9	3	2	3	3	4	6	7	11
B. *Operated*	3902	6.2	2	4	5	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	51	4.8	4	3	3	4	6	8	8	12
B. *Operated*	5116	6.7	5	4	5	6	7	9	10	14
1. SINGLE DX	3996	6.1	2	4	5	6	7	8	8	10
2. MULTIPLE DX	5167	6.7	5	4	5	6	7	8	10	14
A. NOT OPERATED	145	4.2	3	2	3	4	5	7	8	12
B. OPERATED	9018	6.5	4	4	5	6	7	8	9	13
TOTAL 0-19 YRS	1174	6.6	4	4	5	6	7	9	10	14
20-34	7513	6.4	4	4	5	6	7	8	9	12
35-49	476	6.7	4	4	5	7	7	8	9	14
50-64										
65+										
GRAND TOTAL	9163	6.4	4	4	5	6	7	8	9	13

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.7	1	2	3	4	4	5	5	6
20-34	606	3.5	1	2	3	3	4	4	5	6
35-49	35	3.2	2	1	2	3	4	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	113	4.6	3	3	3	4	6	7	8	9
20-34	998	4.6	3	2	3	4	6	7	8	9
35-49	73	4.9	3	3	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	1	2	2	4	4	5	6	7
20-34	272	3.8	2	2	3	4	4	5	5	9
35-49	14	4.4	4	2	2	4	5	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	222	5.1	5	3	3	4	7	8	9	13
20-34	1825	5.1	5	3	3	5	6	8	8	12
35-49	146	5.7	5	3	3	5	7	8	11	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	3.5	1	2	2	3	4	5	5	6
B. *Operated*	1184	4.6	3	3	3	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	323	3.8	2	2	3	4	4	5	6	9
B. *Operated*	2193	5.2	5	3	3	5	6	8	8	13
1. SINGLE DX	1897	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX	2516	5.0	5	3	3	4	6	8	8	12
A. NOT OPERATED	1036	3.6	1	2	3	3	4	5	5	7
B. OPERATED	3377	5.0	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	444	4.6	4	3	3	4	6	7	8	12
20-34	3701	4.6	4	3	3	4	6	7	8	10
35-49	268	5.1	5	3	3	5	6	8	8	13
50-64										
65+										
GRAND TOTAL	**4413**	**4.6**	**4**	**3**	**3**	**4**	**6**	**7**	**8**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	2	2	2	4	5	6	7	7
20-34	136	3.3	1	2	2	3	4	4	5	6
35-49	21	3.3	1	2	3	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	29	5.2	3	3	3	5	6	8	8	8
20-34	380	5.1	4	3	3	5	6	7	8	9
35-49	42	5.5	4	2	3	5	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2		3	3	3	3	4	4	4
20-34	48	3.4	1	2	2	3	4	5	5	7
35-49	6	4.5	3	3	3	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	60	5.8	6	3	3	6	7	9	11	13
20-34	624	5.8	8	3	3	6	7	8	10	17
35-49	103	6.7	11	3	3	6	8	10	12	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	3.4	1	2	3	3	4	4	5	6
B. *Operated*	451	5.2	4	3	3	5	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	60	3.5	1	2	2	3	4	5	6	7
B. *Operated*	787	5.9	9	3	3	6	7	8	10	18
1. SINGLE DX	619	4.7	4	2	3	4	6	7	8	9
2. MULTIPLE DX	847	5.8	9	3	3	6	7	8	10	18
A. NOT OPERATED	228	3.4	1	2	2	3	4	4	5	7
B. OPERATED	1238	5.6	7	3	3	6	7	8	9	15
TOTAL 0-19 YRS	106	5.3	5	3	3	5	7	8	9	13
20-34	1188	5.2	7	3	3	5	6	8	8	14
35-49	172	5.9	9	3	3	6	7	8	11	20
50-64										
65+										
GRAND TOTAL	**1466**	**5.3**	**7**	**3**	**3**	**5**	**7**	**8**	**9**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	7	2	2	3	6	8	8	8
20-34	62	4.3	2	2	3	4	5	7	7	8
35-49	10	4.5	4	3	3	4	5	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	268	6.4	1	5	5	6	7	8	8	10
20-34	6464	6.4	2	4	5	6	7	8	8	9
35-49	413	6.8	2	5	5	7	8	8	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	26	5.2	8	2	3	5	6	9	10	15
35-49	6	5.3	10	3	3	4	7	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	133	6.6	5	4	5	6	7	8	9	15
20-34	5572	6.7	5	5	5	7	7	8	9	13
35-49	796	7.3	11	5	5	7	8	9	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.3	3	2	3	4	5	7	8	8
B. *Operated*	7145	6.4	2	5	5	6	7	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	34	5.0	8	2	3	4	6	9	11	15
B. *Operated*	6501	6.8	5	5	5	7	7	8	9	14
1. SINGLE DX	7221	6.4	2	4	5	6	7	8	8	9
2. MULTIPLE DX	6535	6.8	5	5	5	7	7	8	9	14
A. NOT OPERATED	110	4.5	4	2	3	4	5	7	8	13
B. OPERATED	13646	6.6	4	5	5	6	7	8	9	11
TOTAL 0-19 YRS	407	6.4	3	4	5	6	7	8	8	11
20-34	12124	6.5	3	4	5	6	7	8	8	11
35-49	1225	7.1	8	5	5	7	8	9	9	15
50-64										
65+										
GRAND TOTAL	**13756**	**6.6**	**4**	**4**	**5**	**6**	**7**	**8**	**9**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.6	1	2	3	3	4	5	6	8
20-34	1869	3.6	2	2	3	3	4	5	5	9
35-49	131	3.6	1	2	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	110	4.1	3	2	3	4	5	6	8	11
20-34	1043	4.2	3	3	3	4	5	6	7	9
35-49	67	4.3	3	2	3	4	5	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.0	3	2	3	4	4	6	8	11
20-34	673	4.1	4	2	3	4	5	6	7	12
35-49	56	4.3	3	2	3	4	5	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	337	5.3	9	2	3	5	6	8	10	17
20-34	2823	5.3	11	3	3	5	6	8	9	14
35-49	271	5.6	6	3	3	5	7	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2245	3.6	2	2	3	3	4	5	5	8
B. *Operated*	1220	4.2	3	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	839	4.1	4	2	3	4	5	6	7	12
B. *Operated*	3431	5.3	10	3	3	5	6	8	9	14
1. SINGLE DX	3465	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX	4270	5.1	9	3	3	4	6	8	9	14
A. NOT OPERATED	3084	3.8	2	2	3	4	4	5	6	10
B. OPERATED	4651	5.0	9	3	3	4	6	8	8	13
TOTAL 0-19 YRS	802	4.5	6	2	3	4	5	7	8	13
20-34	6408	4.5	7	3	3	4	5	7	8	12
35-49	525	4.8	5	2	3	4	6	8	9	12
50-64										
65+										
GRAND TOTAL	**7735**	**4.5**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	3.2	1	2	2	3	4	4	5	6
20-34	4027	3.2	1	2	2	3	4	4	5	6
35-49	250	3.3	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	204	3.4	1	2	3	3	4	4	5	6
20-34	1449	3.4	1	2	2	3	4	5	5	7
35-49	91	3.9	2	2	3	4	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.4	1	2	2	3	4	5	6	7
20-34	702	3.6	3	2	3	3	4	5	5	11
35-49	56	4.0	9	2	3	3	4	5	7	21
50-64										
65+										
B. *Operated*										
0-19 YRS	179	3.7	2	2	3	4	4	5	6	8
20-34	1772	3.9	2	2	3	4	4	6	7	9
35-49	187	4.5	15	2	2	4	5	7	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4675	3.2	1	2	2	3	4	4	5	6
B. *Operated*	1744	3.5	1	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	846	3.6	3	2	3	3	4	5	6	11
B. *Operated*	2138	4.0	3	2	3	4	4	6	7	9
1. SINGLE DX	6419	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	2984	3.9	3	2	3	4	4	5	6	10
A. NOT OPERATED	5521	3.3	1	2	2	3	4	4	5	6
B. OPERATED	3882	3.7	2	2	3	3	4	5	6	8
TOTAL 0-19 YRS	869	3.4	1	2	2	3	4	4	5	7
20-34	7950	3.5	1	2	2	3	4	5	5	7
35-49	584	3.8	6	2	2	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**9403**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.6	9	2	2	3	4	4	4	24
20-34	422	3.0	1	1	2	3	4	4	5	5
35-49	43	3.3	2	1	2	3	4	5	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	739	3.1	1	2	2	3	3	4	4	6
20-34	6743	3.1	1	2	2	3	4	4	4	5
35-49	571	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	1	3	3	4	4	5	5	5
20-34	88	3.2	1	2	2	3	4	5	5	7
35-49	8	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	193	3.6	5	2	2	3	4	4	5	9
20-34	2694	3.6	2	2	2	3	4	5	6	8
35-49	358	3.8	2	2	2	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.1	2	1	2	3	4	4	5	6
B. *Operated*	8053	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	108	3.3	1	2	2	3	4	5	5	7
B. *Operated*	3245	3.6	2	2	2	3	4	5	6	7
1. SINGLE DX	8570	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX	3353	3.6	2	2	2	3	4	5	6	7
A. NOT OPERATED	625	3.1	2	1	2	3	4	4	5	6
B. OPERATED	11298	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	996	3.2	2	2	2	3	4	4	5	6
20-34	9947	3.2	1	2	2	3	4	4	5	6
35-49	980	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**11923**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	1	1	2	3	4	4	4	6
20-34	216	3.2	1	2	2	3	4	4	5	6
35-49	6	3.7	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	699	3.3	1	2	3	3	4	4	5	6
20-34	3351	3.4	1	2	3	3	4	4	5	6
35-49	114	3.5	1	2	3	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.4	10	3	3	4	8	10	12	12
20-34	46	3.7	1	2	2	4	4	5	6	7
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	261	3.7	1	2	3	4	4	5	6	8
20-34	1429	3.8	2	2	3	4	4	5	6	8
35-49	71	4.5	23	3	3	4	5	5	7	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.2	1	2	2	3	4	4	5	6
B. *Operated*	4164	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	59	4.0	3	2	2	4	4	6	8	12
B. *Operated*	1761	3.8	3	2	3	4	4	5	6	9
1. SINGLE DX	4430	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX	1820	3.8	3	2	3	4	4	5	6	9
A. NOT OPERATED	325	3.4	1	2	2	3	4	4	5	7
B. OPERATED	5925	3.5	1	2	3	3	4	5	5	7
TOTAL 0-19 YRS	1014	3.4	1	2	3	3	4	4	5	7
20-34	5042	3.5	1	2	3	3	4	5	5	7
35-49	194	3.9	9	2	3	4	4	5	5	9
50-64										
65+										
GRAND TOTAL	**6250**	**3.5**	**1**	**2**	**3**	**3**	**4**	**5**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	1	2	2	3	4	5	5	5
20-34	168	3.4	2	1	2	3	4	5	5	8
35-49	8	3.0	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	271	3.3	1	2	2	3	4	4	5	5
20-34	1260	3.4	1	2	3	3	4	4	5	6
35-49	57	3.5	1	1	3	4	4	4	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.9	1	2	2	3	4	4	4	4
20-34	53	3.6	2	2	2	4	4	5	5	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	118	3.8	2	2	3	4	4	5	6	11
20-34	852	4.1	4	2	3	4	4	6	7	11
35-49	57	3.9	2	2	3	4	4	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.3	2	1	2	3	4	5	5	8
B. *Operated*	1588	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	66	3.4	1	2	2	3	4	5	5	7
B. *Operated*	1027	4.0	4	2	3	4	4	5	7	11
1. SINGLE DX	1792	3.4	1	2	2	3	4	4	5	6
2. MULTIPLE DX	1093	4.0	4	2	3	4	4	5	7	11
A. NOT OPERATED	270	3.4	2	2	2	3	4	5	5	7
B. OPERATED	2615	3.6	2	2	3	3	4	5	6	8
TOTAL 0-19 YRS	429	3.4	1	2	2	3	4	5	5	7
20-34	2333	3.6	2	2	3	3	4	5	6	8
35-49	123	3.6	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**2885**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	871	3.6	5	2	2	3	4	5	6	10
20-34	4426	3.5	4	1	2	3	4	5	6	11
35-49	271	4.0	6	2	2	3	4	6	8	18
50-64										
65+										
B. *Operated*										
0-19 YRS	1696	3.9	3	2	3	3	4	6	7	10
20-34	11243	3.9	4	2	3	4	4	5	7	9
35-49	683	4.3	6	2	3	4	5	6	8	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	394	3.8	8	1	2	3	4	6	8	15
20-34	2099	3.8	7	1	2	3	4	6	7	15
35-49	202	3.7	4	1	2	3	4	6	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1564	5.1	13	2	3	4	6	8	11	18
20-34	11336	5.1	12	2	3	4	6	8	10	19
35-49	1260	5.7	14	3	3	5	7	9	11	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5568	3.6	4	2	2	3	4	5	6	11
B. *Operated*	13622	3.9	4	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2695	3.8	7	1	2	3	4	6	7	14
B. *Operated*	14160	5.2	13	2	3	4	6	8	10	19
1. SINGLE DX	19190	3.8	4	2	3	3	4	5	7	10
2. MULTIPLE DX	16855	4.9	12	2	3	4	6	8	10	18
A. NOT OPERATED	8263	3.7	5	1	2	3	4	5	7	12
B. OPERATED	27782	4.6	9	2	3	4	5	7	8	16
TOTAL 0-19 YRS	4525	4.2	8	2	2	4	5	7	8	15
20-34	29104	4.3	8	2	3	4	5	7	8	14
35-49	2416	4.9	11	2	3	4	6	8	10	18
50-64										
65+										
GRAND TOTAL	**36045**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.7	2	3	3	5	6	7	7	8
20-34	92	4.2	4	2	2	4	5	7	8	11
35-49	4	5.5	6	3	3	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.8	17	1	1	5	7	12	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.9	4	1	3	5	6	8	9	9
20-34	30	5.7	10	2	3	5	6	9	13	17
35-49	5	7.0	6	5	5	6	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	11	4.3	7	1	1	4	6	8	9	9
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.4	4	2	2	4	6	7	8	10
B. *Operated*	11	5.5	16	1	1	5	7	11	16	16
2. MULTIPLE DX										
A. *Not Operated*	50	5.6	8	2	3	5	6	9	11	17
B. *Operated*	16	6.8	94	1	1	5	7	9	32	42
1. SINGLE DX	137	4.4	5	2	2	4	6	7	8	12
2. MULTIPLE DX	66	5.9	28	1	3	5	6	9	11	38
A. NOT OPERATED	176	4.7	5	2	2	4	6	7	9	13
B. OPERATED	27	6.3	61	1	1	5	7	9	20	42
TOTAL 0-19 YRS	50	4.7	3	2	3	5	6	7	8	9
20-34	143	4.6	6	1	2	4	6	7	9	16
35-49	10	9.9	132	3	3	6	8	26	42	42
50-64										
65+										
GRAND TOTAL	**203**	**4.9**	**12**	**2**	**2**	**4**	**6**	**7**	**9**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	1	<1	<1	2	2	3	3	3
20-34	100	1.8	1	<1	1	2	2	3	4	5
35-49	7	1.7	2	<1	<1	1	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	1.6	1	1	1	1	2	3	4	4
20-34	345	1.8	1	<1	1	1	2	3	4	6
35-49	30	2.1	7	<1	<1	1	2	3	5	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	44	2.5	2	1	1	2	3	4	5	7
35-49	5	3.2	5	1	1	3	4	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.3	2	1	1	2	3	4	6	6
20-34	162	3.0	14	<1	1	2	4	6	8	11
35-49	11	4.2	17	<1	<1	2	6	10	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	1.8	1	<1	1	2	2	3	4	5
B. *Operated*	425	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	56	2.5	2	1	1	2	3	4	5	7
B. *Operated*	198	3.0	13	<1	1	2	4	6	8	13
1. SINGLE DX	552	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	254	2.9	10	<1	1	2	3	5	7	11
A. NOT OPERATED	183	2.0	1	<1	1	2	3	3	4	6
B. OPERATED	623	2.2	6	<1	1	2	2	4	5	10
TOTAL 0-19 YRS	102	1.8	1	<1	1	2	2	3	4	6
20-34	651	2.2	5	<1	1	2	3	4	5	8
35-49	53	2.6	8	<1	<1	2	3	5	8	15
50-64										
65+										
GRAND TOTAL	**806**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	12	1	2	3	7	11	13	14
20-34	80	4.6	12	1	1	4	6	10	11	18
35-49	11	8.0	43	3	3	4	12	18	23	23
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.9	15	1	1	3	4	9	13	19
20-34	179	3.2	6	<1	1	3	4	6	7	17
35-49	15	3.7	7	1	2	3	5	6	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	61	6.5	29	1	2	5	8	13	19	27
35-49	5	4.2	17	1	1	2	3	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.1	30	<1	1	3	5	10	20	23
20-34	115	4.3	22	1	1	3	4	8	14	26
35-49	9	5.8	37	1	1	3	7	17	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	5.0	15	1	2	4	6	10	13	21
B. *Operated*	229	3.4	8	1	1	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	72	5.9	28	<1	1	4	8	12	18	27
B. *Operated*	139	4.5	23	1	1	3	4	9	14	24
1. SINGLE DX	343	3.9	11	1	1	3	4	7	11	19
2. MULTIPLE DX	211	5.0	25	1	1	3	5	11	14	25
A. NOT OPERATED	186	5.4	20	1	1	4	7	11	14	23
B. OPERATED	368	3.8	14	1	1	3	4	7	11	20
TOTAL 0-19 YRS	79	4.3	16	1	1	3	4	10	13	22
20-34	435	4.2	16	1	1	3	5	8	12	20
35-49	40	5.4	26	1	1	4	6	13	17	23
50-64										
65+										
GRAND TOTAL	**554**	**4.3**	**17**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	802	4.5	7	2	2	4	5	8	10	14
20-34	678	5.0	9	2	2	4	6	8	11	15
35-49	480	6.0	19	2	2	5	7	11	13	23
50-64	479	6.7	21	2	3	6	8	12	15	26
65+	412	8.2	33	2	3	7	10	14	18	31
B. *Operated*										
0-19 YRS	407	4.8	12	1	1	4	6	9	12	18
20-34	516	5.3	20	1	1	4	7	9	14	23
35-49	276	6.4	45	1	2	5	8	12	16	39
50-64	211	8.3	56	1	2	6	11	15	24	39
65+	178	11.4	109	2	3	9	16	25	32	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	5.3	14	2	2	4	6	9	12	22
20-34	767	6.7	34	2	2	5	8	13	16	34
35-49	899	8.3	41	2	3	7	11	15	20	32
50-64	1440	9.9	54	3	4	8	13	18	22	37
65+	2507	12.7	105	4	5	10	15	24	32	72
B. *Operated*										
0-19 YRS	221	7.0	55	1	2	5	8	13	21	40
20-34	438	11.0	116	2	3	8	14	23	31	56
35-49	444	13.6	192	2	3	10	16	32	40	88
50-64	737	16.1	222	3	4	11	20	33	49	85
65+	877	20.2	307	3	5	15	27	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2851	5.8	17	2	2	5	7	10	13	22
B. *Operated*	1588	6.5	41	1	2	5	8	13	17	34
2. MULTIPLE DX										
A. *Not Operated*	6187	10.0	73	3	3	8	12	19	25	51
B. *Operated*	2717	15.4	231	2	3	11	19	34	50	92
1. SINGLE DX	4439	6.0	26	2	2	5	7	11	15	26
2. MULTIPLE DX	8904	11.7	127	3	3	8	14	23	33	72
A. NOT OPERATED	9038	8.7	59	2	3	7	11	17	22	45
B. OPERATED	4305	12.1	180	2	2	8	15	28	40	83
TOTAL 0-19 YRS	2004	5.1	16	1	2	4	6	9	11	21
20-34	2399	6.7	43	2	2	5	8	13	17	36
35-49	2099	8.6	76	2	3	6	10	16	23	47
50-64	2867	10.8	103	3	3	8	13	21	28	59
65+	3974	13.9	155	3	4	10	17	28	41	87
GRAND TOTAL	**13343**	**9.8**	**101**	**2**	**3**	**7**	**12**	**20**	**28**	**62**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	4.4	7	1	2	4	6	8	9	14
20-34	167	4.7	10	2	2	4	5	8	10	20
35-49	77	5.1	11	1	2	4	7	9	12	16
50-64	61	6.7	20	2	3	6	8	11	15	27
65+	58	8.3	40	2	2	6	9	16	22	35
B. *Operated*										
0-19 YRS	252	3.8	15	<1	1	3	5	8	12	18
20-34	217	4.9	31	<1	1	3	6	10	14	32
35-49	149	5.0	27	<1	<1	3	7	10	13	30
50-64	123	5.2	27	<1	1	4	7	11	16	53
65+	93	8.4	223	<1	1	3	7	16	41	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	5.2	12	2	2	4	6	9	11	20
20-34	140	6.1	25	2	2	5	7	10	15	26
35-49	115	7.8	43	2	3	6	10	14	18	36
50-64	213	10.5	99	2	3	8	12	18	27	56
65+	306	10.9	78	3	4	9	13	19	30	54
B. *Operated*										
0-19 YRS	119	6.3	36	1	1	4	8	11	19	32
20-34	145	7.2	59	1	1	5	9	15	25	60
35-49	166	10.7	113	1	2	7	14	24	38	51
50-64	255	13.1	197	2	2	9	17	29	40	81
65+	262	15.7	224	2	4	11	19	36	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	5.1	13	2	2	4	6	9	11	21
B. *Operated*	834	5.0	48	<1	1	3	6	10	15	37
2. MULTIPLE DX										
A. *Not Operated*	1058	8.3	60	2	3	6	10	15	21	43
B. *Operated*	947	11.7	160	1	2	8	14	26	38	77
1. SINGLE DX	1516	5.1	32	<1	1	4	6	9	13	28
2. MULTIPLE DX	2005	9.9	110	2	2	7	12	20	32	66
A. NOT OPERATED	1740	7.1	44	2	2	5	8	13	17	36
B. OPERATED	1781	8.6	118	<1	1	5	10	20	30	67
TOTAL 0-19 YRS	974	4.7	14	1	1	4	6	9	11	20
20-34	669	5.6	31	1	1	4	7	11	15	31
35-49	507	7.5	62	1	2	5	9	15	23	43
50-64	652	10.2	125	2	2	7	12	21	32	70
65+	719	12.1	155	2	3	9	14	25	38	78
GRAND TOTAL	**3521**	**7.8**	**82**	**1**	**2**	**5**	**9**	**16**	**24**	**52**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	5	1	1	2	4	7	9	9
20-34	26	3.3	4	<1	1	3	5	6	7	7
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	2	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	1464	3.9	3	2	2	4	5	6	7	10
20-34	2586	4.0	3	2	2	4	5	6	7	10
35-49	319	4.1	4	2	2	4	5	7	8	11
50-64	73	4.4	6	1	2	4	5	8	8	13
65+	17	5.4	23	2	2	4	5	11	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		<1	<1	1	1	2	3	3
20-34	22	2.2	4	<1	<1	2	3	4	7	8
35-49	5	1.4		1	1	1	2	2	2	2
50-64	1	23.0		23	23	23	23	23	23	23
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	132	5.7	27	2	2	4	7	9	12	40
20-34	301	4.9	9	2	3	4	6	8	10	18
35-49	89	5.8	15	2	2	5	7	10	12	23
50-64	31	7.6	55	2	2	6	9	13	18	41
65+	25	8.5	106	1	2	6	11	17	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.4	4	1	1	3	5	6	7	9
B. *Operated*	4459	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	41	2.4	13	<1	<1	1	2	4	7	23
B. *Operated*	578	5.5	21	2	2	4	6	9	12	23
1. SINGLE DX	4510	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX	619	5.3	21	1	2	4	6	9	12	23
A. NOT OPERATED	92	2.9	8	<1	<1	2	4	6	7	17
B. OPERATED	5037	4.2	6	2	2	4	5	6	8	12
TOTAL 0-19 YRS	1628	4.0	5	2	2	4	5	6	8	11
20-34	2935	4.1	4	2	2	4	5	6	8	11
35-49	416	4.4	7	2	2	4	5	7	9	15
50-64	107	5.5	24	1	2	5	6	10	13	31
65+	43	7.2	72	2	2	4	7	13	19	53
GRAND TOTAL	**5129**	**4.1**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**12**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	6.0	13	2	2	7	8	9	9	9
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	269	1.5	2	<1	<1	1	2	2	3	5
20-34	564	1.6	1	<1	<1	1	2	3	3	6
35-49	454	1.7	2	<1	<1	1	2	3	4	8
50-64	460	1.6	2	<1	<1	1	2	3	4	7
65+	184	1.8	2	<1	<1	1	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34	8	3.0	14	<1	<1	2	3	10	12	12
35-49	10	2.2	3	<1	<1	1	4	5	5	5
50-64	13	3.3	17	<1	<1	1	5	11	13	13
65+	6	8.2	31	4	4	6	9	18	19	19
B. *Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	6
20-34	112	2.4	4	<1	<1	2	3	5	6	10
35-49	146	2.8	9	<1	<1	2	3	6	7	18
50-64	177	3.4	20	<1	<1	2	4	7	10	25
65+	112	5.6	84	<1	<1	3	6	10	19	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	7	<1	<1	2	3	8	9	9
B. *Operated*	1931	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	46	3.2	15	<1	<1	1	4	9	12	19
B. *Operated*	573	3.4	27	<1	<1	2	3	7	10	24
1. SINGLE DX	1943	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	619	3.4	26	<1	<1	2	4	7	10	24
A. NOT OPERATED	58	3.1	13	<1	<1	1	4	8	12	19
B. OPERATED	2504	2.0	8	<1	<1	1	2	3	5	12
TOTAL 0-19 YRS	305	1.5	2	<1	<1	1	2	2	3	5
20-34	687	1.7	2	<1	<1	1	2	3	4	9
35-49	615	1.9	4	<1	<1	1	2	3	5	11
50-64	651	2.1	8	<1	<1	1	2	4	6	13
65+	304	3.3	36	<1	<1	2	3	7	9	33
GRAND TOTAL	**2562**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	456	4.0	15	1	1	3	5	7	11	19
20-34	222	7.3	63	1	1	4	10	18	23	41
35-49	135	8.5	104	1	1	5	10	21	26	49
50-64	166	8.3	59	1	2	5	11	21	24	33
65+	215	12.8	174	2	3	9	15	28	35	83
B. *Operated*										
0-19 YRS	855	2.4	7	<1	<1	2	3	4	6	16
20-34	1117	3.8	48	<1	<1	2	3	6	13	41
35-49	737	4.4	44	<1	<1	2	4	9	15	42
50-64	736	5.7	82	<1	<1	3	5	13	25	54
65+	508	9.0	153	<1	<1	3	13	25	35	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	5.8	32	1	1	4	7	11	17	30
20-34	314	9.1	105	1	1	6	11	20	28	56
35-49	349	10.3	92	1	2	7	14	24	32	52
50-64	677	11.8	97	2	3	9	16	23	30	61
65+	1607	16.6	229	3	5	12	21	38	57	99+
B. *Operated*										
0-19 YRS	346	5.9	92	<1	1	2	5	15	24	46
20-34	676	9.3	181	<1	1	4	11	26	42	81
35-49	701	11.3	213	1	1	5	14	30	46	87
50-64	1204	12.4	239	1	2	5	18	35	54	99+
65+	1580	21.5	399	2	2	17	32	58	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	7.3	78	1	1	4	9	18	24	42
B. *Operated*	3953	4.6	62	<1	<1	2	4	10	18	43
2. MULTIPLE DX										
A. *Not Operated*	3349	13.0	168	2	3	9	16	29	42	99+
B. *Operated*	4507	14.5	301	1	2	7	22	42	64	99+
1. SINGLE DX	5147	5.3	67	<1	<1	3	5	13	20	43
2. MULTIPLE DX	7856	13.8	245	1	2	8	19	37	55	99+
A. NOT OPERATED	4543	11.5	150	1	2	8	15	26	37	87
B. OPERATED	8460	9.9	213	<1	1	3	12	30	46	99+
TOTAL 0-19 YRS	2059	4.0	30	<1	<1	2	4	8	13	29
20-34	2329	6.5	102	<1	<1	3	6	17	26	55
35-49	1922	8.3	128	<1	1	4	9	21	32	64
50-64	2783	10.2	160	1	1	5	14	27	39	99+
65+	3910	17.4	302	1	2	12	24	45	67	99+
GRAND TOTAL	**13003**	**10.4**	**192**	**<1**	**1**	**5**	**14**	**29**	**43**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	11.4	240	3	4	8	10	14	43	81
20-34	58	7.2	29	2	2	5	10	16	18	29
35-49	60	10.6	149	2	3	7	13	18	31	69
50-64	57	6.4	39	<1	<1	6	8	14	20	30
65+	26	12.5	91	4	5	9	15	27	37	39
B. *Operated*										
0-19 YRS	24	12.0	303	2	2	6	15	23	48	85
20-34	39	9.9	235	2	2	6	9	15	41	87
35-49	41	8.6	42	2	2	7	12	17	20	32
50-64	27	12.2	132	1	2	8	15	27	37	50
65+	19	16.1	122	2	4	14	23	31	39	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	10.0	98	3	3	6	11	26	35	48
20-34	148	10.7	107	2	3	7	12	23	36	50
35-49	113	9.7	65	2	3	7	11	19	26	40
50-64	174	11.7	136	3	3	9	13	20	31	70
65+	142	14.0	118	3	4	11	17	28	38	52
B. *Operated*										
0-19 YRS	16	16.1	201	1	2	11	20	38	49	53
20-34	79	23.2	562	2	3	16	29	64	80	95
35-49	86	16.4	156	3	4	12	23	37	46	83
50-64	102	17.6	254	3	4	12	22	36	52	89
65+	109	22.8	339	5	6	17	28	46	73	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	9.0	97	<1	2	6	11	17	22	62
B. *Operated*	150	11.1	161	2	2	7	14	24	32	85
2. MULTIPLE DX										
A. *Not Operated*	627	11.5	111	3	3	8	13	24	34	52
B. *Operated*	392	19.8	322	3	4	14	25	43	62	92
1. SINGLE DX	376	9.8	123	<1	2	7	12	19	30	67
2. MULTIPLE DX	1019	14.7	208	3	4	10	18	32	44	80
A. NOT OPERATED	853	10.8	108	2	3	8	13	21	32	52
B. OPERATED	542	17.4	292	2	3	12	22	38	55	87
TOTAL 0-19 YRS	115	11.6	184	2	3	7	13	28	36	82
20-34	324	13.0	252	2	3	7	14	29	49	83
35-49	300	11.7	113	2	3	8	14	25	36	57
50-64	360	12.5	166	<1	3	9	15	24	35	70
65+	296	17.2	214	4	5	13	22	36	46	75
GRAND TOTAL	**1395**	**13.4**	**190**	**2**	**3**	**9**	**16**	**29**	**42**	**78**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.3	22	2	2	5	8	12	16	23
20-34	73	8.2	49	2	3	6	11	14	21	42
35-49	88	7.1	34	<1	<1	6	10	15	17	30
50-64	182	7.9	56	<1	<1	6	11	16	21	39
65+	133	11.0	73	2	3	10	14	21	26	50
B. *Operated*										
0-19 YRS	16	5.3	40	<1	<1	3	5	16	22	24
20-34	47	10.5	121	2	2	6	15	33	45	99+
35-49	103	8.5	80	2	2	5	11	20	25	46
50-64	282	12.1	113	2	2	10	17	24	31	59
65+	162	16.4	151	2	3	15	21	29	40	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	7.9	52	1	3	6	10	14	21	43
20-34	54	8.6	30	3	4	8	10	14	16	37
35-49	105	10.3	49	2	3	9	13	20	24	35
50-64	430	11.2	78	2	3	9	15	21	28	45
65+	643	13.6	129	3	4	11	17	27	38	97
B. *Operated*										
0-19 YRS	17	20.1	351	2	3	17	22	50	64	71
20-34	41	9.7	79	2	2	9	13	16	27	45
35-49	112	11.8	129	2	2	9	16	23	35	62
50-64	368	15.0	196	2	3	11	21	32	50	99+
65+	384	18.3	223	3	4	15	24	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	8.1	51	<1	1	6	11	16	21	35
B. *Operated*	610	12.3	124	2	2	9	17	25	36	54
2. MULTIPLE DX										
A. *Not Operated*	1305	12.0	100	3	4	9	15	23	33	62
B. *Operated*	922	15.8	203	2	3	12	21	37	53	99+
1. SINGLE DX	1216	10.3	92	<1	2	7	14	22	27	49
2. MULTIPLE DX	2227	13.6	146	2	3	10	18	28	41	81
A. NOT OPERATED	1911	10.8	88	1	3	8	14	21	28	53
B. OPERATED	1532	14.4	174	2	3	11	20	31	45	92
TOTAL 0-19 YRS	236	7.7	67	1	2	5	9	16	22	47
20-34	215	9.1	66	2	2	7	12	16	23	47
35-49	408	9.6	78	1	2	7	12	19	24	45
50-64	1262	12.0	122	1	2	9	16	25	33	66
65+	1322	15.0	159	3	4	12	20	30	45	99+
GRAND TOTAL	**3443**	**12.4**	**130**	**2**	**3**	**9**	**16**	**26**	**36**	**71**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	18	3	3	5	9	12	12	12
20-34	11	5.0	8	1	2	5	6	9	10	10
35-49	24	7.2	22	<1	2	7	9	13	16	22
50-64	90	6.8	38	1	2	5	9	12	16	38
65+	207	8.2	48	1	2	7	11	17	22	71
B. *Operated*										
0-19 YRS	18	5.5	47	1	2	3	5	10	23	31
20-34	192	5.0	26	1	1	3	6	12	16	24
35-49	312	6.5	42	1	2	4	9	16	19	31
50-64	1109	11.5	63	2	2	11	16	21	24	36
65+	1402	17.6	85	3	6	17	22	27	33	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.2	83	1	1	5	11	24	24	24
20-34	24	7.1	38	1	1	6	9	14	19	30
35-49	94	6.6	39	1	2	5	8	12	17	39
50-64	366	8.6	53	1	3	7	11	16	21	43
65+	1608	11.8	141	2	3	9	14	22	37	95
B. *Operated*										
0-19 YRS	8	4.9	33	2	2	3	4	14	19	19
20-34	124	7.3	89	1	2	4	8	14	26	56
35-49	237	8.6	87	2	2	5	11	19	26	46
50-64	984	14.5	127	2	3	14	19	27	34	57
65+	1872	21.8	172	5	8	19	26	38	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	7.6	42	1	2	6	10	15	20	48
B. *Operated*	3033	13.3	88	2	2	13	18	24	29	42
2. MULTIPLE DX										
A. *Not Operated*	2097	10.9	122	2	3	8	13	21	32	85
B. *Operated*	3225	18.0	172	2	4	16	24	34	42	76
1. SINGLE DX	3369	12.8	86	2	2	12	18	24	28	42
2. MULTIPLE DX	5322	15.2	164	2	3	13	20	30	40	79
A. NOT OPERATED	2433	10.5	112	2	3	8	12	20	30	82
B. OPERATED	6258	15.7	136	2	3	15	21	29	37	62
TOTAL 0-19 YRS	35	5.8	43	1	2	3	6	12	23	31
20-34	351	6.0	49	1	1	4	7	12	18	36
35-49	667	7.3	58	1	2	4	9	17	21	38
50-64	2549	12.1	90	2	2	11	17	23	28	46
65+	5089	16.9	153	3	4	15	22	31	40	81
GRAND TOTAL	**8691**	**14.3**	**135**	**2**	**3**	**12**	**19**	**27**	**36**	**68**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	8.0	29	2	3	7	11	16	20	24
20-34	96	7.5	35	1	2	5	9	16	20	28
35-49	54	6.1	18	2	2	5	8	11	15	24
50-64	56	8.5	60	2	3	6	9	17	27	41
65+	79	7.7	40	1	2	6	10	15	23	30
B. *Operated*										
0-19 YRS	58	13.1	102	2	3	11	22	25	31	42
20-34	153	6.6	53	2	2	4	8	14	20	37
35-49	164	6.7	34	1	2	5	8	14	18	29
50-64	192	9.7	106	2	2	6	14	20	27	74
65+	117	15.8	121	2	3	16	21	28	35	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	12.8	161	3	3	10	18	28	31	77
20-34	76	10.8	110	2	2	7	14	26	33	56
35-49	95	8.6	62	1	3	6	9	16	31	39
50-64	163	9.7	86	2	3	7	12	20	26	45
65+	413	12.0	137	2	3	9	15	25	35	88
B. *Operated*										
0-19 YRS	53	16.8	195	2	3	15	24	32	39	75
20-34	108	10.8	104	2	2	7	15	28	31	43
35-49	109	8.7	53	2	2	7	12	19	25	65
50-64	180	15.2	263	2	3	11	18	31	47	96
65+	190	23.3	326	4	5	19	32	55	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	7.6	35	2	2	6	10	16	20	29
B. *Operated*	684	9.6	90	2	2	6	14	21	27	46
2. MULTIPLE DX										
A. *Not Operated*	820	11.1	119	2	3	8	14	24	32	67
B. *Operated*	640	15.9	242	2	3	12	21	37	50	98
1. SINGLE DX	1091	8.9	70	2	2	6	12	20	25	42
2. MULTIPLE DX	1460	13.2	178	2	3	9	17	29	41	90
A. NOT OPERATED	1227	10.0	94	2	3	7	12	21	28	54
B. OPERATED	1324	12.6	173	2	2	8	17	28	39	85
TOTAL 0-19 YRS	306	11.6	112	2	3	8	16	24	30	42
20-34	433	8.6	75	2	2	5	11	18	28	42
35-49	422	7.6	44	2	2	5	9	16	21	35
50-64	591	11.3	150	2	2	7	15	22	33	84
65+	799	14.8	196	2	3	11	19	32	47	92
GRAND TOTAL	**2551**	**11.4**	**137**	**2**	**2**	**8**	**15**	**25**	**33**	**70**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.8	3	<1	1	2	4	6	7	8
20-34	52	2.6	6	<1	<1	2	3	5	9	12
35-49	13	2.8	13	<1	<1	1	3	7	13	14
50-64	9	4.0	25	<1	<1	2	5	12	16	16
65+	5	8.6	103	1	1	3	16	24	24	24
B. *Operated*										
0-19 YRS	1230	3.3	4	1	1	3	4	6	7	10
20-34	2310	3.6	5	<1	1	3	5	6	8	11
35-49	1095	3.6	6	<1	1	3	5	6	8	12
50-64	551	4.4	9	1	2	4	6	8	10	16
65+	84	5.9	21	1	2	5	7	9	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.5	18	<1	<1	1	4	9	13	19
20-34	73	2.5	6	<1	<1	1	3	6	9	11
35-49	47	3.7	18	<1	<1	1	5	12	12	17
50-64	36	5.1	29	1	1	3	6	15	17	22
65+	27	7.4	48	1	1	6	9	16	20	33
B. *Operated*										
0-19 YRS	557	3.7	7	1	1	3	5	7	8	13
20-34	1250	4.3	13	1	2	3	5	8	10	16
35-49	724	4.6	16	1	2	4	6	8	11	24
50-64	600	5.0	18	1	2	4	6	9	12	25
65+	170	6.3	26	2	2	5	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.1	12	<1	<1	2	3	6	10	18
B. *Operated*	5270	3.6	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	216	3.9	22	<1	<1	2	5	10	14	20
B. *Operated*	3301	4.5	15	1	2	3	6	8	11	20
1. SINGLE DX	5389	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	3517	4.5	15	1	1	3	6	8	11	20
A. NOT OPERATED	335	3.6	18	<1	<1	2	4	9	13	19
B. OPERATED	8571	4.0	9	1	1	3	5	7	9	16
TOTAL 0-19 YRS	1860	3.4	5	1	1	3	4	6	8	12
20-34	3685	3.8	8	1	1	3	5	7	8	14
35-49	1879	4.0	10	1	1	3	5	7	9	17
50-64	1196	4.7	14	1	2	4	6	8	11	21
65+	286	6.3	27	1	2	5	8	13	18	27
GRAND TOTAL	**8906**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	4.3	7	1	1	4	5	8	9	12
20-34	75	4.8	30	<1	1	3	5	11	16	32
35-49	55	5.5	24	<1	1	4	7	10	14	25
50-64	55	5.1	12	1	2	4	8	10	11	14
65+	72	7.1	26	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	1035	4.0	5	1	2	4	5	6	8	12
20-34	1553	4.1	9	1	2	4	5	7	8	14
35-49	473	4.2	12	<1	1	3	5	7	10	20
50-64	290	5.0	30	<1	1	3	6	11	15	29
65+	120	8.7	109	<1	1	4	11	21	33	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.4	23	<1	1	4	5	9	9	28
20-34	101	5.8	33	<1	1	4	8	12	17	30
35-49	98	6.9	30	<1	1	6	9	11	16	31
50-64	113	7.6	33	2	2	6	10	16	20	58
65+	289	10.8	115	2	3	8	13	20	28	69
B. *Operated*										
0-19 YRS	365	5.0	32	1	2	4	6	8	11	43
20-34	528	5.0	30	1	2	4	6	9	12	26
35-49	279	6.5	52	1	2	4	7	14	21	42
50-64	263	7.9	93	1	2	5	9	18	27	60
65+	163	14.6	280	2	2	7	19	34	53	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	5.1	17	1	1	4	7	10	13	23
B. *Operated*	3471	4.3	14	1	2	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	711	8.1	70	1	1	6	10	16	21	52
B. *Operated*	1598	6.7	78	1	2	4	7	14	22	47
1. SINGLE DX	3917	4.4	15	1	2	4	5	8	10	21
2. MULTIPLE DX	2309	7.1	76	1	2	5	8	15	22	48
A. NOT OPERATED	1157	6.9	52	1	1	5	9	14	18	37
B. OPERATED	5069	5.1	36	1	2	4	5	9	14	33
TOTAL 0-19 YRS	1699	4.3	13	1	2	4	5	7	9	16
20-34	2257	4.4	16	1	2	4	5	7	10	21
35-49	905	5.2	28	1	2	4	6	10	15	29
50-64	721	6.5	54	1	2	4	8	14	20	46
65+	644	10.9	151	1	2	7	13	23	35	73
GRAND TOTAL	**6226**	**5.4**	**39**	**1**	**2**	**4**	**6**	**10**	**15**	**34**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	16.0	200	6	6	16	26	26	26	26
20-34	11	11.0	59	3	3	8	15	24	24	24
35-49	5	5.8	7	3	3	5	7	10	10	10
50-64	7	10.3	13	7	7	9	12	16	17	17
65+	2	22.0	578	5	5	22	39	39	39	39
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	10.0	49	3	3	10	15	17	17	17
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	6.1	55	1	1	4	6	19	24	24
35-49	11	8.7	60	1	2	8	10	20	28	29
50-64	16	8.8	38	1	2	7	13	19	21	22
65+	26	10.2	41	2	3	8	16	20	22	22
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	4	15.5	97	1	1	19	21	23	23	23
50-64	6	23.8	368	2	3	17	38	53	55	55
65+	5	20.6	277	9	9	11	31	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	11.0	73	3	4	8	14	24	28	39
B. *Operated*	6	11.2	28	3	3	11	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	61	9.0	45	1	2	7	13	20	22	28
B. *Operated*	16	19.7	239	1	2	17	24	47	53	55
1. SINGLE DX	33	11.1	64	3	4	9	14	24	26	39
2. MULTIPLE DX	77	11.2	101	1	2	8	16	22	28	53
A. NOT OPERATED	88	9.6	54	2	3	8	13	21	24	35
B. OPERATED	22	17.4	192	2	3	15	19	41	51	55
TOTAL 0-19 YRS	4	11.8	91	6	6	7	17	26	26	26
20-34	22	9.1	56	2	2	6	14	24	24	24
35-49	21	9.5	57	1	2	8	13	21	26	29
50-64	29	12.3	125	2	3	9	15	21	39	55
65+	34	12.6	102	2	3	10	16	23	36	48
GRAND TOTAL	**110**	**11.2**	**89**	**2**	**3**	**8**	**15**	**23**	**26**	**51**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	34	6.7	15	2	2	6	10	12	14	15
35-49	113	6.0	22	1	2	5	8	11	14	26
50-64	237	7.2	25	2	2	6	9	14	17	23
65+	222	8.4	40	2	3	7	10	16	21	40
B. *Operated*										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	44	8.3	62	1	2	6	12	18	29	99+
35-49	170	8.4	41	2	2	7	11	17	22	30
50-64	306	8.5	39	2	2	8	12	17	21	26
65+	94	11.9	130	2	2	9	16	24	29	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	6.2	16	2	2	5	7	11	14	21
35-49	245	8.7	65	2	3	7	10	15	19	30
50-64	867	8.8	36	3	3	7	11	16	20	33
65+	1692	11.7	94	3	4	9	14	22	28	59
B. *Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	36	11.8	81	2	3	11	14	21	25	49
35-49	171	11.5	148	2	2	8	14	24	32	65
50-64	435	12.8	135	2	3	10	16	28	37	56
65+	420	18.3	241	3	5	14	24	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	7.4	30	2	2	6	9	14	18	27
B. *Operated*	617	9.0	56	2	2	8	12	18	23	35
2. MULTIPLE DX										
A. *Not Operated*	2842	10.5	75	3	4	8	13	19	25	46
B. *Operated*	1064	14.7	185	2	3	11	18	32	46	83
1. SINGLE DX	1225	8.2	44	2	2	7	11	16	21	32
2. MULTIPLE DX	3906	11.6	108	3	3	9	14	22	31	61
A. NOT OPERATED	3450	9.9	68	2	3	8	12	18	24	44
B. OPERATED	1681	12.6	145	2	2	10	16	26	39	76
TOTAL 0-19 YRS	8	4.6	15	1	1	3	8	10	10	10
20-34	151	8.2	48	2	2	6	11	16	21	49
35-49	699	8.9	75	2	2	7	11	17	23	46
50-64	1845	9.5	62	2	3	8	12	18	24	40
65+	2428	12.6	124	3	4	9	15	25	34	76
GRAND TOTAL	**5131**	**10.8**	**95**	**2**	**3**	**8**	**13**	**21**	**28**	**57**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	8.7	38	1	2	8	12	17	21	25
20-34	905	8.5	29	2	2	8	11	15	18	27
35-49	1259	9.3	36	2	3	8	12	16	20	31
50-64	781	9.8	34	2	3	9	13	17	20	30
65+	228	11.1	44	4	5	10	14	20	23	31
B. *Operated*										
0-19 YRS	102	7.9	22	1	2	7	11	15	17	20
20-34	2107	9.6	55	2	2	8	12	18	23	37
35-49	2960	9.9	48	2	2	9	13	19	23	32
50-64	1458	11.5	74	2	2	10	15	21	27	42
65+	244	13.8	81	3	4	12	17	25	31	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	10.3	41	3	4	9	12	18	26	28
20-34	343	10.7	50	2	4	9	14	19	24	35
35-49	646	11.1	49	2	4	10	14	19	23	41
50-64	867	11.3	46	3	4	10	14	19	24	37
65+	754	13.2	61	4	5	12	17	24	29	40
B. *Operated*										
0-19 YRS	14	8.4	44	1	2	7	12	19	24	25
20-34	531	13.5	98	2	3	11	18	27	31	46
35-49	1072	14.1	110	3	3	12	18	27	35	55
50-64	1040	15.1	109	3	5	12	20	28	35	54
65+	491	20.2	204	4	7	17	25	38	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3219	9.3	35	2	3	8	12	16	20	30
B. *Operated*	6871	10.3	58	2	2	9	13	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	2623	11.7	52	3	4	10	15	21	26	38
B. *Operated*	3148	15.2	127	3	4	12	20	29	37	61
1. SINGLE DX	10090	10.0	50	2	2	9	13	18	23	35
2. MULTIPLE DX	5771	13.6	96	3	4	11	17	26	32	51
A. NOT OPERATED	5842	10.4	44	2	3	9	13	18	23	34
B. OPERATED	10019	11.8	85	2	3	10	15	23	29	46
TOTAL 0-19 YRS	175	8.3	29	1	2	7	12	16	18	25
20-34	3886	9.9	57	2	2	8	13	19	24	38
35-49	5937	10.7	60	2	3	9	14	20	25	40
50-64	4146	12.0	73	2	3	10	15	22	28	42
65+	1717	15.0	114	4	5	13	19	28	36	58
GRAND TOTAL	**15861**	**11.3**	**70**	**2**	**3**	**9**	**14**	**21**	**27**	**42**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	6.2	17	2	2	4	10	13	14	14
20-34	264	8.1	23	2	2	8	10	14	17	23
35-49	398	8.3	24	2	2	8	11	15	17	25
50-64	266	9.4	38	2	3	8	12	17	23	33
65+	94	9.6	28	3	3	9	14	16	19	25
B. *Operated*										
0-19 YRS	14	6.9	27	2	2	5	9	15	19	20
20-34	344	9.5	73	1	2	8	11	18	24	39
35-49	695	9.0	38	2	2	8	12	17	21	30
50-64	367	9.4	40	2	2	8	12	17	22	30
65+	45	13.0	147	2	3	11	16	22	35	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	11.1	31	4	5	11	14	20	22	22
20-34	130	9.0	29	2	4	8	13	17	19	25
35-49	340	9.4	40	2	3	8	12	18	22	32
50-64	423	10.3	43	3	4	9	13	17	23	37
65+	319	11.7	70	3	4	10	15	22	27	44
B. *Operated*										
0-19 YRS	4	13.3	38	7	7	13	18	19	19	19
20-34	135	11.9	80	2	3	10	17	22	32	42
35-49	281	12.2	106	2	3	9	15	23	34	48
50-64	299	13.0	94	2	3	11	17	26	32	46
65+	117	20.0	222	3	7	15	27	41	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	8.6	28	2	3	8	11	15	18	27
B. *Operated*	1465	9.3	50	2	2	8	12	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	1223	10.3	48	3	4	9	13	19	23	34
B. *Operated*	836	13.5	120	2	3	11	17	28	36	54
1. SINGLE DX	2506	9.0	41	2	2	8	12	16	20	31
2. MULTIPLE DX	2059	11.6	80	3	3	9	14	22	29	46
A. NOT OPERATED	2264	9.5	40	2	3	8	12	17	21	32
B. OPERATED	2301	10.8	80	2	2	9	14	21	28	44
TOTAL 0-19 YRS	48	8.1	29	2	2	7	12	17	19	22
20-34	873	9.4	54	2	2	8	12	17	22	39
35-49	1714	9.4	48	2	2	8	12	17	21	35
50-64	1355	10.5	54	2	3	9	13	19	25	38
65+	575	13.1	112	3	4	11	16	26	32	66
GRAND TOTAL	**4565**	**10.2**	**60**	**2**	**3**	**9**	**13**	**19**	**24**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.9	6	2	3	6	8	9	10	10
20-34	116	7.9	27	2	2	7	10	14	19	28
35-49	141	8.4	28	2	3	7	10	14	19	31
50-64	60	8.3	11	3	4	8	10	13	14	17
65+	14	8.2	15	3	4	8	9	13	16	17
B. *Operated*										
0-19 YRS	6	5.7	20	2	2	4	7	13	14	14
20-34	86	6.8	36	2	2	5	9	14	20	27
35-49	89	7.8	44	1	2	5	11	16	21	34
50-64	27	8.2	50	2	2	5	14	23	32	99+
65+	3	7.3	24	4	4	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	52	1	1	11	14	15	15	15
20-34	69	8.9	17	3	3	8	12	15	15	19
35-49	114	9.7	28	3	4	9	12	16	20	29
50-64	118	10.6	45	3	4	9	14	18	23	37
65+	79	10.5	38	3	4	9	14	19	22	34
B. *Operated*										
0-19 YRS	4	5.5	26	2	2	3	8	13	13	13
20-34	51	12.4	106	2	3	10	14	23	29	67
35-49	67	12.1	57	3	3	11	16	24	26	33
50-64	52	11.2	50	3	3	10	16	21	25	27
65+	8	14.3	57	6	6	13	18	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	8.1	23	2	3	7	10	13	17	27
B. *Operated*	211	7.4	41	2	2	5	11	16	22	31
2. MULTIPLE DX										
A. *Not Operated*	383	10.0	34	3	4	9	13	17	20	31
B. *Operated*	182	11.8	68	2	3	10	16	22	26	33
1. SINGLE DX	557	7.8	30	2	2	7	10	14	19	27
2. MULTIPLE DX	565	10.6	45	3	4	9	14	19	23	33
A. NOT OPERATED	729	9.1	30	3	4	8	11	16	19	30
B. OPERATED	393	9.4	58	2	2	8	13	20	25	33
TOTAL 0-19 YRS	28	6.1	15	2	2	5	8	12	14	15
20-34	322	8.5	43	2	2	7	11	15	20	29
35-49	411	9.2	38	2	3	8	12	17	22	32
50-64	257	9.9	40	3	3	9	13	18	23	33
65+	104	10.4	37	3	4	9	13	19	21	32
GRAND TOTAL	**1122**	**9.2**	**40**	**2**	**3**	**8**	**12**	**17**	**22**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	137	<1	<1	3	14	29	29	29
20-34	111	8.4	23	2	3	8	11	15	17	22
35-49	199	8.5	26	2	3	7	11	15	19	26
50-64	139	8.8	32	2	3	8	11	16	21	27
65+	75	9.7	41	1	2	9	14	18	21	28
B. *Operated*										
0-19 YRS	6	6.7	34	1	1	6	11	15	15	15
20-34	73	6.2	33	1	1	5	9	15	19	28
35-49	86	7.5	62	1	1	5	10	17	20	43
50-64	51	6.0	35	1	1	4	8	15	20	25
65+	16	9.6	46	1	2	9	13	18	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	23	4	4	7	11	15	15	15
20-34	86	8.6	26	3	3	8	11	15	16	30
35-49	165	8.8	23	3	4	8	11	16	19	23
50-64	265	11.1	72	3	4	9	13	20	29	41
65+	367	11.7	54	3	4	10	15	22	27	41
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	39	12.0	145	2	2	8	16	28	39	53
35-49	67	11.8	62	2	2	11	17	21	30	33
50-64	58	10.6	39	1	3	11	13	21	25	93
65+	61	18.0	121	2	5	17	27	34	39	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	8.7	30	2	3	8	11	16	19	27
B. *Operated*	232	6.9	45	1	1	5	10	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	887	10.7	52	3	4	9	13	19	25	40
B. *Operated*	227	13.1	94	2	3	11	18	27	32	48
1. SINGLE DX	761	8.2	35	1	2	7	11	16	20	27
2. MULTIPLE DX	1114	11.2	62	3	4	9	14	21	28	41
A. NOT OPERATED	1416	10.0	45	2	3	8	13	18	23	36
B. OPERATED	459	10.0	79	1	2	8	14	21	29	46
TOTAL 0-19 YRS	17	7.2	53	<1	1	4	10	15	24	29
20-34	309	8.4	43	2	2	7	11	16	20	31
35-49	517	8.9	37	2	2	8	12	17	20	31
50-64	513	9.9	56	2	3	8	13	18	25	39
65+	519	12.1	65	3	4	10	16	24	29	41
GRAND TOTAL	**1875**	**10.0**	**53**	**2**	**3**	**8**	**13**	**18**	**24**	**38**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	5.8	16	1	2	5	8	11	12	23
20-34	1165	7.7	28	2	2	7	10	14	17	26
35-49	1571	8.4	30	2	2	7	11	15	19	27
50-64	986	9.1	37	2	3	8	12	16	20	31
65+	360	9.2	38	2	2	8	12	17	21	31
B. *Operated*										
0-19 YRS	67	6.1	28	1	2	4	8	15	17	24
20-34	777	6.5	38	1	2	4	9	15	19	30
35-49	903	7.9	52	1	2	6	11	17	22	35
50-64	580	8.7	56	1	2	7	12	18	24	37
65+	194	11.6	99	2	2	10	15	24	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	6.6	38	1	2	5	8	12	16	37
20-34	843	8.1	40	2	2	7	10	15	18	28
35-49	1362	9.4	46	2	3	8	13	18	22	33
50-64	1522	10.0	45	2	3	9	13	18	22	34
65+	1462	11.5	76	2	3	10	15	21	28	46
B. *Operated*										
0-19 YRS	34	7.4	37	1	2	6	9	16	21	26
20-34	427	10.2	75	2	2	8	14	21	26	40
35-49	718	11.7	106	2	2	9	16	26	33	51
50-64	781	12.8	108	2	3	10	17	25	32	56
65+	517	17.1	163	2	3	14	23	35	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4249	8.3	32	2	2	7	11	15	19	28
B. *Operated*	2521	7.9	53	1	2	5	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	5294	9.9	54	2	3	8	13	18	23	38
B. *Operated*	2477	12.9	118	2	2	10	18	27	35	54
1. SINGLE DX	6770	8.2	40	2	2	7	11	16	20	31
2. MULTIPLE DX	7771	10.8	76	2	3	9	14	21	27	46
A. NOT OPERATED	9543	9.2	45	2	3	8	12	17	21	34
B. OPERATED	4998	10.4	91	2	2	8	14	22	29	48
TOTAL 0-19 YRS	373	6.2	26	1	2	5	8	12	16	25
20-34	3212	7.9	41	1	2	6	10	15	20	30
35-49	4554	9.1	53	2	2	8	12	18	23	37
50-64	3869	10.1	59	2	3	9	13	19	24	40
65+	2533	12.3	96	2	3	10	16	24	32	53
GRAND TOTAL	**14541**	**9.6**	**61**	**2**	**2**	**8**	**12**	**19**	**24**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	4.5	9	1	2	4	6	8	10	15
20-34	86	5.1	16	1	1	4	7	10	11	22
35-49	124	4.7	12	1	2	4	6	9	11	19
50-64	140	5.3	12	1	2	5	7	10	13	17
65+	90	5.7	21	1	2	5	8	11	13	27
B. *Operated*										
0-19 YRS	404	2.8	6	<1	1	2	3	4	6	16
20-34	871	3.0	5	<1	<1	2	4	5	6	12
35-49	1102	3.1	8	<1	1	3	4	5	7	15
50-64	1257	2.8	7	<1	<1	2	3	5	6	14
65+	385	3.4	15	<1	<1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	5.0	27	<1	1	3	6	11	14	31
20-34	75	5.1	11	<1	1	4	7	10	13	14
35-49	134	6.1	25	1	2	5	8	12	16	29
50-64	272	6.6	21	1	2	6	9	12	16	22
65+	292	9.1	45	2	3	7	11	18	21	41
B. *Operated*										
0-19 YRS	117	3.9	16	<1	1	3	4	7	11	25
20-34	349	4.2	17	<1	1	3	5	8	10	19
35-49	559	4.5	20	1	2	3	5	9	13	26
50-64	698	5.1	27	1	2	3	6	10	14	29
65+	306	7.1	88	1	2	4	7	15	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	5.0	13	1	2	4	6	10	12	18
B. *Operated*	4019	3.0	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	855	7.1	32	1	2	6	9	14	18	32
B. *Operated*	2029	5.0	33	1	2	3	5	9	15	32
1. SINGLE DX	4673	3.3	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX	2884	5.6	33	1	2	4	7	11	16	32
A. NOT OPERATED	1509	6.2	25	1	2	5	8	12	16	27
B. OPERATED	6048	3.7	17	<1	1	3	4	6	10	22
TOTAL 0-19 YRS	817	3.6	11	<1	1	3	4	7	10	18
20-34	1381	3.5	10	<1	1	3	4	6	9	16
35-49	1919	3.9	14	<1	1	3	4	7	10	21
50-64	2367	4.1	17	<1	1	3	5	8	12	20
65+	1073	6.2	50	<1	1	4	8	13	18	40
GRAND TOTAL	**7557**	**4.2**	**20**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	4	4.0	13	<1	<1	3	6	9	9	9
65+	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	284	3.8	4	2	2	3	5	6	7	12
20-34	680	4.0	4	1	2	4	5	6	7	11
35-49	654	4.3	6	2	2	4	5	7	8	13
50-64	905	4.4	5	1	2	4	5	7	8	12
65+	457	4.8	13	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	20	1.7	2	<1	<1	1	2	4	5	6
35-49	28	1.8	5	<1	<1	1	1	3	7	12
50-64	36	2.4	11	<1	<1	1	2	5	11	16
65+	29	4.1	20	<1	<1	2	6	13	15	99+
B. *Operated*										
0-19 YRS	202	4.1	3	2	2	4	5	6	7	9
20-34	678	4.4	6	2	2	4	5	7	8	15
35-49	880	4.7	5	2	3	4	6	8	9	13
50-64	1764	5.3	8	2	3	5	6	9	10	15
65+	1031	6.2	35	2	3	5	7	9	12	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*	2980	4.3	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	116	2.5	11	<1	<1	1	3	6	13	44
B. *Operated*	4555	5.2	13	2	3	5	6	8	10	16
1. SINGLE DX	2998	4.3	6	1	2	4	5	7	8	13
2. MULTIPLE DX	4671	5.1	14	2	2	4	6	8	10	16
A. NOT OPERATED	134	2.5	10	<1	<1	1	3	6	12	29
B. OPERATED	7535	4.8	11	2	2	4	6	8	9	15
TOTAL 0-19 YRS	491	3.9	3	2	2	4	5	6	7	11
20-34	1381	4.2	5	1	2	4	5	6	8	13
35-49	1565	4.5	6	2	2	4	5	7	9	13
50-64	2709	5.0	8	2	2	4	6	8	10	15
65+	1523	5.7	28	2	2	5	7	9	12	29
GRAND TOTAL	**7669**	**4.8**	**11**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	6	1.3	1	<1	<1	1	1	3	3	3
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	6	5.5	21	<1	<1	4	10	12	12	12
65+										
B. *Operated*										
0-19 YRS	698	2.0	14	<1	<1	2	2	3	4	6
20-34	1288	1.9	1	<1	<1	2	2	3	4	5
35-49	685	2.1	6	<1	<1	2	2	3	4	7
50-64	538	2.4	2	<1	<1	2	3	4	6	7
65+	156	3.0	7	<1	<1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.1		<1	<1	1	1	2	2	2
20-34	18	1.1		<1	<1	1	1	1	2	2
35-49	16	2.1	4	<1	<1	1	3	5	6	7
50-64	14	5.1	18	<1	1	4	8	11	13	14
65+	16	8.3	26	2	2	8	10	14	20	22
B. *Operated*										
0-19 YRS	63	2.6	2	<1	1	2	3	4	6	9
20-34	184	2.5	4	<1	<1	2	3	4	6	14
35-49	211	3.2	7	<1	1	2	4	6	8	18
50-64	228	4.3	27	1	1	3	5	9	11	29
65+	120	5.1	58	<1	1	3	6	11	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.5	9	<1	<1	1	3	7	11	12
B. *Operated*	3365	2.1	5	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	82	3.4	16	<1	<1	1	5	9	11	20
B. *Operated*	806	3.6	20	<1	1	2	4	7	10	20
1. SINGLE DX	3387	2.1	5	<1	<1	2	2	3	4	7
2. MULTIPLE DX	888	3.6	20	<1	<1	2	4	7	10	20
A. NOT OPERATED	104	3.2	15	<1	<1	1	4	9	11	18
B. OPERATED	4171	2.4	9	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	784	2.0	13	<1	<1	2	2	3	4	6
20-34	1496	1.9	2	<1	<1	2	2	3	4	6
35-49	917	2.4	7	<1	<1	2	3	4	5	9
50-64	786	3.0	11	<1	<1	2	3	5	7	14
65+	292	4.2	31	<1	<1	2	5	9	11	21
GRAND TOTAL	**4275**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	17.6	107	3	5	16	24	30	33	51
20-34	45	11.2	65	2	3	9	17	23	28	30
35-49	51	10.1	43	2	3	9	14	18	21	30
50-64	45	14.1	147	3	4	11	18	36	41	48
65+	28	15.9	215	3	4	9	19	44	46	48
B. *Operated*										
0-19 YRS	99	17.1	175	1	2	15	28	38	40	48
20-34	118	15.6	231	2	2	11	24	31	38	87
35-49	94	13.9	210	<1	2	8	16	32	48	69
50-64	94	17.2	219	2	3	13	24	42	48	61
65+	67	17.5	278	2	4	11	23	45	59	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	19.5	192	2	4	17	28	38	43	67
20-34	44	16.9	196	2	3	13	23	38	45	60
35-49	71	19.0	179	3	5	15	28	38	46	59
50-64	118	17.8	183	3	4	15	24	34	41	68
65+	127	19.0	235	2	4	15	28	41	49	86
B. *Operated*										
0-19 YRS	67	24.4	322	2	3	22	36	51	58	96
20-34	123	24.5	330	3	4	23	36	54	72	99+
35-49	131	24.9	346	4	7	22	33	49	95	99+
50-64	317	25.1	323	4	6	21	36	55	65	99+
65+	307	28.1	375	6	8	24	39	65	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	14.4	114	2	4	12	20	29	36	48
B. *Operated*	472	16.2	219	2	2	12	24	37	45	68
2. MULTIPLE DX										
A. *Not Operated*	421	18.5	200	3	4	15	27	38	44	68
B. *Operated*	945	26.0	345	4	6	23	37	57	74	99+
1. SINGLE DX	745	15.5	181	2	3	12	22	33	42	60
2. MULTIPLE DX	1366	23.7	312	3	5	20	33	51	67	99+
A. NOT OPERATED	694	16.9	170	3	4	14	24	34	43	61
B. OPERATED	1417	22.7	324	2	4	19	33	50	66	99+
TOTAL 0-19 YRS	331	19.2	192	2	3	17	28	39	46	62
20-34	330	18.5	263	2	3	15	27	39	54	90
35-49	347	18.5	261	2	4	14	26	42	51	99+
50-64	574	21.5	280	3	4	16	31	47	59	89
65+	529	24.0	344	4	6	19	34	56	71	99+
GRAND TOTAL	**2111**	**20.8**	**281**	**2**	**4**	**17**	**29**	**45**	**59**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	6.1	40	1	1	4	8	13	18	35
20-34	107	4.6	18	1	1	3	6	9	12	25
35-49	167	4.5	13	1	1	3	6	8	11	19
50-64	149	6.1	19	2	2	5	8	12	15	20
65+	241	10.6	65	2	3	9	13	19	25	40
B. *Operated*										
0-19 YRS	926	5.7	33	1	2	4	7	11	16	30
20-34	882	5.4	30	1	2	4	6	10	12	26
35-49	390	6.3	50	1	2	4	7	13	18	42
50-64	312	9.0	105	2	2	5	11	19	28	62
65+	242	13.6	139	2	2	12	18	28	35	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.0	52	1	1	3	7	13	22	39
20-34	138	5.3	24	1	1	4	7	10	15	26
35-49	319	6.5	41	2	2	5	8	12	17	32
50-64	584	8.9	76	2	2	6	11	18	25	55
65+	2206	14.1	136	3	4	11	18	28	38	88
B. *Operated*										
0-19 YRS	261	7.2	95	1	2	4	8	16	28	58
20-34	454	7.2	60	2	2	4	9	16	23	40
35-49	326	11.1	153	2	2	7	13	24	36	67
50-64	496	15.5	198	2	3	12	21	33	50	99+
65+	817	22.5	246	4	6	19	31	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	6.9	41	1	2	5	9	14	18	36
B. *Operated*	2752	6.7	58	1	2	4	8	15	20	41
2. MULTIPLE DX										
A. *Not Operated*	3316	11.9	120	2	3	9	15	24	34	72
B. *Operated*	2354	14.8	210	2	2	11	21	35	48	99+
1. SINGLE DX	3550	6.8	54	1	2	4	8	14	20	39
2. MULTIPLE DX	5670	13.1	160	2	3	9	17	29	40	85
A. NOT OPERATED	4114	11.0	109	2	3	8	14	22	32	65
B. OPERATED	5106	10.5	144	2	2	6	14	25	36	72
TOTAL 0-19 YRS	1390	6.0	47	1	2	4	7	12	17	35
20-34	1581	5.8	38	1	2	4	7	11	16	35
35-49	1202	7.4	76	1	2	5	8	15	22	48
50-64	1541	10.8	127	2	2	7	14	24	33	71
65+	3506	15.8	171	3	4	12	20	33	44	99+
GRAND TOTAL	**9220**	**10.7**	**128**	**2**	**2**	**7**	**14**	**24**	**34**	**70**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	11	1	1	4	8	9	9	9
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	4.0	7	1	1	4	6	7	7	7
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	14.7	90	5	5	15	22	24	24	24
B. *Operated*										
0-19 YRS	197	4.3	24	1	1	3	5	8	10	18
20-34	183	3.5	8	<1	1	2	4	7	10	14
35-49	132	3.3	6	<1	1	3	4	6	7	13
50-64	105	3.8	11	<1	1	3	5	8	10	17
65+	22	5.6	31	1	1	3	7	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	14	8.1	178	<1	1	3	6	32	43	46
35-49	7	2.9	5	<1	<1	2	5	6	6	6
50-64	9	7.3	96	<1	<1	4	16	65	99+	99+
65+	23	17.5	466	2	3	11	23	58	99	99+
B. *Operated*										
0-19 YRS	101	5.5	29	<1	2	4	7	12	14	32
20-34	169	5.3	35	1	2	4	5	10	16	31
35-49	131	5.6	48	1	2	4	6	11	20	99+
50-64	155	6.5	64	2	2	4	8	13	16	49
65+	64	10.2	103	2	3	7	13	20	44	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.5	32	<1	<1	4	7	12	19	24
B. *Operated*	639	3.8	14	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	61	10.0	262	<1	1	4	12	31	70	99+
B. *Operated*	620	6.2	53	1	2	4	7	13	19	49
1. SINGLE DX	659	3.9	14	<1	1	3	5	7	10	18
2. MULTIPLE DX	681	6.5	72	1	2	4	7	14	23	62
A. NOT OPERATED	81	8.9	208	<1	1	4	10	29	49	99+
B. OPERATED	1259	5.0	34	1	1	3	6	10	14	35
TOTAL 0-19 YRS	315	4.6	25	<1	1	3	6	9	11	23
20-34	368	4.5	27	<1	1	3	5	9	11	31
35-49	274	4.4	27	<1	1	3	5	9	12	50
50-64	271	5.4	45	<1	1	3	6	10	15	49
65+	112	10.9	174	2	2	7	14	26	47	99+
GRAND TOTAL	**1340**	**5.2**	**46**	**<1**	**1**	**3**	**6**	**10**	**15**	**48**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	1	1	4	5	6	6	6
20-34	33	5.9	24	1	2	4	8	11	16	25
35-49	48	8.2	27	2	3	7	10	14	20	26
50-64	39	9.0	30	1	3	9	11	16	18	29
65+	15	7.4	23	2	2	6	10	16	16	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	6.4	42	1	2	5	8	12	25	29
35-49	34	5.4	12	1	2	5	8	10	13	15
50-64	24	7.7	57	1	2	4	13	15	23	32
65+	7	7.1	66	2	2	5	7	21	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	24	10.5	102	2	3	8	11	23	40	41
35-49	52	8.2	23	2	3	7	10	15	20	23
50-64	74	8.2	28	2	3	7	10	16	18	27
65+	89	11.1	62	3	3	9	14	23	28	37
B. *Operated*										
0-19 YRS										
20-34	18	7.2	39	1	2	5	10	15	21	25
35-49	35	12.1	68	3	4	8	18	26	30	31
50-64	32	18.1	118	3	6	15	25	31	38	48
65+	14	20.6	466	5	7	16	21	33	79	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	7.6	27	1	2	7	10	15	17	26
B. *Operated*	98	6.4	36	1	2	5	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	241	9.4	48	3	3	7	11	19	23	37
B. *Operated*	99	14.4	151	2	3	12	21	27	31	70
1. SINGLE DX	238	7.1	31	1	2	6	9	14	17	29
2. MULTIPLE DX	340	10.9	83	3	3	8	14	22	27	39
A. NOT OPERATED	381	8.8	41	2	3	7	11	17	21	35
B. OPERATED	197	10.4	109	2	2	7	14	24	28	43
TOTAL 0-19 YRS	8	3.8	2	1	2	4	5	6	6	6
20-34	107	7.3	51	2	2	5	9	15	25	40
35-49	169	8.4	35	2	3	7	10	17	21	30
50-64	169	10.2	63	2	2	9	14	22	27	38
65+	125	11.5	111	3	3	9	15	23	27	51
GRAND TOTAL	**578**	**9.3**	**65**	**2**	**2**	**7**	**12**	**20**	**25**	**37**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.7	8	<1	1	3	5	7	10	13
20-34	354	4.8	9	1	1	5	7	8	11	14
35-49	338	5.0	11	1	2	4	7	9	10	15
50-64	225	4.8	11	1	2	4	7	9	10	15
65+	124	6.1	19	1	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	715	4.9	25	1	1	3	5	10	15	28
20-34	870	4.3	38	1	1	3	5	7	13	29
35-49	592	3.8	19	<1	1	2	4	7	10	24
50-64	678	3.7	15	1	1	3	4	7	10	19
65+	401	4.4	50	1	2	2	4	8	13	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	4.3	12	<1	1	3	6	9	10	16
20-34	398	5.8	15	1	2	5	7	10	13	19
35-49	478	6.8	31	1	2	6	8	12	17	28
50-64	497	7.3	32	2	2	6	9	14	18	26
65+	594	9.2	50	2	3	7	12	19	23	36
B. *Operated*										
0-19 YRS	422	4.7	32	1	2	3	5	9	16	33
20-34	691	4.6	32	1	1	3	5	9	14	39
35-49	476	5.5	34	1	2	4	7	11	16	30
50-64	610	6.7	51	1	2	4	9	16	22	40
65+	400	10.8	174	2	2	6	13	25	37	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	4.9	11	1	1	4	7	9	11	16
B. *Operated*	3256	4.2	29	1	1	3	5	8	13	27
2. MULTIPLE DX										
A. *Not Operated*	2090	7.3	35	1	2	6	9	14	19	31
B. *Operated*	2599	6.2	63	1	2	3	7	14	21	44
1. SINGLE DX	4447	4.4	24	1	1	3	5	8	12	25
2. MULTIPLE DX	4689	6.7	51	1	2	4	8	14	20	39
A. NOT OPERATED	3281	6.4	27	1	2	5	8	12	16	26
B. OPERATED	5855	5.1	45	1	1	3	5	11	16	35
TOTAL 0-19 YRS	1410	4.7	25	1	1	3	5	10	14	27
20-34	2313	4.7	28	1	1	3	6	9	12	27
35-49	1884	5.2	26	1	2	4	7	10	14	25
50-64	2010	5.6	32	1	2	4	7	12	16	32
65+	1519	8.1	86	2	2	5	10	18	24	52
GRAND TOTAL	**9136**	**5.6**	**39**	**1**	**2**	**4**	**7**	**11**	**16**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	8.5	2	7	7	8	9	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	6.3	10	1	2	6	8	11	12	12
35-49	14	7.6	5	5	6	7	8	11	13	13
50-64	6	10.3	19	6	6	9	13	17	18	18
65+	6	8.2	14	4	4	7	9	14	15	15
B. *Operated*										
0-19 YRS										
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.9	6	3	4	7	9	10	10	10
B. *Operated*	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	38	7.6	11	3	4	7	9	13	14	18
B. *Operated*	5	3.8	2	2	2	4	5	5	5	5
1. SINGLE DX	12	5.7	7	2	3	5	8	9	10	10
2. MULTIPLE DX	43	7.2	12	2	3	6	9	12	14	18
A. NOT OPERATED	46	7.5	10	3	4	7	9	12	14	18
B. OPERATED	9	3.6	1	2	2	4	4	5	5	5
TOTAL 0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	20	6.2	8	1	2	6	8	10	11	12
35-49	17	6.9	7	3	4	6	8	11	12	13
50-64	8	8.5	25	3	3	8	11	16	18	18
65+	8	7.5	13	3	3	7	9	13	15	15
GRAND TOTAL	**55**	**6.8**	**11**	**2**	**3**	**6**	**8**	**11**	**13**	**18**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	9	<1	<1	2	3	6	9	17
20-34	6	4.3	11	2	2	3	7	10	10	10
35-49	6	6.5	26	2	2	4	13	13	13	13
50-64	4	5.8	11	2	2	5	8	10	10	10
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	39	8.9	57	1	1	8	12	19	31	99+
20-34	10	10.6	59	<1	<1	12	17	20	22	22
35-49	10	11.7	32	4	4	11	14	19	24	24
50-64	10	15.4	64	3	5	16	23	24	24	24
65+	2	20.0	72	14	14	20	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.7	42	<1	1	3	5	10	15	32
20-34	12	11.5	257	1	2	7	12	29	56	60
35-49	6	5.5	6	3	3	5	7	9	9	9
50-64	4	7.0	57	1	1	4	11	18	18	18
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	69	18.5	410	2	3	10	26	57	73	96
20-34	16	17.9	132	4	7	16	26	42	80	99+
35-49	13	25.8	493	7	8	16	32	54	81	87
50-64	6	20.3	645	2	2	21	84	99+	99+	99+
65+	5	20.0	429	10	10	11	23	57	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.5	12	<1	1	2	4	9	11	16
B. *Operated*	71	10.8	60	1	2	10	16	23	24	87
2. MULTIPLE DX										
A. *Not Operated*	153	5.3	59	<1	1	3	6	10	17	59
B. *Operated*	109	19.4	383	2	3	12	28	61	81	99+
1. SINGLE DX	172	6.5	44	<1	1	4	10	17	22	37
2. MULTIPLE DX	262	11.2	241	1	1	5	12	31	60	99+
A. NOT OPERATED	254	4.6	41	<1	1	3	5	10	14	25
B. OPERATED	180	16.0	272	2	3	11	22	43	70	99+
TOTAL 0-19 YRS	321	7.7	148	<1	1	3	9	18	32	79
20-34	44	12.7	147	1	2	10	17	29	47	99+
35-49	35	15.0	263	3	3	10	15	29	44	87
50-64	24	13.6	206	2	2	10	23	64	99+	99+
65+	10	16.2	240	5	5	11	14	41	57	57
GRAND TOTAL	**434**	**9.3**	**168**	**1**	**1**	**5**	**11**	**24**	**40**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	1.3	1	<1	<1	<1	1	2	2	7
20-34										
35-49	3	3.7	5	<1	<1	5	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	506	2.4	3	<1	1	2	3	4	5	12
20-34	178	2.6	2	1	1	2	3	5	6	8
35-49	82	3.0	3	<1	1	3	3	5	7	10
50-64	67	2.9	3	<1	2	2	3	5	5	12
65+	45	2.8	2	1	2	3	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	1.5	1	<1	<1	1	1	3	4	7
20-34	7	2.3	6	<1	<1	1	3	6	7	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	3.0	7	1	1	2	5	7	7	7
65+	8	6.5	84	<1	<1	2	8	23	27	27
B. *Operated*										
0-19 YRS	139	2.7	5	<1	<1	2	3	5	7	12
20-34	49	3.6	6	<1	1	3	4	8	9	12
35-49	35	3.9	5	<1	1	4	4	8	8	9
50-64	66	3.5	14	2	2	2	4	6	8	27
65+	86	3.9	19	1	2	3	4	7	10	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	1.4	2	<1	<1	<1	1	2	3	7
B. *Operated*	878	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	70	2.2	13	<1	<1	1	2	4	7	24
B. *Operated*	375	3.3	10	<1	1	2	4	6	8	15
1. SINGLE DX	1033	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	445	3.2	11	<1	1	2	4	6	8	16
A. NOT OPERATED	225	1.6	5	<1	<1	1	1	3	5	11
B. OPERATED	1253	2.8	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	842	2.2	3	<1	<1	2	3	4	5	11
20-34	234	2.8	3	<1	1	2	3	5	6	9
35-49	122	3.2	4	<1	1	3	4	6	8	9
50-64	139	3.2	8	1	2	2	4	5	7	15
65+	141	3.7	17	1	2	3	4	6	9	28
GRAND TOTAL	1478	2.6	5	<1	<1	2	3	5	6	12

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	19	1	1	2	4	7	11	28
20-34	17	2.9	2	1	2	2	3	5	6	7
35-49	16	5.1	20	<1	<1	3	8	12	13	14
50-64	9	6.7	16	2	2	6	11	12	12	12
65+	6	3.8	2	2	2	4	4	6	6	6
B. *Operated*										
0-19 YRS	320	4.8	27	1	1	2	8	11	14	26
20-34	89	5.7	28	2	2	4	8	12	14	28
35-49	69	7.7	41	2	2	5	11	16	20	31
50-64	48	5.5	34	1	2	2	9	14	16	29
65+	20	7.5	33	1	2	6	12	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	5.8	34	1	1	4	7	12	16	32
20-34	57	5.9	28	1	1	4	8	13	16	29
35-49	50	8.8	177	1	2	6	10	15	18	93
50-64	38	10.7	115	2	2	8	14	22	25	62
65+	67	9.3	29	2	3	9	13	15	17	31
B. *Operated*										
0-19 YRS	321	9.8	156	1	1	7	12	25	43	99+
20-34	88	11.4	259	2	2	5	12	30	44	88
35-49	75	9.6	151	1	2	5	11	26	49	89
50-64	72	9.0	67	2	2	6	12	22	26	36
65+	62	15.9	318	2	2	12	18	38	47	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.0	16	<1	1	3	5	9	12	21
B. *Operated*	546	5.5	31	1	1	2	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	387	7.3	61	1	2	5	9	14	18	33
B. *Operated*	618	10.5	179	1	2	7	13	26	42	96
1. SINGLE DX	644	5.3	29	1	1	2	8	12	15	27
2. MULTIPLE DX	1005	9.3	136	1	2	6	11	21	31	87
A. NOT OPERATED	485	6.6	54	1	1	5	9	14	17	32
B. OPERATED	1164	8.2	115	1	2	4	11	18	28	76
TOTAL 0-19 YRS	866	6.8	81	1	1	3	9	16	24	66
20-34	251	7.5	115	1	2	4	9	15	28	56
35-49	210	8.5	111	1	2	5	10	18	27	72
50-64	167	8.2	69	2	2	5	12	19	24	37
65+	155	11.5	157	2	2	9	14	19	34	83
GRAND TOTAL	1649	7.7	98	1	2	4	10	17	25	62

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	285	4.7	5	2	2	4	6	7	8	12
20-34	11	3.7	4	2	2	3	4	7	8	8
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	2	8.5	1	8	8	8	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	8	<1	<1	1	2	6	9	14
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	173	4.9	12	2	2	5	6	8	9	12
20-34	18	3.9	10	2	2	3	4	7	12	15
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*	301	4.6	5	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	36	2.1	8	<1	<1	1	2	6	8	14
B. *Operated*	195	4.7	11	2	2	4	6	8	9	14
1. SINGLE DX	307	4.6	6	2	2	4	6	7	8	11
2. MULTIPLE DX	231	4.3	12	<1	1	4	6	8	9	14
A. NOT OPERATED	42	2.0	7	<1	<1	1	2	5	8	14
B. OPERATED	496	4.7	8	2	2	4	6	8	8	12
TOTAL 0-19 YRS	497	4.5	8	1	2	4	6	8	8	12
20-34	31	3.7	8	2	2	3	4	7	8	15
35-49	7	3.6	1	2	2	3	5	5	5	5
50-64	2	8.5	1	8	8	8	9	9	9	9
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**538**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**8**	**13**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.4	8	1	1	3	4	7	11	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	245	4.5	3	2	3	4	5	7	7	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.7	10	1	1	4	7	9	11	13
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	56	7.0	14	3	3	6	8	13	15	21
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	8	1	1	3	4	7	11	12
B. *Operated*	245	4.5	3	2	3	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	26	4.7	10	1	1	4	7	9	11	13
B. *Operated*	56	7.0	14	3	3	6	8	13	15	21
1. SINGLE DX	281	4.4	4	2	2	4	5	7	8	11
2. MULTIPLE DX	82	6.3	14	2	3	5	8	11	14	19
A. NOT OPERATED	62	4.0	9	1	1	3	5	8	11	13
B. OPERATED	301	5.0	6	2	3	4	6	7	9	15
TOTAL 0-19 YRS	363	4.8	7	2	2	4	6	7	9	15
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**363**	**4.8**	**7**	**2**	**2**	**4**	**6**	**7**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.6	5	<1	<1	2	4	5	6	11
20-34	13	4.5	51	1	1	2	4	10	25	28
35-49	5	3.0	6	<1	<1	2	5	6	6	6
50-64	8	5.5	124	<1	<1	1	3	24	33	33
65+	9	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-19 YRS	299	3.8	21	<1	<1	2	5	9	12	28
20-34	86	4.6	19	1	1	3	5	11	15	21
35-49	25	7.3	166	1	2	2	9	13	27	66
50-64	28	4.1	12	1	1	3	6	9	11	15
65+	20	8.3	83	2	2	4	13	20	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	5.0	22	<1	<1	3	8	12	16	84
20-34	11	4.8	10	<1	2	4	6	10	12	12
35-49	19	3.6	12	<1	1	2	5	7	12	16
50-64	24	6.1	22	1	2	5	10	12	15	20
65+	63	7.9	43	2	2	6	8	19	26	30
B. *Operated*										
0-19 YRS	166	9.6	175	1	1	5	9	25	38	75
20-34	76	7.0	36	1	2	5	9	15	20	30
35-49	45	7.8	127	1	2	5	11	13	17	75
50-64	67	11.8	74	2	2	10	15	25	30	41
65+	68	16.6	211	2	3	13	21	31	50	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.9	15	<1	<1	2	4	5	6	28
B. *Operated*	458	4.4	32	<1	<1	2	5	10	14	30
2. MULTIPLE DX										
A. *Not Operated*	187	6.0	29	<1	1	5	8	13	19	29
B. *Operated*	422	10.4	143	1	2	7	12	24	32	64
1. SINGLE DX	607	4.0	28	<1	<1	2	5	9	12	29
2. MULTIPLE DX	609	9.0	112	1	2	6	11	20	29	59
A. NOT OPERATED	336	4.6	25	<1	<1	3	6	10	13	28
B. OPERATED	880	7.3	94	<1	1	4	9	16	26	52
TOTAL 0-19 YRS	649	5.2	64	<1	<1	3	6	11	18	50
20-34	186	5.6	29	1	1	4	7	12	16	28
35-49	94	6.5	109	1	1	4	7	12	16	71
50-64	127	8.6	64	1	2	7	11	18	29	37
65+	160	11.3	139	2	2	7	14	26	31	59
GRAND TOTAL	**1216**	**6.5**	**76**	**<1**	**1**	**3**	**8**	**14**	**22**	**50**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	782	3.0	2	<1	1	3	4	5	6	8
20-34	80	3.8	3	1	2	3	5	6	7	9
35-49	16	3.5	2	1	2	3	4	5	6	7
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.3	1	<1	<1	1	1	2	3	8
20-34										
35-49										
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	663	3.0	3	<1	1	3	4	5	7	9
20-34	66	4.7	15	2	2	4	6	8	9	28
35-49	22	5.2	6	2	2	5	7	9	9	10
50-64	7	4.6	9	2	2	3	5	10	11	11
65+	3	5.3	4	3	3	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	882	3.0	2	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	55	1.5	2	<1	<1	1	1	2	4	9
B. *Operated*	761	3.3	5	<1	1	3	4	6	7	10
1. SINGLE DX	892	3.0	2	<1	1	3	4	5	6	9
2. MULTIPLE DX	816	3.2	5	<1	1	3	4	6	7	10
A. NOT OPERATED	65	1.5	2	<1	<1	1	1	3	4	9
B. OPERATED	1643	3.2	4	<1	1	3	4	5	7	9
TOTAL 0-19 YRS	1506	2.9	3	<1	1	3	4	5	6	8
20-34	147	4.2	9	2	2	4	5	7	8	11
35-49	39	4.5	4	2	2	4	6	8	9	10
50-64	12	4.6	8	2	2	4	5	10	11	11
65+	4	5.8	4	3	3	6	7	7	7	7
GRAND TOTAL	**1708**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**7**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	3	<1	1	3	4	5	6	9
20-34	17	2.8	10	<1	<1	2	3	9	11	12
35-49	7	2.0	1	<1	<1	2	3	4	4	4
50-64	12	5.6	22	1	2	5	6	12	18	19
65+	6	5.3	8	3	3	4	5	10	11	11
B. *Operated*										
0-19 YRS	465	4.9	23	<1	<1	3	7	11	13	25
20-34	262	4.3	14	<1	1	3	6	8	10	21
35-49	80	5.7	27	<1	1	4	8	11	14	28
50-64	31	4.9	20	<1	1	3	7	10	13	21
65+	27	7.4	32	2	2	5	11	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.8	9	<1	<1	1	3	7	10	14
20-34	28	5.4	14	2	2	5	7	9	13	19
35-49	35	7.5	26	1	3	6	9	16	20	23
50-64	36	6.9	20	1	2	6	9	12	16	21
65+	43	10.3	65	2	3	8	14	19	25	43
B. *Operated*										
0-19 YRS	294	6.3	44	<1	1	4	9	14	18	32
20-34	266	5.8	22	1	1	5	8	11	15	21
35-49	146	6.6	27	1	2	6	9	13	15	26
50-64	114	7.9	51	<1	2	6	11	17	23	63
65+	93	12.2	142	2	2	10	16	21	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.4	9	<1	<1	3	4	6	10	17
B. *Operated*	865	4.9	21	<1	1	3	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	191	6.5	34	<1	1	5	9	14	17	25
B. *Operated*	913	7.0	49	1	1	6	9	15	19	38
1. SINGLE DX	937	4.8	20	<1	1	3	7	10	12	23
2. MULTIPLE DX	1104	6.9	47	<1	1	5	9	15	19	36
A. NOT OPERATED	263	5.7	29	<1	1	4	8	12	17	24
B. OPERATED	1778	6.0	37	<1	1	4	8	12	16	33
TOTAL 0-19 YRS	838	5.2	30	<1	<1	3	8	11	15	26
20-34	573	5.0	18	<1	1	4	7	9	12	21
35-49	268	6.3	27	1	2	5	8	12	15	27
50-64	193	7.1	39	<1	2	6	9	15	20	39
65+	169	10.7	103	2	2	8	15	20	26	66
GRAND TOTAL	**2041**	**5.9**	**36**	**<1**	**1**	**4**	**8**	**12**	**16**	**31**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	261	3.9	7	1	1	3	5	7	9	15
20-34	26	5.8	8	2	3	5	7	10	11	14
35-49	14	5.4	5	<1	2	6	7	8	9	9
50-64	6	4.8	3	3	3	5	6	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	1	1	2	4	5
20-34	4	9.3	80	1	1	9	17	17	17	17
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	158	5.0	8	2	2	4	6	8	11	18
20-34	59	5.1	7	2	3	5	6	7	8	18
35-49	30	5.2	5	3	3	5	6	8	9	13
50-64	30	5.7	22	2	2	4	6	7	20	24
65+	18	6.6	8	2	2	6	9	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.3		1	1	1	2	2	2	2
B. *Operated*	308	4.1	7	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	21	3.4	28	<1	<1	1	2	14	17	17
B. *Operated*	295	5.2	9	2	3	5	6	8	11	18
1. SINGLE DX	318	4.1	7	1	1	3	5	7	9	14
2. MULTIPLE DX	316	5.1	11	1	2	4	6	8	12	18
A. NOT OPERATED	31	2.7	20	<1	<1	1	2	8	17	17
B. OPERATED	603	4.7	8	1	2	4	6	8	10	18
TOTAL 0-19 YRS	445	4.1	8	1	1	4	5	7	9	16
20-34	89	5.4	10	2	3	5	6	8	14	18
35-49	44	5.3	5	2	3	5	6	8	9	13
50-64	36	5.5	19	2	3	4	6	7	16	24
65+	20	7.1	10	2	3	7	10	11	12	13
GRAND TOTAL	**634**	**4.6**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	3.4	28	<1	<1	2	4	6	10	27
20-34	36	4.9	12	1	1	4	7	10	11	15
35-49	32	6.8	37	1	1	5	10	13	21	28
50-64	35	7.4	32	1	2	6	11	17	20	23
65+	23	9.6	98	1	2	6	12	28	32	37
B. *Operated*										
0-19 YRS	1162	4.7	23	1	1	3	5	10	14	25
20-34	536	3.9	18	<1	1	3	4	8	13	23
35-49	272	5.0	26	<1	1	3	6	11	14	21
50-64	138	6.4	39	1	2	4	8	13	18	36
65+	46	8.5	61	2	2	6	10	17	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	4.5	28	<1	<1	2	6	11	15	27
20-34	86	6.4	47	<1	1	5	9	14	19	82
35-49	45	8.1	46	1	1	7	10	19	29	99+
50-64	104	9.8	51	2	3	8	14	19	25	32
65+	122	10.8	99	3	3	9	14	21	24	48
B. *Operated*										
0-19 YRS	445	7.5	85	1	2	5	8	16	24	57
20-34	263	4.9	21	1	1	3	6	10	15	23
35-49	156	7.2	82	1	1	4	9	16	22	67
50-64	158	10.6	75	1	2	9	14	22	28	44
65+	84	15.1	262	2	2	11	16	34	41	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.7	36	<1	1	3	6	10	16	29
B. *Operated*	2154	4.7	25	<1	1	3	5	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	547	7.5	59	<1	1	6	10	17	22	32
B. *Operated*	1106	7.8	88	1	2	5	10	17	24	50
1. SINGLE DX	2492	4.7	26	<1	1	3	5	10	14	27
2. MULTIPLE DX	1653	7.7	78	1	1	5	10	17	23	47
A. NOT OPERATED	885	6.4	52	<1	1	4	9	15	21	32
B. OPERATED	3260	5.8	48	1	1	3	7	13	17	37
TOTAL 0-19 YRS	2009	5.1	39	<1	1	3	6	11	16	31
20-34	921	4.5	22	<1	1	3	5	10	14	23
35-49	505	6.1	47	<1	1	4	8	13	18	43
50-64	435	8.8	57	1	2	7	12	19	24	38
65+	275	11.6	147	2	2	9	14	24	32	72
GRAND TOTAL	**4145**	**5.9**	**49**	**<1**	**1**	**4**	**7**	**13**	**18**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1160	5.0	38	1	1	3	5	12	18	32
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	25	4.0	16	<1	1	2	5	8	13	18
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	836	12.4	187	2	2	7	17	30	41	86
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	66	18.7	471	2	2	12	25	77	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	5.0	38	1	1	3	5	12	18	32
B. *Operated*	25	4.0	16	<1	1	2	5	8	13	18
2. MULTIPLE DX										
A. *Not Operated*	836	12.4	187	2	2	7	17	30	41	86
B. *Operated*	66	18.7	471	2	2	12	25	77	99+	99+
1. SINGLE DX	1185	5.0	37	1	1	3	5	12	18	32
2. MULTIPLE DX	902	12.8	210	2	2	8	17	31	44	99
A. NOT OPERATED	1996	8.1	113	1	1	4	10	21	30	60
B. OPERATED	91	14.6	388	1	1	8	20	57	96	99+
TOTAL 0-19 YRS	2087	8.4	127	1	1	4	10	21	31	68
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2087**	**8.4**	**127**	**1**	**1**	**4**	**10**	**21**	**31**	**68**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1705	3.2	8	1	1	3	4	6	8	13
20-34	714	4.1	14	1	1	3	5	7	10	22
35-49	386	4.5	11	1	1	4	6	9	10	16
50-64	326	5.4	29	1	1	4	7	9	13	23
65+	210	5.6	24	1	2	5	7	10	13	32
B. *Operated*										
0-19 YRS	11	12.6	328	2	2	5	8	49	49	49
20-34	23	8.2	120	1	2	4	10	17	33	52
35-49	13	6.9	28	2	2	6	8	17	19	19
50-64	17	8.9	48	3	4	7	11	16	26	31
65+	10	5.8	34	2	2	4	6	14	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1746	3.9	19	1	1	3	4	7	10	21
20-34	708	6.1	32	1	2	5	7	12	17	29
35-49	715	6.6	30	1	2	5	9	13	16	25
50-64	1003	8.1	51	2	2	7	9	15	20	36
65+	1164	10.5	115	2	3	8	12	20	30	73
B. *Operated*										
0-19 YRS	30	11.7	182	1	2	7	15	35	60	99+
20-34	54	11.8	315	1	2	7	11	17	54	91
35-49	64	15.9	181	3	4	12	20	36	45	65
50-64	95	14.2	170	3	4	10	20	27	39	98
65+	112	18.8	248	4	5	15	25	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3341	3.9	14	1	1	3	5	7	9	17
B. *Operated*	74	8.5	105	2	2	5	9	17	29	51
2. MULTIPLE DX										
A. *Not Operated*	5336	6.8	55	1	2	5	8	13	19	41
B. *Operated*	355	15.4	225	2	4	11	20	40	62	99+
1. SINGLE DX	3415	4.0	16	1	1	3	5	8	10	19
2. MULTIPLE DX	5691	7.3	70	1	2	5	9	15	21	51
A. NOT OPERATED	8677	5.7	41	1	1	4	7	11	16	33
B. OPERATED	429	14.2	210	2	3	10	18	35	54	99+
TOTAL 0-19 YRS	3492	3.7	17	1	1	3	4	7	9	19
20-34	1499	5.4	37	1	1	4	6	10	14	28
35-49	1178	6.4	38	1	2	5	8	13	16	32
50-64	1441	7.9	58	1	2	6	9	15	20	39
65+	1496	10.4	120	2	3	7	12	21	32	93
GRAND TOTAL	9106	6.1	52	1	1	4	7	12	17	41

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	379	3.2	4	1	1	3	4	5	7	11
20-34	135	5.1	10	1	2	4	6	10	11	16
35-49	70	6.2	24	1	2	5	8	11	14	28
50-64	70	6.0	16	2	2	5	7	11	13	22
65+	111	7.8	86	2	2	6	10	13	18	52
B. *Operated*										
0-19 YRS	15	8.9	60	1	1	7	13	20	26	28
20-34	20	11.8	40	3	4	11	16	20	24	27
35-49	11	11.7	68	4	4	7	17	24	28	28
50-64	21	16.4	123	2	5	14	24	31	38	45
65+	11	15.5	131	1	2	13	22	32	40	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	3.7	8	1	1	3	4	6	9	15
20-34	192	6.0	18	2	2	5	8	11	15	20
35-49	173	6.8	16	2	2	6	9	12	14	22
50-64	342	7.2	27	2	3	6	9	14	16	29
65+	668	9.7	75	3	3	7	12	18	25	55
B. *Operated*										
0-19 YRS	15	8.7	69	1	2	7	12	13	29	35
20-34	38	16.4	396	2	4	10	18	23	69	96
35-49	45	18.4	172	5	7	15	22	28	39	71
50-64	85	12.7	61	2	3	12	16	22	28	38
65+	128	23.8	332	6	8	15	35	59	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	4.7	23	1	1	4	5	9	11	23
B. *Operated*	78	13.0	87	2	3	11	17	26	29	44
2. MULTIPLE DX										
A. *Not Operated*	1858	7.0	43	2	2	5	9	14	18	35
B. *Operated*	311	18.3	254	4	5	14	22	40	59	93
1. SINGLE DX	843	5.5	34	1	1	4	6	11	15	28
2. MULTIPLE DX	2169	8.7	89	2	2	6	10	17	24	61
A. NOT OPERATED	2623	6.4	38	1	2	5	8	12	16	29
B. OPERATED	389	17.3	224	3	4	13	21	36	54	87
TOTAL 0-19 YRS	892	3.7	9	1	1	3	4	6	9	15
20-34	385	7.0	64	2	2	5	8	14	18	28
35-49	299	8.6	61	2	3	6	10	17	22	29
50-64	518	8.3	42	2	3	6	10	16	22	34
65+	918	11.5	138	3	3	8	13	23	38	74
GRAND TOTAL	3012	7.8	75	1	2	5	9	15	22	53

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	3.0	4	1	1	2	4	5	7	10
20-34	304	3.8	8	1	1	3	5	7	9	15
35-49	165	4.5	11	1	1	4	6	8	10	20
50-64	91	4.8	16	1	1	4	6	11	14	19
65+	33	4.2	8	<1	1	4	5	8	11	13
B. *Operated*										
0-19 YRS	8	4.1	6	1	1	4	6	7	8	8
20-34	23	3.7	2	1	2	4	4	6	7	7
35-49	19	7.2	28	2	2	6	10	16	18	19
50-64	8	7.0	10	2	3	6	10	11	11	11
65+	11	5.5	18	1	2	4	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.9	7	1	1	3	5	8	10	11
20-34	302	5.0	12	1	2	4	7	9	11	18
35-49	211	5.9	14	1	2	5	8	11	13	17
50-64	178	6.4	20	2	2	5	8	12	15	23
65+	181	8.3	75	2	2	7	10	15	19	30
B. *Operated*										
0-19 YRS	4	4.8	8	1	1	5	7	7	7	7
20-34	39	8.0	53	1	2	7	10	18	32	99+
35-49	34	8.2	22	2	2	9	11	14	17	20
50-64	41	8.7	24	2	2	8	10	14	20	23
65+	34	15.2	203	1	3	9	22	33	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	3.9	9	1	1	3	5	7	9	15
B. *Operated*	69	5.4	15	2	2	4	7	11	15	19
2. MULTIPLE DX										
A. *Not Operated*	1013	5.9	26	1	2	5	8	11	14	21
B. *Operated*	152	9.8	78	2	2	8	11	20	31	67
1. SINGLE DX	828	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX	1165	6.4	34	1	2	5	8	12	15	29
A. NOT OPERATED	1772	5.1	20	1	1	4	7	10	12	20
B. OPERATED	221	8.4	62	2	2	7	10	17	24	48
TOTAL 0-19 YRS	319	3.5	6	1	1	3	4	7	8	11
20-34	668	4.6	13	1	1	4	6	9	11	21
35-49	429	5.6	15	1	2	5	8	11	13	19
50-64	318	6.3	20	1	2	5	8	12	15	22
65+	259	8.6	89	1	2	6	10	17	24	40
GRAND TOTAL	**1993**	**5.4**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	2	<1	1	2	3	3	5	8
20-34	54	3.9	5	1	1	4	5	7	8	11
35-49	86	3.7	5	<1	1	3	5	7	7	12
50-64	178	4.0	6	1	1	4	5	7	8	12
65+	172	4.0	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	46	2.0	3	<1	<1	1	2	5	6	8
20-34	55	5.4	7	2	2	5	7	9	11	12
35-49	62	5.8	10	2	3	5	7	10	13	17
50-64	144	5.5	7	1	3	5	7	9	10	13
65+	129	5.5	19	1	2	5	7	9	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	16	<1	1	2	4	9	11	18
20-34	38	3.9	6	1	1	3	5	8	9	12
35-49	83	4.8	6	1	2	4	6	9	9	12
50-64	251	5.0	13	1	2	4	6	9	11	24
65+	491	6.2	33	1	2	5	7	12	15	28
B. *Operated*										
0-19 YRS	15	3.3	7	<1	1	2	5	8	9	9
20-34	26	5.8	8	2	2	5	8	10	11	13
35-49	57	6.3	18	2	2	5	7	12	16	24
50-64	140	6.9	25	2	3	6	8	13	15	30
65+	268	8.2	52	2	3	6	9	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	3.8	6	1	1	3	5	7	8	12
B. *Operated*	436	5.2	11	1	1	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	894	5.5	24	1	2	4	7	10	13	24
B. *Operated*	506	7.3	38	2	3	6	8	13	18	37
1. SINGLE DX	972	4.4	9	1	1	4	6	8	9	13
2. MULTIPLE DX	1400	6.2	30	1	2	5	7	11	15	30
A. NOT OPERATED	1430	4.9	18	1	1	4	6	9	11	20
B. OPERATED	942	6.3	27	1	2	5	7	11	15	31
TOTAL 0-19 YRS	138	2.5	6	<1	<1	2	3	6	8	12
20-34	173	4.6	7	1	2	4	6	8	10	12
35-49	288	5.0	10	1	2	5	6	9	10	17
50-64	713	5.2	13	1	2	5	6	9	12	20
65+	1060	6.2	33	1	2	5	7	11	15	32
GRAND TOTAL	**2372**	**5.5**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**24**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.4	6	1	1	3	4	7	10	11
20-34	25	3.8	8	<1	<1	3	5	7	9	14
35-49	31	4.2	6	<1	1	4	6	7	8	10
50-64	27	3.7	8	1	1	3	5	7	11	12
65+	22	2.9	3	1	1	3	4	5	6	7
B. *Operated*										
0-19 YRS	217	2.1	4	<1	<1	2	2	3	5	12
20-34	287	2.8	6	<1	<1	2	3	5	8	15
35-49	151	2.9	7	<1	<1	2	3	5	8	13
50-64	117	3.2	7	1	1	2	3	6	8	15
65+	81	3.9	13	<1	1	2	4	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.5	14	<1	1	4	7	8	11	18
20-34	60	5.0	14	1	2	4	6	10	13	19
35-49	56	4.8	14	1	1	4	6	10	13	19
50-64	83	6.9	99	1	2	4	7	14	19	65
65+	157	10.5	117	2	3	6	13	22	35	51
B. *Operated*										
0-19 YRS	35	6.0	42	1	1	3	9	13	23	27
20-34	104	4.7	14	1	2	3	7	10	12	19
35-49	78	8.1	108	<1	1	5	10	15	18	63
50-64	92	11.0	169	1	2	6	14	26	34	70
65+	96	12.1	295	1	2	6	13	38	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.6	6	1	1	3	5	7	8	12
B. *Operated*	853	2.8	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	402	7.4	78	1	2	5	8	15	21	50
B. *Operated*	405	8.7	144	1	2	4	10	18	31	76
1. SINGLE DX	995	2.9	7	<1	<1	2	3	6	8	14
2. MULTIPLE DX	807	8.0	111	1	2	4	9	17	26	62
A. NOT OPERATED	544	6.4	62	1	1	4	7	14	19	48
B. OPERATED	1258	4.7	58	<1	1	2	4	10	15	44
TOTAL 0-19 YRS	335	3.0	11	<1	<1	2	3	7	9	17
20-34	476	3.5	10	<1	1	2	4	8	11	17
35-49	316	4.6	37	<1	1	3	5	10	13	25
50-64	319	6.4	88	1	1	3	7	14	24	54
65+	356	8.9	145	1	2	5	10	20	37	74
GRAND TOTAL	**1802**	**5.2**	**60**	**<1**	**1**	**3**	**5**	**11**	**17**	**45**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	3	18.0	156	8	8	14	27	32	32	32
65+	5	4.6	7	1	1	5	6	8	8	8
B. *Operated*										
0-19 YRS	18	8.7	76	1	2	4	14	25	27	27
20-34	25	8.0	83	1	2	3	16	20	29	29
35-49	19	9.5	162	1	2	5	10	27	44	51
50-64	44	14.2	207	2	2	8	22	35	42	65
65+	90	25.3	344	4	6	20	34	58	73	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34										
35-49	13	11.0	38	4	4	10	12	22	24	24
50-64	30	13.8	164	3	5	10	14	24	37	69
65+	114	15.3	246	3	4	10	17	33	59	92
B. *Operated*										
0-19 YRS	11	11.3	283	<1	1	5	18	71	96	99+
20-34	21	14.8	227	1	2	10	21	31	50	65
35-49	55	23.6	415	2	2	21	31	56	68	85
50-64	257	28.3	416	4	7	24	39	61	78	99+
65+	760	29.2	390	7	9	25	43	70	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.3	57	1	3	6	8	16	28	32
B. *Operated*	196	17.5	290	2	2	13	26	42	61	97
2. MULTIPLE DX										
A. *Not Operated*	159	14.6	211	3	4	10	17	30	50	86
B. *Operated*	1104	28.2	400	5	8	24	41	65	89	99+
1. SINGLE DX	210	16.9	279	2	2	12	24	40	55	96
2. MULTIPLE DX	1263	26.5	397	4	7	21	38	64	86	99+
A. NOT OPERATED	173	14.1	201	3	4	10	16	27	43	86
B. OPERATED	1300	26.6	398	3	5	22	38	64	85	99+
TOTAL 0-19 YRS	32	9.4	135	1	2	5	14	27	53	99+
20-34	49	10.8	149	1	2	5	17	27	30	65
35-49	89	18.4	338	2	2	11	25	47	60	80
50-64	334	25.1	398	3	5	21	35	56	72	99+
65+	969	27.0	389	5	8	22	40	66	91	99+
GRAND TOTAL	**1473**	**25.1**	**391**	**3**	**5**	**20**	**37**	**61**	**81**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	4	<1	1	3	4	5	7	10
20-34	512	3.2	4	1	1	3	4	6	7	9
35-49	1629	3.5	5	1	1	3	4	6	8	12
50-64	1355	3.9	6	1	2	3	5	7	8	12
65+	457	4.4	26	1	2	4	5	7	10	14
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	32	3.6	14	1	2	2	4	6	8	22
35-49	183	3.6	8	2	2	2	4	8	11	15
50-64	228	3.3	8	1	2	2	3	6	9	17
65+	38	5.5	91	2	2	3	5	8	10	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.2	3	1	1	3	4	6	7	9
20-34	573	3.9	8	1	1	3	5	7	9	16
35-49	2264	4.6	8	1	2	4	6	8	10	15
50-64	3320	5.1	14	1	2	4	6	9	12	18
65+	2087	5.9	25	2	2	5	7	11	13	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	40	6.3	32	1	2	4	8	13	16	29
35-49	277	5.9	30	2	2	4	8	12	16	26
50-64	430	6.5	32	2	2	4	9	13	19	26
65+	166	10.8	106	2	2	8	14	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4023	3.7	8	1	1	3	5	7	8	12
B. *Operated*	483	3.6	15	2	2	2	3	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	8303	5.1	15	1	2	4	6	9	12	18
B. *Operated*	914	7.1	48	2	2	5	9	16	20	33
1. SINGLE DX	4506	3.7	8	1	1	3	5	7	8	12
2. MULTIPLE DX	9217	5.3	19	1	2	4	7	10	12	21
A. NOT OPERATED	12326	4.6	13	1	2	4	6	8	10	16
B. OPERATED	1397	5.9	39	2	2	3	8	12	17	28
TOTAL 0-19 YRS	132	3.1	4	1	1	3	4	6	7	9
20-34	1157	3.7	7	1	1	3	5	7	8	15
35-49	4353	4.2	9	1	2	3	5	8	9	15
50-64	5333	4.8	14	1	2	4	6	9	11	19
65+	2748	6.0	33	2	2	5	7	11	14	27
GRAND TOTAL	13723	4.7	16	1	2	4	6	9	11	19

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	2.9	8	1	1	2	4	6	9	14
20-34	40	3.4	11	<1	1	2	5	7	9	19
35-49	36	3.9	12	1	1	3	5	7	8	21
50-64	38	5.1	17	1	1	4	6	12	14	16
65+	59	6.9	87	1	1	5	7	10	21	55
B. *Operated*										
0-19 YRS	11	3.3	7	1	1	3	5	7	8	8
20-34	39	3.6	17	1	2	2	3	6	11	24
35-49	59	3.6	8	1	1	3	5	7	9	15
50-64	104	4.2	10	1	1	3	5	9	11	14
65+	88	4.7	13	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	4.8	45	1	1	3	5	11	16	46
20-34	75	4.3	23	<1	1	3	6	10	12	82
35-49	117	5.7	19	1	2	4	7	11	13	24
50-64	319	7.6	38	1	2	6	10	15	21	31
65+	569	9.7	109	2	2	7	12	20	28	78
B. *Operated*										
0-19 YRS	20	10.8	206	1	2	6	10	21	44	66
20-34	42	7.8	62	1	1	5	13	17	21	41
35-49	76	6.0	32	1	1	5	8	13	19	30
50-64	254	8.4	91	2	2	5	10	16	21	61
65+	325	10.9	158	1	2	7	13	23	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	3.7	21	1	1	2	5	8	10	20
B. *Operated*	301	4.1	11	1	1	3	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	1284	7.7	72	1	2	5	10	16	21	49
B. *Operated*	717	9.3	119	1	2	6	11	20	28	61
1. SINGLE DX	783	3.9	17	1	1	2	5	8	10	19
2. MULTIPLE DX	2001	8.3	89	1	2	6	10	17	23	56
A. NOT OPERATED	1766	6.6	61	1	1	4	8	14	20	45
B. OPERATED	1018	7.8	93	1	2	5	9	16	22	51
TOTAL 0-19 YRS	544	3.9	31	1	1	2	4	8	12	22
20-34	196	4.7	30	1	1	3	5	11	16	36
35-49	288	5.1	20	1	1	4	7	10	13	23
50-64	715	7.2	54	1	2	5	9	15	19	33
65+	1041	9.5	118	1	2	6	11	20	29	69
GRAND TOTAL	2784	7.0	73	1	1	5	9	15	21	48

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.6	3	1	1	2	3	5	6	9
20-34	558	2.3	3	<1	1	2	3	4	5	8
35-49	581	2.4	5	<1	1	2	3	4	5	10
50-64	385	2.6	3	1	1	2	3	5	6	8
65+	205	3.7	8	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	122	1.8	4	<1	<1	1	2	4	6	12
20-34	88	4.2	9	<1	1	3	5	8	10	17
35-49	88	5.8	14	1	2	5	8	10	13	19
50-64	90	5.8	16	1	2	5	8	10	11	24
65+	106	7.5	41	2	2	6	10	14	19	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.2	4	1	1	3	5	6	7	9
20-34	282	3.5	8	1	1	3	4	6	8	14
35-49	353	3.6	7	1	1	3	5	7	9	16
50-64	441	4.6	20	1	1	4	5	8	10	24
65+	580	7.6	65	1	2	5	9	16	21	54
B. *Operated*										
0-19 YRS	65	3.1	16	<1	<1	1	3	8	13	22
20-34	101	6.2	27	<1	1	5	8	11	14	31
35-49	165	7.0	44	1	2	5	9	13	17	36
50-64	280	8.8	45	2	3	7	11	17	20	34
65+	527	13.5	133	3	4	11	17	26	39	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1834	2.6	4	1	1	2	3	5	6	10
B. *Operated*	494	4.9	21	<1	1	4	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1724	5.2	33	1	1	4	6	10	15	29
B. *Operated*	1138	10.1	93	1	2	8	13	20	29	64
1. SINGLE DX	2328	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	2862	7.2	63	1	2	5	9	15	21	46
A. NOT OPERATED	3558	3.8	20	1	1	3	4	7	10	22
B. OPERATED	1632	8.5	77	1	1	6	11	18	25	53
TOTAL 0-19 YRS	360	2.5	6	<1	<1	2	3	5	7	13
20-34	1029	3.2	8	1	1	2	4	6	8	14
35-49	1187	3.6	14	1	1	3	4	7	10	18
50-64	1196	5.0	25	1	1	4	6	10	14	25
65+	1418	9.2	93	1	2	6	12	19	27	65
GRAND TOTAL	**5190**	**5.3**	**43**	**1**	**1**	**3**	**6**	**12**	**17**	**35**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2188	2.6	4	1	1	2	3	5	6	9
20-34	1840	3.3	8	1	1	3	4	6	8	13
35-49	864	3.8	7	1	1	3	5	7	8	14
50-64	597	4.1	8	1	1	3	5	8	10	13
65+	443	4.7	13	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	168	4.7	9	1	2	4	6	8	10	17
20-34	316	4.8	18	<1	1	4	6	9	13	24
35-49	135	5.8	36	1	1	4	7	11	18	32
50-64	61	6.4	34	2	2	5	8	14	17	35
65+	47	7.0	27	1	2	5	10	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	965	3.2	6	1	1	3	4	6	8	11
20-34	1198	4.1	12	1	1	3	5	8	10	17
35-49	812	5.3	15	1	2	4	7	10	12	20
50-64	1031	6.0	21	1	2	5	7	11	14	20
65+	1423	7.1	35	2	2	6	9	13	16	35
B. *Operated*										
0-19 YRS	100	5.5	14	<1	1	5	8	10	13	18
20-34	316	6.6	46	1	1	5	8	12	17	31
35-49	168	8.5	93	1	2	6	10	18	24	38
50-64	181	9.9	61	2	2	8	13	21	26	36
65+	207	12.8	138	3	4	10	15	25	37	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5932	3.3	7	1	1	3	4	6	8	12
B. *Operated*	727	5.2	22	1	1	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	5429	5.3	21	1	1	4	7	10	13	21
B. *Operated*	972	8.7	79	1	2	6	11	18	25	48
1. SINGLE DX	6659	3.5	9	1	1	3	4	7	9	15
2. MULTIPLE DX	6401	5.8	32	1	1	4	7	11	15	28
A. NOT OPERATED	11361	4.2	15	1	1	3	5	8	11	18
B. OPERATED	1699	7.2	58	1	2	5	9	15	20	36
TOTAL 0-19 YRS	3421	3.0	5	1	1	2	4	6	7	11
20-34	3670	4.0	14	1	1	3	5	8	10	17
35-49	1979	4.9	21	1	1	4	6	9	12	23
50-64	1870	5.8	24	1	2	5	7	11	15	25
65+	2120	7.1	45	1	2	6	9	13	17	38
GRAND TOTAL	**13060**	**4.6**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.2	7	1	1	3	4	6	7	14
20-34	77	3.3	9	<1	1	2	4	7	10	16
35-49	77	4.7	25	<1	1	3	6	9	11	32
50-64	93	3.8	17	<1	1	2	4	8	10	25
65+	93	5.2	16	1	1	4	7	11	14	18
B. *Operated*										
0-19 YRS	13	5.3	21	1	1	5	6	13	16	17
20-34	31	5.4	62	1	1	3	6	9	24	40
35-49	39	4.1	8	<1	1	3	6	9	9	11
50-64	57	4.1	12	1	1	3	5	9	10	17
65+	39	6.7	43	1	2	5	9	14	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	227	3.4	7	1	1	3	4	7	9	13
20-34	145	3.9	11	<1	1	3	5	8	11	17
35-49	157	6.5	48	1	1	5	8	14	19	31
50-64	329	7.2	42	1	2	5	9	15	21	38
65+	709	8.3	53	2	2	6	10	16	23	37
B. *Operated*										
0-19 YRS	14	7.1	21	<1	1	8	11	14	14	14
20-34	61	9.0	139	1	2	6	10	18	37	63
35-49	76	9.3	124	1	1	6	14	20	25	68
50-64	152	10.4	103	1	2	8	13	21	38	67
65+	214	14.4	174	2	3	11	18	32	39	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	4.0	15	<1	1	3	5	8	11	18
B. *Operated*	179	5.0	28	1	1	3	6	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	1567	6.8	43	1	2	5	8	14	19	35
B. *Operated*	517	11.6	143	1	2	9	14	25	37	72
1. SINGLE DX	661	4.2	18	1	1	3	5	9	11	23
2. MULTIPLE DX	2084	8.0	72	1	2	5	10	17	24	41
A. NOT OPERATED	2049	6.1	38	1	1	4	8	13	18	33
B. OPERATED	696	9.9	121	1	2	7	13	22	33	62
TOTAL 0-19 YRS	396	3.5	8	1	1	3	4	7	9	14
20-34	314	4.9	44	1	1	3	6	9	13	41
35-49	349	6.5	58	1	1	4	8	14	19	33
50-64	631	7.2	55	1	2	5	9	16	22	40
65+	1055	9.2	81	1	2	7	12	19	27	40
GRAND TOTAL	2745	7.1	62	1	1	5	9	15	21	39

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	968	3.9	20	1	1	3	5	7	11	20
20-34	473	3.7	7	1	1	3	5	7	8	12
35-49	479	4.2	13	1	1	3	5	8	9	21
50-64	641	4.6	37	1	1	3	5	9	11	20
65+	837	6.2	60	1	2	4	7	11	17	50
B. *Operated*										
0-19 YRS	81	3.8	52	<1	<1	2	3	8	10	48
20-34	226	3.2	12	1	1	2	3	6	8	19
35-49	193	3.2	9	<1	1	2	3	7	10	15
50-64	211	4.1	18	<1	1	3	5	8	11	22
65+	137	5.7	33	1	1	4	7	13	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	914	5.5	35	1	1	4	7	11	18	29
20-34	755	4.6	17	1	1	4	6	9	11	21
35-49	1018	5.6	18	1	2	4	7	11	14	22
50-64	2332	6.9	37	1	2	5	8	14	18	31
65+	5182	8.8	72	2	2	7	11	17	24	50
B. *Operated*										
0-19 YRS	71	7.4	112	1	1	4	8	14	37	50
20-34	174	5.5	70	<1	1	3	6	12	15	51
35-49	198	6.8	82	1	1	4	9	15	23	99
50-64	460	10.1	107	2	2	7	14	23	38	99+
65+	799	15.8	236	2	3	12	19	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3398	4.6	31	1	1	3	6	9	11	24
B. *Operated*	848	3.9	21	<1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	10201	7.5	54	1	2	6	9	15	20	39
B. *Operated*	1702	11.8	177	1	2	8	15	29	46	99+
1. SINGLE DX	4246	4.5	29	1	1	3	5	9	11	22
2. MULTIPLE DX	11903	8.1	73	1	2	6	10	16	23	52
A. NOT OPERATED	13599	6.7	49	1	2	5	8	13	18	37
B. OPERATED	2550	9.2	139	1	1	5	12	22	37	97
TOTAL 0-19 YRS	2034	4.8	32	1	1	3	6	9	13	28
20-34	1628	4.2	19	1	1	3	5	8	11	19
35-49	1888	5.1	24	1	1	4	7	10	13	24
50-64	3644	6.7	47	1	2	5	8	14	19	39
65+	6955	9.3	95	2	2	7	11	18	27	63
GRAND TOTAL	16149	7.1	64	1	2	5	9	14	20	48

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	2.6	4	1	1	2	3	5	6	10
20-34	40	4.9	18	1	1	4	7	9	11	23
35-49	7	6.9	25	1	1	9	11	12	12	12
50-64	6	13.7	345	1	1	7	15	46	50	50
65+	9	5.8	10	1	1	6	8	10	11	11
B. *Operated*										
0-19 YRS	46	8.0	52	2	2	6	9	12	28	36
20-34	18	9.4	52	2	2	8	13	16	26	32
35-49	8	12.1	126	2	2	8	19	30	34	34
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	4.7	38	1	1	3	5	9	12	35
20-34	61	8.0	78	1	2	6	10	15	19	59
35-49	37	9.1	82	1	2	6	11	28	34	99+
50-64	44	12.1	162	1	2	8	19	29	46	99+
65+	31	12.5	191	1	3	9	12	24	54	64
B. *Operated*										
0-19 YRS	99	15.7	347	2	3	8	22	56	78	99+
20-34	68	18.8	437	2	3	12	26	87	99+	99+
35-49	37	18.6	202	3	4	13	26	42	48	58
50-64	35	18.0	243	5	5	13	21	43	43	81
65+	19	24.1	301	2	3	30	41	71	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	3.2	13	1	1	2	4	6	9	14
B. *Operated*	76	9.0	58	2	2	7	11	17	30	36
2. MULTIPLE DX										
A. *Not Operated*	407	7.0	81	1	1	4	8	15	23	64
B. *Operated*	258	17.9	333	2	4	11	26	53	87	99+
1. SINGLE DX	451	4.1	25	1	1	2	5	9	12	32
2. MULTIPLE DX	665	11.2	206	1	2	6	13	31	53	99+
A. NOT OPERATED	782	5.2	52	1	1	3	6	11	16	49
B. OPERATED	334	15.8	284	2	3	10	21	45	73	99+
TOTAL 0-19 YRS	692	5.5	86	1	1	3	6	10	21	60
20-34	187	11.4	224	1	2	8	13	33	67	99+
35-49	89	13.1	150	1	2	9	18	32	42	83
50-64	87	14.6	206	2	2	11	19	35	44	93
65+	61	15.0	231	2	3	10	22	49	58	99+
GRAND TOTAL	**1116**	**8.4**	**145**	**1**	**1**	**5**	**9**	**21**	**38**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	3.4	6	1	1	3	5	6	8	13
20-34	64	5.5	21	1	1	4	8	13	13	22
35-49	32	3.7	7	1	1	3	5	8	9	11
50-64	16	6.3	26	1	2	4	8	16	16	16
65+	7	6.6	16	2	2	5	8	13	14	14
B. *Operated*										
0-19 YRS	26	8.0	65	2	3	6	8	13	29	39
20-34	13	11.5	68	2	4	7	18	25	27	28
35-49	6	6.5	34	2	2	5	6	17	18	18
50-64	5	4.8	11	<1	<1	5	7	9	9	9
65+	7	14.0	54	5	5	17	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	5.8	32	1	1	4	7	12	16	31
20-34	127	8.1	52	1	2	6	11	17	27	33
35-49	56	10.6	102	2	3	7	12	28	37	40
50-64	56	10.4	98	1	3	8	12	22	25	62
65+	53	11.3	108	1	3	9	14	24	29	61
B. *Operated*										
0-19 YRS	71	15.1	332	1	2	10	17	38	70	99
20-34	67	16.4	225	3	4	10	24	45	59	99+
35-49	33	15.1	271	3	4	10	22	51	96	99+
50-64	26	18.3	408	2	4	11	29	48	97	99+
65+	23	28.8	596	2	3	25	43	56	80	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	4.0	11	1	1	3	5	9	11	16
B. *Operated*	57	9.1	61	2	2	7	10	21	26	38
2. MULTIPLE DX										
A. *Not Operated*	493	8.0	65	1	2	6	10	17	25	38
B. *Operated*	220	17.3	337	2	3	11	25	45	72	99+
1. SINGLE DX	396	4.8	21	1	1	3	6	10	13	23
2. MULTIPLE DX	713	10.9	167	1	2	7	13	26	38	97
A. NOT OPERATED	832	6.4	47	1	1	4	8	13	21	35
B. OPERATED	277	15.6	291	2	3	10	22	41	66	99+
TOTAL 0-19 YRS	518	6.1	78	1	1	4	7	13	18	49
20-34	271	9.7	104	1	2	7	12	24	32	64
35-49	127	9.8	134	1	2	6	11	26	37	99+
50-64	103	11.5	176	1	2	8	14	25	33	98
65+	90	15.6	278	2	3	10	22	36	49	87
GRAND TOTAL	**1109**	**8.7**	**123**	**1**	**1**	**5**	**10**	**21**	**30**	**73**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.0	3	<1	<1	1	2	4	6	9
20-34	77	2.5	4	<1	1	2	3	5	7	10
35-49	32	3.3	8	<1	<1	2	5	7	10	11
50-64	13	1.9	2	<1	<1	1	2	4	6	6
65+	16	3.6	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	1374	2.1	3	<1	<1	2	3	4	5	8
20-34	1341	3.0	6	<1	1	2	4	6	7	12
35-49	375	3.2	6	<1	1	3	4	7	8	11
50-64	130	4.2	9	1	1	3	5	8	10	15
65+	75	4.9	21	1	1	3	7	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	3.3	20	<1	1	2	4	6	7	31
20-34	174	3.2	7	<1	1	3	4	6	8	15
35-49	81	4.8	13	1	1	4	7	10	12	15
50-64	77	5.3	24	1	1	4	6	11	15	27
65+	166	9.1	107	1	2	6	11	20	29	61
B. *Operated*										
0-19 YRS	790	4.8	24	1	1	3	5	9	12	23
20-34	1245	5.5	32	1	2	4	6	11	14	33
35-49	401	6.9	51	1	2	5	8	14	19	37
50-64	256	8.0	67	2	2	5	10	16	24	48
65+	187	11.0	146	1	2	8	13	22	35	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	3295	2.8	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	585	5.4	46	1	1	3	6	11	15	35
B. *Operated*	2879	6.0	46	1	1	4	7	12	17	36
1. SINGLE DX	3489	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	3464	5.9	46	1	1	4	7	12	16	36
A. NOT OPERATED	779	4.7	37	<1	1	3	6	10	14	31
B. OPERATED	6174	4.3	27	<1	1	3	5	9	12	27
TOTAL 0-19 YRS	2307	3.0	12	<1	<1	2	4	6	8	16
20-34	2837	4.1	19	<1	1	3	5	8	11	23
35-49	889	5.0	30	1	1	3	6	10	14	26
50-64	476	6.4	46	1	1	4	8	13	18	40
65+	444	9.0	111	1	2	6	11	19	29	57
GRAND TOTAL	6953	4.3	28	<1	1	3	5	9	12	28

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	6.4	27	1	2	5	8	13	15	27
20-34	429	6.9	29	1	2	6	9	13	16	29
35-49	227	7.4	31	1	2	7	10	13	16	27
50-64	299	9.1	46	2	3	8	11	17	20	31
65+	510	11.9	62	3	5	10	15	20	24	46
B. *Operated*										
0-19 YRS	33	13.6	96	2	3	11	19	29	32	38
20-34	51	15.2	159	2	3	13	19	34	44	62
35-49	19	14.2	121	1	4	12	17	35	38	40
50-64	16	20.2	279	2	3	16	25	50	59	61
65+	14	19.1	139	4	6	17	21	35	45	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	8.2	44	1	2	7	10	15	22	38
20-34	353	8.3	38	2	3	7	10	15	19	31
35-49	205	9.4	58	2	3	8	11	16	24	47
50-64	464	12.8	86	3	4	11	16	25	30	51
65+	2044	15.6	129	4	5	13	20	31	46	86
B. *Operated*										
0-19 YRS	66	15.5	170	2	3	11	24	34	43	56
20-34	142	18.8	294	3	5	13	23	40	66	74
35-49	60	24.0	454	6	7	17	36	66	99	99+
50-64	85	18.2	149	4	6	16	24	37	48	85
65+	247	26.5	345	7	9	22	36	60	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1690	8.8	46	2	2	7	11	16	20	35
B. *Operated*	133	15.7	150	2	3	12	20	32	41	61
2. MULTIPLE DX										
A. *Not Operated*	3245	13.6	112	3	4	11	17	27	36	64
B. *Operated*	600	22.1	313	4	6	17	29	48	70	99+
1. SINGLE DX	1823	9.3	57	2	2	8	12	18	22	40
2. MULTIPLE DX	3845	14.9	153	3	4	12	19	31	42	86
A. NOT OPERATED	4935	12.0	95	2	3	9	15	23	31	57
B. OPERATED	733	20.9	289	3	6	16	28	45	64	99+
TOTAL 0-19 YRS	503	8.7	66	1	2	7	10	19	26	42
20-34	975	9.6	95	2	2	7	11	18	26	58
35-49	511	10.4	120	2	2	8	12	19	32	84
50-64	864	12.2	90	2	4	10	16	24	31	51
65+	2815	15.9	149	4	5	13	20	32	42	97
GRAND TOTAL	5668	13.1	129	2	3	10	16	26	37	70

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	13.3	141	3	3	10	19	29	42	44
20-34	12	9.9	109	1	2	7	10	29	35	36
35-49	10	6.6	23	1	1	6	8	14	17	17
50-64	10	10.2	26	3	4	11	13	16	19	19
65+	13	11.9	70	4	4	10	16	26	31	32
B. *Operated*										
0-19 YRS	4	38.0	650	16	16	31	55	74	74	74
20-34	7	17.0	296	3	4	16	37	85	99+	99+
35-49	4	26.3	222	4	4	33	34	35	35	35
50-64	5	28.0	1246	4	4	19	37	90	90	90
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	20.5	764	1	1	10	38	61	61	61
20-34	17	10.2	41	1	3	9	19	21	69	99+
35-49	10	10.6	37	2	3	9	16	19	19	19
50-64	16	15.2	172	4	5	10	17	37	49	53
65+	55	15.9	151	3	5	14	19	46	56	99+
B. *Operated*										
0-19 YRS	15	37.7	562	6	9	36	59	64	79	84
20-34	29	39.7	730	3	8	50	79	99+	99+	99+
35-49	7	43.0	211	26	26	43	53	63	65	65
50-64	7	53.9	1100	22	23	57	95	99	99+	99+
65+	11	40.6	780	9	11	45	76	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	10.5	77	2	3	8	13	23	30	43
B. *Operated*	21	25.1	537	3	4	21	35	79	94	99+
2. MULTIPLE DX										
A. *Not Operated*	102	14.5	146	3	4	12	18	39	54	99+
B. *Operated*	69	41.2	667	7	10	44	70	99+	99+	99+
1. SINGLE DX	78	14.5	238	2	3	10	19	35	48	97
2. MULTIPLE DX	171	25.3	526	3	5	17	47	82	99+	99+
A. NOT OPERATED	159	13.1	124	2	3	10	17	25	48	99+
B. OPERATED	90	37.4	677	4	8	37	66	99+	99+	99+
TOTAL 0-19 YRS	35	27.4	538	3	3	18	44	61	71	84
20-34	65	24.0	581	2	3	19	57	99+	99+	99+
35-49	31	18.6	299	2	3	11	31	46	54	65
50-64	38	22.7	643	4	5	13	23	82	96	99+
65+	80	18.6	294	4	5	14	22	54	99	99+
GRAND TOTAL	249	21.9	468	3	4	15	38	69	99+	99+

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	13	1	1	2	5	6	11	18
20-34	76	3.0	6	<1	1	2	4	6	8	13
35-49	100	3.9	7	1	1	3	5	7	10	13
50-64	147	4.0	7	1	1	3	5	8	9	13
65+	150	6.6	34	1	2	5	8	13	15	31
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	4	5.5	33	2	2	3	9	14	14	14
50-64	7	8.4	54	2	2	6	9	21	24	24
65+	2	11.0	98	4	4	11	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	6.0	91	1	1	4	7	11	14	60
20-34	315	5.1	15	1	1	4	7	10	12	20
35-49	378	6.1	22	1	2	5	8	11	14	27
50-64	608	7.5	33	2	2	6	10	14	18	31
65+	1188	11.2	119	2	3	8	13	21	34	69
B. *Operated*										
0-19 YRS	33	14.1	275	2	4	8	13	37	49	83
20-34	112	10.5	103	2	2	7	11	26	35	49
35-49	114	12.4	93	2	3	9	18	25	32	67
50-64	141	15.1	211	2	4	10	18	33	49	77
65+	184	22.2	317	4	6	17	30	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	4.6	17	1	1	3	6	9	11	21
B. *Operated*	17	6.9	39	2	2	4	9	17	22	24
2. MULTIPLE DX										
A. *Not Operated*	2585	8.6	77	2	2	6	10	17	23	49
B. *Operated*	584	15.9	223	2	3	11	20	37	50	99
1. SINGLE DX	515	4.7	18	1	1	4	6	9	12	21
2. MULTIPLE DX	3169	10.0	112	2	2	7	12	20	30	63
A. NOT OPERATED	3083	8.0	69	1	2	6	10	16	21	46
B. OPERATED	601	15.6	220	2	3	11	20	37	50	98
TOTAL 0-19 YRS	155	7.3	129	1	1	5	8	13	18	81
20-34	506	6.0	39	1	1	4	7	11	17	35
35-49	596	6.9	40	1	2	5	9	14	20	33
50-64	903	8.1	67	1	2	6	10	16	21	48
65+	1524	12.1	150	2	3	8	14	25	38	87
GRAND TOTAL	3684	9.2	102	1	2	6	11	19	28	60

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	6.6	37	1	2	5	8	13	20	32
20-34	87	9.5	93	2	2	7	10	16	32	53
35-49	58	9.3	46	2	2	8	12	15	20	42
50-64	132	12.6	94	3	5	10	15	26	31	56
65+	485	15.0	87	4	5	13	19	27	32	48
B. *Operated*										
0-19 YRS	9	20.3	386	3	3	21	28	52	60	60
20-34	7	25.9	341	3	4	21	43	49	50	50
35-49	8	23.9	85	9	11	24	31	35	36	36
50-64	6	31.2	137	18	19	29	36	49	51	51
65+	9	22.0	72	12	13	18	29	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	11.8	109	2	3	9	13	25	38	50
20-34	197	15.9	193	3	5	11	19	40	47	64
35-49	87	18.7	184	5	6	15	27	38	52	86
50-64	208	16.1	157	4	5	13	20	32	44	73
65+	1286	20.4	200	5	7	17	26	38	53	99+
B. *Operated*										
0-19 YRS	72	24.1	319	6	7	18	35	52	63	94
20-34	131	26.4	374	4	6	21	38	54	63	86
35-49	48	26.2	351	5	6	19	35	55	73	78
50-64	63	34.2	447	6	9	32	54	70	82	99+
65+	180	32.0	336	10	12	30	46	66	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	12.7	89	2	4	11	17	25	31	48
B. *Operated*	39	24.1	197	3	5	23	34	44	51	60
2. MULTIPLE DX										
A. *Not Operated*	1907	18.8	194	4	6	15	24	37	49	92
B. *Operated*	494	29.1	369	6	8	25	41	61	74	99+
1. SINGLE DX	907	13.2	99	2	4	11	17	26	32	50
2. MULTIPLE DX	2401	20.9	247	5	6	17	27	45	58	99+
A. NOT OPERATED	2775	16.9	169	3	5	14	22	32	45	80
B. OPERATED	533	28.7	358	6	8	25	40	59	73	99+
TOTAL 0-19 YRS	316	13.1	183	2	3	9	15	33	46	67
20-34	422	18.0	269	3	4	12	23	45	53	73
35-49	201	18.0	218	3	5	14	24	37	52	76
50-64	409	18.0	233	4	5	13	23	39	54	86
65+	1960	20.1	203	5	7	17	26	38	54	99+
GRAND TOTAL	**3308**	**18.8**	**218**	**4**	**5**	**15**	**24**	**39**	**52**	**91**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	4.4	37	1	1	2	4	13	20	27
20-34	43	3.2	7	<1	1	3	5	6	9	13
35-49	29	5.6	41	1	1	4	5	17	22	25
50-64	97	5.1	37	1	1	3	5	12	18	32
65+	294	7.6	107	1	2	5	8	17	22	64
B. *Operated*										
0-19 YRS	813	5.2	37	1	1	3	5	14	20	26
20-34	146	6.1	70	1	1	4	6	12	19	59
35-49	105	5.0	26	1	1	4	6	9	12	32
50-64	199	6.0	28	1	1	5	8	13	17	29
65+	355	8.4	62	1	2	6	11	19	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	7.2	49	1	1	4	11	18	21	32
20-34	53	5.4	24	<1	1	4	8	11	15	23
35-49	42	8.0	103	1	1	5	9	15	28	54
50-64	166	9.8	125	1	2	6	12	20	32	53
65+	850	14.3	182	2	3	10	18	34	44	99
B. *Operated*										
0-19 YRS	236	9.5	98	1	2	5	14	23	30	45
20-34	140	14.2	271	1	2	8	18	34	55	91
35-49	118	12.4	211	1	2	7	13	33	48	84
50-64	283	11.1	142	2	2	7	13	26	32	65
65+	718	16.4	220	2	3	12	22	40	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	6.0	71	1	1	3	7	13	21	44
B. *Operated*	1618	6.1	45	1	1	4	7	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	1177	12.6	165	1	2	9	16	30	41	87
B. *Operated*	1495	13.8	197	2	2	9	19	33	47	99+
1. SINGLE DX	2240	6.0	52	1	1	4	7	14	20	33
2. MULTIPLE DX	2672	13.3	183	2	2	9	17	32	44	97
A. NOT OPERATED	1799	10.3	142	1	1	6	15	25	36	72
B. OPERATED	3113	9.8	133	1	1	6	13	24	34	70
TOTAL 0-19 YRS	1274	6.0	52	1	1	3	7	17	21	32
20-34	382	8.6	148	1	1	4	10	21	30	72
35-49	294	8.5	123	1	1	5	9	22	33	65
50-64	745	8.7	100	1	2	6	10	19	29	51
65+	2217	13.1	177	2	2	9	17	32	44	99+
GRAND TOTAL	**4912**	**10.0**	**136**	**1**	**1**	**6**	**13**	**24**	**35**	**70**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	2.2	9	<1	1	1	3	4	5	16
20-34	34	2.4	5	<1	1	2	3	5	7	12
35-49	21	2.8	6	<1	<1	1	4	7	8	9
50-64	38	4.0	27	<1	1	2	4	10	12	30
65+	61	3.9	12	1	1	3	5	9	11	16
B. *Operated*										
0-19 YRS	2043	2.0	4	1	1	1	2	4	5	9
20-34	507	3.8	10	1	1	3	5	7	9	17
35-49	431	3.3	6	1	1	3	4	6	7	14
50-64	709	3.4	11	1	1	3	4	7	9	16
65+	641	4.0	22	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.7	5	<1	1	2	4	5	7	12
20-34	60	4.2	15	<1	1	3	5	8	11	22
35-49	39	6.5	40	1	1	4	8	13	18	35
50-64	56	5.9	47	1	1	4	6	12	22	35
65+	223	10.9	83	1	2	8	15	25	38	99+
B. *Operated*										
0-19 YRS	361	4.8	29	1	1	3	6	10	14	27
20-34	357	8.1	66	1	2	6	10	16	24	55
35-49	245	7.8	108	1	2	5	8	15	28	64
50-64	399	7.5	79	1	2	5	8	15	23	48
65+	747	10.2	131	1	2	6	12	23	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.9	12	<1	1	2	3	5	9	16
B. *Operated*	4331	2.9	9	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	444	7.7	65	1	1	5	10	19	26	99+
B. *Operated*	2109	8.1	93	1	2	5	9	18	27	57
1. SINGLE DX	4600	2.9	10	1	1	2	3	6	8	15
2. MULTIPLE DX	2553	8.1	88	1	1	5	10	18	27	62
A. NOT OPERATED	713	5.9	50	1	1	3	7	15	22	65
B. OPERATED	6440	4.6	43	1	1	3	5	10	15	36
TOTAL 0-19 YRS	2585	2.5	9	1	1	2	3	5	7	15
20-34	958	5.4	35	1	1	4	6	11	16	31
35-49	736	4.9	46	1	1	3	5	9	14	39
50-64	1202	4.9	39	1	1	3	5	10	14	36
65+	1672	7.7	88	1	1	5	9	18	25	69
GRAND TOTAL	7153	4.7	44	1	1	3	5	10	16	39

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.6	3	<1	1	2	3	5	6	9
20-34	42	3.0	8	<1	<1	2	4	7	10	13
35-49	17	4.4	18	<1	<1	3	6	8	14	18
50-64	10	5.3	15	2	2	3	9	11	12	12
65+	18	3.7	10	1	1	2	5	8	11	13
B. *Operated*										
0-19 YRS	624	2.1	2	<1	<1	2	2	3	4	8
20-34	643	2.3	3	<1	1	2	3	4	5	8
35-49	282	2.9	17	<1	1	2	3	5	7	28
50-64	202	2.9	11	<1	1	2	3	5	7	18
65+	96	3.3	11	<1	1	2	4	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.6	4	<1	1	2	3	5	8	9
20-34	51	3.8	9	<1	1	3	5	8	11	15
35-49	28	4.9	14	1	1	4	7	10	13	14
50-64	31	6.5	41	2	2	4	7	16	19	30
65+	100	11.8	169	1	2	9	14	28	49	84
B. *Operated*										
0-19 YRS	220	4.1	16	1	1	3	5	9	12	20
20-34	321	4.5	29	1	1	3	5	9	13	28
35-49	174	4.4	20	1	1	3	5	9	13	26
50-64	178	4.2	14	1	1	3	5	8	10	23
65+	137	8.2	70	2	2	5	11	16	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	3.3	9	<1	1	2	4	7	10	14
B. *Operated*	1847	2.4	6	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	241	7.4	94	1	1	4	9	15	28	67
B. *Operated*	1030	4.8	29	1	1	3	6	10	15	29
1. SINGLE DX	1974	2.5	6	<1	1	2	3	4	6	11
2. MULTIPLE DX	1271	5.3	42	1	1	3	6	11	16	34
A. NOT OPERATED	368	6.0	68	1	1	3	7	13	18	57
B. OPERATED	2877	3.3	16	<1	1	2	4	6	10	20
TOTAL 0-19 YRS	915	2.6	6	<1	1	2	3	5	7	14
20-34	1057	3.1	12	<1	1	2	3	6	8	16
35-49	501	3.6	18	<1	1	2	4	7	10	24
50-64	421	3.8	15	1	1	3	4	7	11	21
65+	351	7.6	90	1	1	4	10	16	29	58
GRAND TOTAL	3245	3.6	22	<1	1	2	4	7	11	25

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	14.7	275	1	2	7	24	40	49	71
20-34	20	15.2	354	2	2	7	17	46	65	69
35-49	16	8.6	32	1	1	8	11	17	20	22
50-64	39	11.4	103	1	3	9	14	24	36	46
65+	207	16.0	280	1	2	11	20	38	56	98
B. *Operated*										
0-19 YRS	105	13.3	122	3	4	10	16	25	37	58
20-34	55	14.8	126	5	5	12	17	28	39	63
35-49	123	16.0	143	6	7	13	18	28	38	74
50-64	645	16.4	69	7	8	15	19	26	32	48
65+	3479	21.6	149	9	11	19	26	38	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	21.1	144	4	5	22	31	42	71	99+
20-34	12	25.3	895	2	2	11	39	78	82	83
35-49	20	10.1	69	2	3	10	15	57	99+	99+
50-64	80	20.7	429	3	4	15	23	54	69	93
65+	643	22.2	363	3	5	17	32	56	85	99+
B. *Operated*										
0-19 YRS	71	26.7	427	4	7	21	35	71	88	99+
20-34	129	26.5	365	7	9	22	38	60	80	99+
35-49	139	25.2	314	8	10	20	32	60	78	99+
50-64	879	24.6	249	9	11	20	31	48	61	99+
65+	7927	28.3	282	11	13	24	37	59	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	14.9	252	1	2	10	19	36	48	87
B. *Operated*	4407	20.4	141	8	10	18	24	36	47	94
2. MULTIPLE DX										
A. *Not Operated*	774	21.7	367	3	4	17	31	56	84	99+
B. *Operated*	9145	27.9	283	10	12	23	36	58	79	99+
1. SINGLE DX	4730	20.0	151	6	9	17	24	36	47	94
2. MULTIPLE DX	9919	27.4	292	9	12	23	36	58	80	99+
A. NOT OPERATED	1097	19.7	343	2	4	14	26	50	76	99+
B. OPERATED	13552	25.5	249	9	11	21	32	51	70	99+
TOTAL 0-19 YRS	236	18.2	275	3	4	13	25	43	56	99+
20-34	216	22.4	356	4	6	15	29	57	69	99+
35-49	298	19.5	243	5	7	15	24	41	62	99+
50-64	1643	20.9	200	7	9	17	24	39	53	97
65+	12256	25.9	260	9	11	22	33	53	73	99+
GRAND TOTAL	**14649**	**25.0**	**258**	**8**	**10**	**21**	**32**	**51**	**70**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	335	23.2	255	1	2	23	31	45	53	71
20-34	28	25.0	559	2	2	13	49	62	66	99+
35-49	15	19.7	359	<1	1	11	37	48	52	53
50-64	26	29.1	704	1	2	30	54	90	99+	99+
65+	84	19.4	332	2	4	13	29	56	75	99+
B. *Operated*										
0-19 YRS	406	18.7	258	2	2	15	26	43	52	69
20-34	152	19.6	294	2	4	16	24	35	59	85
35-49	43	17.7	137	4	6	16	24	34	51	99+
50-64	57	26.3	473	6	8	20	38	67	90	99+
65+	199	24.6	262	7	9	21	32	48	65	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	29.6	314	4	8	28	40	57	66	99+
20-34	38	34.5	772	1	2	39	55	79	89	99+
35-49	23	22.8	540	3	4	19	46	98	99+	99+
50-64	53	33.0	713	3	5	27	55	80	95	99+
65+	225	28.8	561	3	5	23	52	78	99+	99+
B. *Operated*										
0-19 YRS	406	30.0	441	4	7	25	42	64	76	99+
20-34	322	31.9	486	5	9	26	48	73	91	99+
35-49	87	32.5	602	3	8	25	59	89	99+	99+
50-64	134	33.4	549	4	9	28	51	82	94	99+
65+	514	32.9	413	9	13	29	51	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	22.9	314	1	2	22	32	50	60	99+
B. *Operated*	857	20.7	280	2	4	17	27	44	59	99
2. MULTIPLE DX										
A. *Not Operated*	493	29.7	516	3	5	25	47	70	95	99+
B. *Operated*	1463	31.9	461	6	10	27	49	75	99	99+
1. SINGLE DX	1345	21.5	293	2	3	18	30	48	59	99+
2. MULTIPLE DX	1956	31.3	475	5	8	27	48	75	97	99+
A. NOT OPERATED	981	26.3	426	2	4	23	40	62	79	99+
B. OPERATED	2320	27.8	423	4	6	23	40	67	88	99+
TOTAL 0-19 YRS	1301	24.7	344	2	4	22	35	52	64	93
20-34	540	28.2	485	3	5	22	42	68	84	99+
35-49	168	26.2	491	3	4	20	46	82	99+	99+
50-64	270	31.4	582	4	6	26	52	80	96	99+
65+	1022	29.3	427	6	8	24	45	74	99+	99+
GRAND TOTAL	**3301**	**27.3**	**425**	**3**	**5**	**23**	**40**	**65**	**85**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	3.1	8	1	1	2	4	6	8	13
20-34	146	4.3	19	1	1	3	5	9	12	23
35-49	116	5.5	16	1	2	5	7	10	13	23
50-64	121	7.8	52	2	2	6	10	15	19	40
65+	149	11.0	99	2	3	8	14	22	30	49
B. *Operated*										
0-19 YRS	933	4.6	19	1	1	3	6	9	11	21
20-34	640	8.1	66	1	2	5	10	17	22	45
35-49	384	8.3	58	2	2	6	11	17	22	37
50-64	340	10.1	84	2	2	7	13	22	30	47
65+	166	11.9	111	2	3	9	13	26	35	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	5.8	53	1	1	4	8	12	17	99+
20-34	118	8.6	130	1	2	5	10	17	32	58
35-49	79	11.8	184	1	2	7	15	27	35	78
50-64	124	11.8	113	2	3	8	15	26	37	50
65+	272	17.1	229	3	4	13	23	43	60	99+
B. *Operated*										
0-19 YRS	361	11.7	183	2	3	7	14	26	37	88
20-34	487	15.9	282	2	3	10	19	40	60	99+
35-49	284	16.5	251	3	4	11	22	43	57	99+
50-64	316	18.3	284	3	5	14	23	44	74	99+
65+	342	24.2	394	4	6	19	34	58	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	870	5.6	40	1	1	4	7	12	17	34
B. *Operated*	2463	7.3	58	1	2	5	9	15	21	41
2. MULTIPLE DX										
A. *Not Operated*	697	12.4	177	1	2	8	16	32	44	99+
B. *Operated*	1790	17.2	295	2	3	11	22	42	66	99+
1. SINGLE DX	3333	6.9	54	1	1	5	8	15	21	38
2. MULTIPLE DX	2487	15.8	266	2	3	10	21	39	60	99+
A. NOT OPERATED	1567	8.7	113	1	1	5	10	20	32	68
B. OPERATED	4253	11.5	181	1	2	7	14	27	41	91
TOTAL 0-19 YRS	1736	5.8	62	1	1	4	7	12	18	50
20-34	1391	10.5	159	1	2	6	12	23	37	83
35-49	863	11.0	144	2	2	7	14	25	35	76
50-64	901	12.9	170	2	3	9	16	28	41	99
65+	929	17.8	276	3	4	13	23	42	63	99+
GRAND TOTAL	**5820**	**10.7**	**164**	**1**	**2**	**6**	**13**	**25**	**38**	**88**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.0	5	1	1	2	4	6	8	12
20-34	153	3.7	15	<1	1	2	4	7	10	25
35-49	140	4.3	14	1	1	3	6	8	11	21
50-64	162	5.5	18	1	1	5	7	11	14	21
65+	182	6.9	38	1	1	5	9	13	18	36
B. *Operated*										
0-19 YRS	885	4.0	7	1	1	4	5	7	9	13
20-34	1212	5.5	16	1	2	5	7	10	13	21
35-49	852	6.1	18	1	2	5	8	11	14	20
50-64	944	7.7	43	2	3	6	9	14	18	32
65+	618	10.3	85	2	3	8	12	18	24	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	6.0	59	1	1	4	8	12	19	44
20-34	132	6.3	65	1	1	4	7	11	19	36
35-49	113	7.3	33	1	2	6	10	16	20	28
50-64	206	8.7	51	1	2	7	11	18	23	35
65+	433	13.1	184	2	3	9	16	27	44	99
B. *Operated*										
0-19 YRS	404	7.9	68	2	2	5	9	14	21	49
20-34	807	9.1	95	2	3	6	10	17	28	56
35-49	521	10.2	114	2	3	7	12	19	28	64
50-64	791	11.7	122	3	4	9	14	23	34	62
65+	764	17.4	272	4	5	12	20	39	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	4.8	21	1	1	3	6	10	12	23
B. *Operated*	4511	6.5	33	1	2	5	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	984	9.9	119	1	2	7	12	21	29	70
B. *Operated*	3287	11.7	153	2	3	8	13	24	37	76
1. SINGLE DX	5301	6.2	32	1	2	5	8	12	15	26
2. MULTIPLE DX	4271	11.3	146	2	3	8	13	23	35	76
A. NOT OPERATED	1774	7.6	82	1	1	5	9	16	23	53
B. OPERATED	7798	8.7	90	2	2	6	10	17	24	59
TOTAL 0-19 YRS	1542	5.1	29	1	1	4	6	9	12	27
20-34	2304	6.7	49	1	2	5	8	12	17	37
35-49	1626	7.4	53	1	2	6	9	14	18	42
50-64	2103	9.1	76	2	3	7	11	18	23	46
65+	1997	13.3	187	2	3	10	16	27	42	91
GRAND TOTAL	**9572**	**8.5**	**89**	**1**	**2**	**6**	**10**	**17**	**24**	**59**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.4	4	1	1	2	3	5	5	11
20-34	32	2.7	4	<1	<1	2	3	6	7	8
35-49	16	3.8	14	<1	1	3	4	7	13	16
50-64	9	3.1	5	<1	<1	3	4	7	8	8
65+	19	7.6	167	1	1	2	5	23	42	53
B. *Operated*										
0-19 YRS	56	2.9	3	1	1	3	4	5	7	7
20-34	43	4.6	30	<1	1	3	4	9	12	35
35-49	9	3.9	1	3	3	4	4	5	5	5
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	7	10.0	23	4	4	10	13	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	4.3	31	1	1	3	5	8	10	34
20-34	135	5.3	21	1	1	4	7	11	15	21
35-49	66	5.9	46	1	1	4	6	14	16	41
50-64	87	7.6	40	1	2	6	10	16	22	28
65+	167	12.0	159	1	3	9	15	28	46	99+
B. *Operated*										
0-19 YRS	43	6.3	51	1	1	4	7	11	24	35
20-34	73	7.9	87	2	2	5	10	16	22	57
35-49	31	11.1	456	1	2	5	9	13	78	98
50-64	35	7.6	20	2	2	7	10	14	15	21
65+	32	24.5	469	1	4	21	41	80	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.6	35	<1	1	2	4	7	10	38
B. *Operated*	119	4.0	16	1	1	3	4	7	10	23
2. MULTIPLE DX										
A. *Not Operated*	559	7.5	79	1	1	5	10	16	24	83
B. *Operated*	214	10.5	212	1	2	6	11	22	44	99
1. SINGLE DX	231	3.8	25	1	1	3	4	7	10	30
2. MULTIPLE DX	773	8.4	117	1	1	5	10	19	29	94
A. NOT OPERATED	671	6.9	74	1	1	4	9	15	22	71
B. OPERATED	333	8.2	151	1	2	4	9	18	33	86
TOTAL 0-19 YRS	239	4.0	25	1	1	3	5	7	10	33
20-34	283	5.6	40	1	1	4	7	11	17	34
35-49	122	6.8	146	1	1	4	7	12	16	86
50-64	135	7.2	33	1	2	6	10	15	20	27
65+	225	13.4	219	1	2	9	17	40	69	99+
GRAND TOTAL	1004	7.3	100	1	1	4	9	16	25	82

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	5	1	1	4	6	7	8	8
20-34	2	14.5	221	4	4	14	25	25	25	25
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	3	9.3	4	7	7	10	11	11	11	11
B. *Operated*										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	5	8.2	85	1	1	2	16	21	21	21
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	9.0	3	8	8	8	10	11	11	11
65+	2	29.5	25	26	26	29	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	17.3	551	4	4	7	18	59	64	64
20-34	8	12.4	77	5	6	9	15	28	31	31
35-49	2	41.0	2592	5	5	41	77	77	77	77
50-64	2	18.0	338	5	5	18	31	31	31	31
65+	14	14.7	206	2	3	11	16	32	51	57
B. *Operated*										
0-19 YRS	7	24.0	536	1	1	22	44	57	59	59
20-34	16	26.9	720	2	3	14	35	78	84	86
35-49	6	29.7	879	2	3	16	57	74	76	76
50-64	5	29.6	242	19	19	23	37	56	56	56
65+	7	39.0	1056	10	11	40	77	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.3	21	1	2	4	7	10	12	25
B. *Operated*	13	12.8	92	1	2	11	17	27	32	33
2. MULTIPLE DX										
A. *Not Operated*	32	16.5	332	4	4	9	19	39	63	77
B. *Operated*	41	29.2	666	2	3	19	56	77	87	99+
1. SINGLE DX	42	7.6	53	1	2	5	9	17	25	33
2. MULTIPLE DX	73	23.6	554	2	4	14	31	64	79	97
A. NOT OPERATED	61	11.2	213	1	2	7	11	27	43	76
B. OPERATED	54	25.3	574	2	2	16	33	67	84	99
TOTAL 0-19 YRS	34	10.9	256	1	2	5	9	29	57	64
20-34	31	19.4	462	2	2	10	26	48	79	86
35-49	11	26.2	843	2	3	16	47	76	77	77
50-64	13	17.2	234	3	4	11	25	36	52	56
65+	26	21.8	496	3	5	13	28	66	90	99+
GRAND TOTAL	115	17.8	429	2	2	10	22	57	73	92

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	19	1.8	1	<1	<1	1	2	4	5	5
35-49	8	2.6	8	<1	<1	1	3	7	9	9
50-64	8	1.6	1	<1	<1	1	2	3	3	3
65+	14	2.4	4	1	1	2	2	4	8	9
B. Operated										
0-19 YRS	122	3.2	4	<1	1	3	4	5	6	10
20-34	338	3.4	4	1	1	3	4	6	7	8
35-49	111	2.9	6	<1	<1	3	4	5	7	15
50-64	74	2.7	7	<1	1	2	4	5	5	18
65+	74	4.5	51	<1	1	2	4	12	18	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	25	2	2	2	7	12	12	12
20-34	17	2.9	5	1	1	2	4	7	8	8
35-49	9	4.6	9	<1	1	4	6	10	10	10
50-64	15	9.9	217	<1	1	5	11	20	49	59
65+	42	7.4	48	1	1	5	10	16	30	99+
B. Operated										
0-19 YRS	12	6.8	51	<1	1	5	9	15	25	27
20-34	80	5.0	14	1	1	4	6	9	12	21
35-49	31	5.0	23	1	1	3	7	9	19	21
50-64	40	6.5	113	1	1	4	7	10	12	69
65+	117	12.2	204	1	1	6	18	35	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.0	3	<1	<1	1	2	4	5	9
B. Operated	719	3.3	9	<1	1	3	4	5	7	17
2. MULTIPLE DX										
A. Not Operated	87	6.5	67	1	1	4	8	13	21	84
B. Operated	280	8.3	121	1	1	5	9	22	34	74
1. SINGLE DX	774	3.2	9	<1	1	3	4	5	7	17
2. MULTIPLE DX	367	7.9	108	1	1	4	9	20	31	75
A. NOT OPERATED	142	4.8	46	<1	1	3	5	11	16	62
B. OPERATED	999	4.7	45	1	1	3	5	8	15	42
TOTAL 0-19 YRS	144	3.5	9	<1	1	3	4	5	7	18
20-34	454	3.6	6	1	1	3	4	6	7	12
35-49	159	3.4	10	<1	<1	3	4	7	9	19
50-64	137	4.5	65	1	1	3	5	8	12	60
65+	247	8.5	133	1	1	4	10	25	37	99+
GRAND TOTAL	1141	4.7	46	1	1	3	5	9	16	43

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.5	10	<1	1	3	4	7	8	19
20-34	37	3.7	21	<1	1	3	4	5	7	29
35-49	14	3.9	5	<1	<1	4	5	6	8	8
50-64	14	2.5	3	<1	1	2	4	4	6	6
65+	3	12.0	156	2	2	8	21	26	26	26
B. Operated										
0-19 YRS	1102	3.8	4	1	2	3	5	6	7	12
20-34	2047	4.1	6	1	2	4	5	7	8	11
35-49	1001	4.1	6	1	2	4	5	7	8	12
50-64	537	4.8	8	2	2	4	6	8	9	15
65+	85	6.1	62	1	2	5	7	8	11	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.7	26	<1	<1	2	7	13	15	19
20-34	47	3.8	25	<1	<1	1	5	11	15	26
35-49	29	3.4	19	<1	<1	2	4	8	10	22
50-64	23	3.4	9	<1	<1	2	5	8	9	10
65+	12	12.8	286	2	3	7	10	37	59	63
B. Operated										
0-19 YRS	425	4.7	18	1	2	4	6	8	11	19
20-34	933	4.9	19	1	2	4	6	8	10	22
35-49	478	5.3	19	2	2	4	6	9	14	24
50-64	449	5.9	28	2	2	5	7	11	17	30
65+	122	9.1	98	2	2	7	11	20	27	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	3.7	17	<1	1	3	5	6	8	27
B. Operated	4772	4.1	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	134	4.6	49	<1	<1	2	6	10	15	32
B. Operated	2407	5.3	23	2	2	4	6	9	13	26
1. SINGLE DX	4882	4.1	7	1	2	4	5	7	8	12
2. MULTIPLE DX	2541	5.3	25	1	2	4	6	9	13	26
A. NOT OPERATED	244	4.2	34	<1	<1	3	5	8	12	26
B. OPERATED	7179	4.5	13	1	2	4	5	7	9	19
TOTAL 0-19 YRS	1592	4.0	9	1	2	4	5	7	8	15
20-34	3064	4.3	11	1	2	4	5	7	9	15
35-49	1522	4.5	11	1	2	4	5	8	9	20
50-64	1023	5.2	17	1	2	4	6	9	12	23
65+	222	8.2	74	2	2	6	9	17	26	43
GRAND TOTAL	7423	4.5	14	1	2	4	5	7	10	20

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.8	17	<1	1	4	6	10	12	23
20-34	121	5.9	32	1	2	5	6	9	13	39
35-49	84	5.5	7	2	3	5	7	10	11	13
50-64	32	7.3	38	1	2	6	10	12	22	31
65+	16	6.6	55	1	1	5	7	15	26	31
B. *Operated*										
0-19 YRS	271	3.6	23	<1	1	2	4	8	16	23
20-34	225	4.7	41	<1	1	2	5	10	17	39
35-49	121	4.2	23	1	1	3	4	10	13	25
50-64	83	6.7	115	<1	1	3	6	15	30	61
65+	54	7.4	129	<1	1	4	8	14	40	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	7.8	55	2	2	7	8	12	16	43
20-34	212	7.9	20	3	4	7	9	12	16	28
35-49	154	8.6	61	3	4	7	9	13	17	58
50-64	78	9.6	45	2	4	8	13	17	22	38
65+	51	11.9	123	2	4	8	16	22	34	56
B. *Operated*										
0-19 YRS	94	10.6	128	1	1	6	14	27	38	45
20-34	220	12.0	167	1	2	6	17	31	41	54
35-49	95	11.9	139	1	2	8	16	28	39	82
50-64	110	9.9	123	2	2	6	14	26	36	99+
65+	96	17.2	304	2	3	10	23	46	58	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	5.8	25	1	2	5	7	10	12	31
B. *Operated*	754	4.6	47	<1	1	2	5	10	16	38
2. MULTIPLE DX										
A. *Not Operated*	547	8.7	49	2	4	7	10	15	18	42
B. *Operated*	615	12.2	174	1	2	7	17	31	44	63
1. SINGLE DX	1058	5.0	41	1	1	3	6	10	16	36
2. MULTIPLE DX	1162	10.6	118	1	2	7	12	24	36	59
A. NOT OPERATED	851	7.7	42	2	3	7	9	13	17	39
B. OPERATED	1369	8.0	118	1	1	4	9	22	32	57
TOTAL 0-19 YRS	468	5.6	54	<1	1	3	6	14	22	41
20-34	778	7.8	78	1	1	5	9	17	27	46
35-49	454	7.5	65	1	2	6	9	14	22	57
50-64	303	8.7	93	1	2	5	10	21	30	63
65+	217	12.7	216	1	2	7	16	34	50	64
GRAND TOTAL	2220	7.9	89	1	1	5	9	17	27	53

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.8	7	1	1	3	6	8	8	9
20-34	74	2.9	6	<1	1	2	3	5	7	16
35-49	41	3.6	7	1	1	3	5	8	9	11
50-64	35	6.0	123	1	1	4	6	9	10	68
65+	36	8.2	85	2	3	6	9	13	17	57
B. *Operated*										
0-19 YRS	263	4.3	7	1	1	4	6	7	9	12
20-34	448	4.3	9	1	1	4	6	8	10	14
35-49	100	5.5	22	2	2	5	7	10	12	30
50-54	63	5.8	10	1	2	5	8	10	12	17
65+	24	10.7	136	2	2	7	14	19	35	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.3	9	<1	1	3	6	9	11	12
20-34	43	5.1	15	<1	1	4	7	11	14	16
35-49	34	7.6	42	2	2	5	8	20	22	26
50-64	71	8.1	37	2	2	6	11	16	20	29
65+	101	11.5	103	3	4	9	15	19	29	87
B. *Operated*										
0-19 YRS	221	5.1	10	1	2	5	7	9	10	16
20-34	384	5.7	17	1	2	5	7	10	12	22
35-49	116	6.9	38	1	2	5	8	12	19	38
50-64	61	10.9	94	2	3	8	15	20	25	57
65+	42	11.8	48	3	5	11	17	22	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.5	39	1	1	3	5	8	10	24
B. *Operated*	898	4.7	14	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	290	8.3	60	1	2	6	11	17	21	46
B. *Operated*	824	6.4	29	1	2	5	7	11	16	27
1. SINGLE DX	1132	4.7	19	1	1	4	6	8	10	17
2. MULTIPLE DX	1114	6.9	37	1	2	5	8	14	18	30
A. NOT OPERATED	524	6.6	54	1	1	5	8	14	18	37
B. OPERATED	1722	5.5	22	1	2	5	7	10	13	23
TOTAL 0-19 YRS	573	4.5	8	1	1	4	6	8	10	15
20-34	949	4.8	13	1	1	4	6	9	11	17
35-49	291	6.1	30	1	2	5	7	11	17	30
50-64	230	7.9	61	2	2	6	10	16	20	46
65+	203	10.9	92	2	3	9	14	19	25	66
GRAND TOTAL	2246	5.8	38	1	2	5	7	11	18	25

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	5.2	11	1	1	4	7	9	12	15
20-34	874	6.3	15	2	2	6	8	11	13	20
35-49	906	7.2	17	2	3	7	9	12	14	20
50-64	465	7.5	21	2	3	7	9	14	17	22
65+	151	7.3	24	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	9	5.4	14	1	1	5	8	11	12	12
20-34	140	7.1	33	1	2	6	10	15	18	35
35-49	121	8.2	40	1	2	6	13	18	21	25
50-64	36	8.0	31	2	2	6	11	16	20	22
65+	5	11.6	77	<1	<1	10	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	5.6	12	1	2	5	7	9	13	18
20-34	731	8.0	29	2	3	7	10	14	17	31
35-49	964	8.7	28	3	3	8	11	15	19	28
50-64	857	8.8	29	3	4	8	11	15	19	26
65+	648	10.1	50	3	4	8	13	18	22	35
B. *Operated*										
0-19 YRS	7	13.1	116	2	2	10	20	30	32	32
20-34	120	10.5	66	2	2	8	14	21	26	39
35-49	160	12.0	104	2	3	9	16	25	29	51
50-64	105	11.6	64	2	3	9	17	23	26	38
65+	60	19.4	224	6	8	15	23	40	57	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2517	6.8	18	2	2	6	9	12	15	21
B. *Operated*	311	7.7	36	1	2	6	11	16	21	26
2. MULTIPLE DX										
A. *Not Operated*	3300	8.8	33	2	3	8	11	15	19	29
B. *Operated*	452	12.5	107	2	3	10	17	25	32	52
1. SINGLE DX	2828	6.9	20	2	2	6	9	12	15	22
2. MULTIPLE DX	3752	9.2	43	2	3	8	12	16	21	33
A. NOT OPERATED	5817	7.9	27	2	3	7	10	14	17	26
B. OPERATED	763	10.5	84	2	2	8	14	22	26	46
TOTAL 0-19 YRS	237	5.6	16	1	2	5	7	10	13	20
20-34	1865	7.3	26	2	2	6	9	13	16	26
35-49	2151	8.3	31	2	3	7	11	15	18	28
50-64	1463	8.6	30	2	3	7	11	15	19	27
65+	864	10.2	65	3	4	8	13	19	24	46
GRAND TOTAL	**6580**	**8.2**	**34**	**2**	**3**	**7**	**10**	**15**	**19**	**29**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	3.7	9	1	1	3	5	8	10	15
20-34	621	5.4	13	1	2	5	7	10	12	18
35-49	453	6.1	16	1	2	5	8	11	14	17
50-64	207	6.6	16	2	2	6	9	12	14	21
65+	57	5.8	21	1	2	4	7	13	17	19
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	128	5.4	22	1	2	4	7	11	17	23
35-49	102	6.5	40	1	2	4	8	14	18	34
50-64	29	5.2	12	1	2	5	7	11	12	13
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	4.8	16	1	1	4	6	8	11	21
20-34	1358	6.8	18	2	2	6	8	12	15	21
35-49	990	8.1	29	2	3	7	10	14	17	30
50-64	624	8.0	27	2	3	7	10	14	18	27
65+	371	9.4	55	2	3	8	12	19	25	42
B. *Operated*										
0-19 YRS	6	8.7	7	5	5	9	10	12	12	12
20-34	142	8.8	66	2	2	6	12	17	19	40
35-49	133	10.3	71	2	2	8	12	21	28	39
50-64	74	10.8	70	2	2	8	14	22	29	39
65+	21	17.4	271	4	6	12	23	49	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1570	5.5	15	1	2	5	7	10	12	18
B. *Operated*	263	5.8	28	1	2	4	7	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	3655	7.4	27	2	3	6	9	14	17	28
B. *Operated*	376	10.2	82	2	2	8	13	20	27	41
1. SINGLE DX	1833	5.5	16	1	2	5	7	11	13	20
2. MULTIPLE DX	4031	7.7	33	2	3	6	9	14	18	31
A. NOT OPERATED	5225	6.9	24	1	2	6	8	13	16	26
B. OPERATED	639	8.4	64	2	2	6	11	18	22	39
TOTAL 0-19 YRS	553	4.4	13	1	1	4	6	8	10	17
20-34	2249	6.4	20	1	2	6	8	12	15	21
35-49	1678	7.6	31	2	3	6	10	14	17	32
50-64	934	7.8	29	2	3	7	10	14	18	29
65+	450	9.3	64	2	3	7	11	19	28	53
GRAND TOTAL	**5864**	**7.0**	**29**	**1**	**2**	**6**	**9**	**13**	**17**	**27**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	8	1	1	2	4	6	9	16
20-34	112	2.8	4	<1	<1	2	4	6	7	10
35-49	72	2.8	4	1	1	2	4	6	7	9
50-64	53	3.9	14	1	1	3	5	8	12	20
65+	53	4.8	12	1	1	4	7	9	13	16
B. *Operated*										
0-19 YRS	217	2.8	2	1	1	3	4	5	5	7
20-34	512	3.6	4	1	2	3	4	6	7	10
35-49	372	4.0	7	1	2	3	5	6	8	16
50-64	332	4.9	14	2	2	4	6	8	11	23
65+	97	6.5	23	2	2	5	8	10	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.1	7	1	1	3	5	9	10	12
20-34	113	3.8	6	1	1	3	5	7	8	13
35-49	115	5.0	19	1	1	4	6	10	15	22
50-64	139	5.9	55	1	1	4	7	12	15	40
65+	226	10.1	85	2	2	8	13	19	27	69
B. *Operated*										
0-19 YRS	39	4.6	51	1	1	3	5	7	9	46
20-34	129	4.5	14	1	2	4	5	8	13	21
35-49	99	4.4	6	2	2	4	5	8	9	13
50-64	151	7.6	63	2	3	6	9	14	17	42
65+	107	12.5	164	2	2	8	17	26	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.3	8	<1	1	2	4	7	9	15
B. *Operated*	1530	4.1	9	1	2	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	664	6.6	52	1	2	5	8	14	18	36
B. *Operated*	525	7.0	69	2	2	5	7	15	20	47
1. SINGLE DX	1910	3.9	9	1	1	3	5	7	8	16
2. MULTIPLE DX	1189	6.8	60	1	2	5	8	14	18	42
A. NOT OPERATED	1044	5.4	39	1	1	4	7	12	15	31
B. OPERATED	2055	4.8	26	1	2	4	5	8	12	25
TOTAL 0-19 YRS	417	3.3	9	1	1	3	4	6	7	12
20-34	866	3.7	6	<1	1	3	5	6	7	14
35-49	658	4.1	9	1	1	3	5	7	9	17
50-64	675	5.5	35	1	2	4	6	10	14	26
65+	483	9.3	88	2	2	7	11	18	27	61
GRAND TOTAL	3099	5.0	30	1	1	4	6	9	14	27

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3237	1.7	2	1	1	1	2	3	4	6
20-34	997	2.3	4	<1	1	2	3	4	6	9
35-49	304	2.9	10	<1	1	2	3	6	7	15
50-64	166	2.7	4	<1	1	2	3	5	8	10
65+	100	4.9	54	1	1	3	5	10	13	46
B. *Operated*										
0-19 YRS	23	3.3	27	1	1	1	3	9	16	24
20-34	12	2.4	4	1	1	2	3	5	8	6
35-49	6	2.2	2	1	1	2	2	5	5	5
50-64	4	6.3	31	1	1	5	10	14	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3292	2.6	7	1	1	2	3	5	7	12
20-34	2702	3.8	16	1	1	3	5	8	10	17
35-49	1046	4.9	24	1	1	4	6	10	13	22
50-64	832	5.8	36	1	1	4	7	11	15	31
65+	946	8.4	77	1	2	6	10	18	28	56
B. *Operated*										
0-19 YRS	944	5.0	72	1	1	2	5	10	17	52
20-34	1089	5.1	48	1	1	3	6	10	15	40
35-49	421	6.4	103	1	1	4	6	13	20	65
50-64	301	8.1	106	1	1	5	10	19	27	56
65+	351	11.8	197	1	2	7	14	30	46	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4804	2.0	4	<1	1	1	2	4	5	9
B. *Operated*	46	3.2	18	1	1	2	3	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	8818	4.2	25	1	1	3	5	9	12	24
B. *Operated*	3106	6.3	90	1	1	3	7	13	21	55
1. SINGLE DX	4850	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	11924	4.7	43	1	1	3	5	10	14	36
A. NOT OPERATED	13622	3.4	19	1	1	2	4	7	10	21
B. OPERATED	3152	6.2	89	1	1	3	7	13	21	55
TOTAL 0-19 YRS	7496	2.5	14	1	1	2	3	5	7	16
20-34	4800	3.8	22	1	1	2	5	7	10	22
35-49	1777	4.9	42	1	1	3	6	10	14	36
50-64	1303	5.9	51	1	1	4	7	12	17	37
65+	1398	9.0	109	1	2	6	11	19	31	63
GRAND TOTAL	16774	3.9	33	1	1	2	4	8	12	30

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	837	2.1	11	1	1	1	2	4	5	13
20-34	248	3.5	32	<1	1	2	4	7	11	23
35-49	86	4.6	45	1	1	2	5	9	15	42
50-64	46	3.8	19	<1	1	2	4	8	12	25
65+	64	8.8	78	1	1	6	12	25	27	38
B. *Operated*										
0-19 YRS	32	10.9	117	1	2	7	14	25	30	54
20-34	35	16.4	368	1	2	12	20	43	87	99+
35-49	27	15.5	165	1	3	13	19	25	39	66
50-64	30	15.0	96	4	6	13	17	29	38	44
65+	58	20.3	345	5	7	13	30	58	93	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	875	3.1	16	1	1	2	3	6	10	21
20-34	448	5.1	49	1	1	3	6	10	16	46
35-49	233	6.1	46	1	1	4	7	13	21	38
50-64	220	7.4	56	1	1	5	10	16	23	36
65+	422	12.3	162	2	2	8	15	29	41	86
B. *Operated*										
0-19 YRS	228	15.1	455	1	1	5	24	64	94	99+
20-34	258	16.9	452	1	1	9	30	61	99	99+
35-49	101	17.6	444	1	2	10	25	71	94	99+
50-64	114	20.2	326	1	2	16	35	65	99+	99+
65+	176	24.1	458	2	3	20	37	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1281	2.9	23	1	1	2	3	6	9	25
B. *Operated*	182	16.3	248	2	3	12	20	41	66	99+
2. MULTIPLE DX										
A. *Not Operated*	2198	6.0	69	1	1	3	7	14	22	46
B. *Operated*	877	18.4	445	1	1	11	31	66	99+	99+
1. SINGLE DX	1463	4.6	70	1	1	2	4	11	19	50
2. MULTIPLE DX	3075	9.5	207	1	1	4	11	29	47	99+
A. NOT OPERATED	3479	4.9	54	1	1	2	5	11	18	42
B. OPERATED	1059	18.0	412	1	1	12	29	63	97	99+
TOTAL 0-19 YRS	1972	4.2	82	1	1	2	3	8	17	67
20-34	989	8.2	193	1	1	3	8	24	45	99+
35-49	447	9.0	169	1	1	5	10	24	39	99+
50-64	410	11.1	167	1	1	7	15	32	44	99+
65+	720	15.5	271	2	2	11	22	41	65	99+
GRAND TOTAL	4538	8.0	168	1	1	3	8	23	39	99+

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	4	1	1	3	4	5	7	9
20-34	40	3.6	7	<1	1	3	4	6	8	16
35-49	13	5.2	30	1	1	3	5	17	17	17
50-64	10	3.4	6	1	1	3	5	7	8	8
65+	5	2.6	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	37	7.3	42	1	2	5	8	17	22	32
20-34	60	6.9	10	3	3	6	9	12	13	16
35-49	20	5.5	6	1	2	5	8	9	9	10
50-64	12	5.8	16	<1	1	6	8	12	14	14
65+	7	8.0	16	6	6	7	7	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.2	20	1	1	3	8	10	15	20
20-34	90	6.1	15	1	2	5	9	12	14	16
35-49	50	7.1	25	2	2	6	9	14	19	20
50-64	57	6.8	35	1	2	5	8	14	20	29
65+	63	10.7	104	2	2	8	14	19	23	66
B. *Operated*										
0-19 YRS	82	13.2	212	3	4	8	14	51	64	99+
20-34	199	11.1	106	3	4	8	13	21	33	57
35-49	87	15.8	218	3	4	10	20	31	43	76
50-64	63	17.3	369	4	5	11	18	27	67	98
65+	54	17.4	166	4	6	14	25	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.7	9	1	1	3	4	6	9	17
B. *Operated*	136	6.8	19	2	3	6	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	301	7.2	43	1	2	6	9	14	19	28
B. *Operated*	485	13.8	190	3	4	9	16	29	45	89
1. SINGLE DX	228	5.5	17	1	2	5	7	10	13	20
2. MULTIPLE DX	786	11.3	144	2	3	8	13	23	35	73
A. NOT OPERATED	393	6.4	37	1	2	5	8	13	17	28
B. OPERATED	621	12.3	161	3	4	8	14	26	40	75
TOTAL 0-19 YRS	184	9.0	123	1	2	6	9	19	42	99+
20-34	389	8.5	67	2	2	7	10	14	21	47
35-49	170	11.2	143	2	3	8	13	24	31	72
50-64	142	11.1	209	1	2	7	12	22	28	97
65+	129	13.0	137	2	3	9	16	29	35	67
GRAND TOTAL	1014	10.0	121	2	2	7	11	20	29	67

300 Hospitals, Northeastern Region, January–December 1981

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	371	4.3	12	1	1	3	6	9	11	18
20-34	17[illegible]	3.9	12	1	1	3	5	7	11	19
35-49	48	4.4	11	1	1	3	7	9	12	13
50-64	30	4.3	14	1	1	3	5	11	14	14
65+	19	6.8	48	<1	1	3	12	19	23	23
B. Operated										
0-19 YRS	131	7.8	19	2	4	7	9	12	17	25
20-34	132	9.3	32	4	5	8	10	14	19	36
35-49	48	7.6	13	1	3	7	10	13	15	16
50-64	20	9.3	28	3	4	9	10	12	21	29
65+	9	17.6	293	1	2	12	26	46	52	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	340	4.5	13	1	1	3	6	10	12	16
20-34	261	4.8	18	1	1	4	7	10	11	16
35-49	103	4.2	11	1	1	3	5	7	11	19
50-64	63	5.9	19	1	1	5	8	12	15	20
65+	71	7.3	49	2	2	6	9	11	16	47
B. Operated										
0-19 YRS	273	14.4	188	3	5	10	15	27	46	76
20-34	461	16.4	252	4	6	11	19	38	57	99
35-49	175	16.5	249	2	5	12	19	37	53	98
50-64	119	19.7	239	4	7	14	28	47	58	99+
65+	76	21.9	401	4	6	16	24	51	78	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	644	4.3	13	1	1	3	6	9	12	18
B. Operated	340	8.7	32	2	4	7	10	13	18	35
2. MULTIPLE DX										
A. Not Operated	838	4.9	18	1	1	4	6	10	12	18
B. Operated	1104	16.6	248	4	6	11	20	39	53	97
1. SINGLE DX	984	5.8	24	1	1	5	8	11	14	24
2. MULTIPLE DX	1942	11.6	183	1	2	8	13	26	42	85
A. NOT OPERATED	1482	4.6	16	1	1	3	6	10	12	18
B. OPERATED	1444	14.8	209	3	5	10	16	32	48	94
TOTAL 0-19 YRS	1115	7.2	74	1	2	5	9	14	20	48
20-34	1030	10.4	155	1	2	7	11	22	36	82
35-49	374	10.4	156	1	2	7	12	23	36	84
50-64	232	13.1	180	1	2	9	15	33	47	99+
65+	175	14.1	263	2	3	9	17	38	51	95
GRAND TOTAL	2926	9.6	137	1	2	7	11	20	32	77

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.3	6	1	1	3	5	6	9	11
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	203	2.7	7	<1	1	2	3	5	7	16
20-34	106	3.4	8	1	1	3	4	7	9	14
35-49	42	3.8	9	<1	1	3	6	8	10	11
50-64	29	3.9	9	1	1	2	6	5	9	12
65+	16	3.5	5	<1	1	3	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.3	4	<1	1	3	4	6	8	9
20-34	17	3.1	5	1	1	3	4	7	8	9
35-49	12	4.5	7	1	1	4	6	8	9	9
50-64	6	4.2	18	1	1	2	6	11	12	12
65+	10	6.3	16	2	2	6	8	12	14	14
B. Operated										
0-19 YRS	179	5.4	67	1	1	4	6	10	15	39
20-34	153	4.7	35	1	1	4	5	9	10	27
35-49	65	4.8	17	1	1	4	6	11	14	19
50-64	53	6.0	68	1	1	4	7	14	29	42
65+	65	8.1	42	1	2	6	12	20	22	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.0	5	1	1	3	4	6	6	11
B. Operated	396	3.1	8	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	67	4.0	9	1	1	3	6	8	10	14
B. Operated	515	5.6	49	1	1	4	6	11	16	39
1. SINGLE DX	426	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX	582	5.4	45	1	1	4	6	11	15	35
A. NOT OPERATED	97	3.7	7	1	1	3	5	7	9	13
B. OPERATED	911	4.5	33	1	1	3	5	9	13	26
TOTAL 0-19 YRS	424	3.9	34	1	1	2	5	8	11	22
20-34	280	4.1	22	1	1	3	5	8	10	17
35-49	123	4.4	13	1	1	4	6	9	11	18
50-64	89	5.6	46	1	1	4	6	11	14	40
65+	92	7.0	36	1	2	5	9	16	21	69
GRAND TOTAL	1008	4.4	30	1	1	3	5	9	12	25

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.6	5	<1	1	2	3	6	7	12
20-34	74	2.3	3	<1	1	2	3	5	6	9
35-49	34	2.8	6	<1	<1	2	4	6	9	10
50-64	24	2.1	2	<1	<1	2	3	4	5	5
65+	17	5.5	52	<1	1	3	7	13	24	29
B. *Operated*										
0-19 YRS	343	2.1	4	<1	<1	1	2	4	6	9
20-34	218	2.8	8	<1	<1	2	3	6	10	14
35-49	90	3.0	5	<1	1	2	4	6	8	11
50-64	50	2.7	6	<1	1	2	3	5	8	13
65+	38	2.9	5	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	2.8	14	<1	1	2	4	5	6	12
20-34	244	3.4	17	<1	1	2	4	7	9	23
35-49	125	3.9	15	<1	1	3	5	7	10	23
50-64	83	5.4	47	1	1	3	7	10	15	45
65+	220	9.5	119	1	2	7	12	19	28	85
B. *Operated*										
0-19 YRS	626	3.8	39	<1	1	2	4	7	11	28
20-34	753	4.6	43	1	1	3	5	8	13	39
35-49	313	6.3	88	1	1	3	7	13	19	60
50-64	248	6.0	51	1	1	4	7	13	16	39
65+	347	10.0	154	1	1	6	11	25	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	2.7	8	<1	1	2	3	5	7	12
B. *Operated*	739	2.5	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	879	5.1	51	1	1	3	6	11	16	38
B. *Operated*	2287	5.6	70	1	1	3	6	12	19	49
1. SINGLE DX	986	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	3166	5.5	65	1	1	3	6	11	18	48
A. NOT OPERATED	1126	4.5	43	<1	1	3	5	10	14	33
B. OPERATED	3026	4.8	56	<1	1	3	5	10	16	44
TOTAL 0-19 YRS	1274	3.1	24	<1	1	2	4	6	8	20
20-34	1289	4.0	31	<1	1	2	4	8	12	27
35-49	562	5.0	56	1	1	3	6	10	15	53
50-64	405	5.2	43	1	1	3	7	10	15	36
65+	622	9.3	133	1	1	6	11	21	34	73
GRAND TOTAL	**4152**	**4.8**	**52**	**<1**	**1**	**3**	**5**	**10**	**18**	**42**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.6	5	<1	1	2	3	5	7	13
20-34	321	2.7	7	<1	1	2	3	5	6	10
35-49	101	2.8	5	<1	1	2	4	5	6	13
50-64	37	3.0	31	1	1	2	3	4	7	35
65+	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	189	3.7	30	<1	1	2	4	7	12	26
20-34	216	5.3	25	1	1	4	7	10	15	21
35-49	77	4.7	21	<1	1	3	7	10	12	26
50-64	37	4.4	7	1	1	4	6	8	9	10
65+	7	7.9	113	1	1	3	8	27	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.6	13	1	1	3	4	9	12	83
20-34	205	4.2	19	<1	1	3	5	9	11	17
35-49	75	5.5	70	1	1	4	6	9	14	57
50-64	41	6.7	212	1	2	4	5	8	13	96
65+	30	12.6	230	1	2	7	14	33	43	71
B. *Operated*										
0-19 YRS	170	7.9	69	1	1	6	10	16	26	54
20-34	396	9.1	95	1	2	7	11	17	28	57
35-49	135	11.3	147	1	2	8	13	23	38	57
50-64	61	10.5	152	1	2	8	12	18	29	74
65+	33	15.7	199	2	3	10	18	42	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	2.7	7	<1	1	2	3	5	6	12
B. *Operated*	526	4.6	26	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	421	5.2	65	1	1	3	6	10	15	50
B. *Operated*	795	9.6	109	1	2	7	11	19	31	58
1. SINGLE DX	1132	3.6	17	<1	1	2	4	7	10	20
2. MULTIPLE DX	1216	8.1	98	1	1	5	9	16	27	58
A. NOT OPERATED	1027	3.7	32	1	1	2	4	7	10	28
B. OPERATED	1321	7.6	82	1	1	5	9	15	24	53
TOTAL 0-19 YRS	570	4.7	38	<1	1	3	6	10	16	37
20-34	1138	5.7	50	1	1	4	7	12	17	39
35-49	388	6.7	82	1	1	4	8	14	20	53
50-64	176	6.7	117	1	1	4	7	13	17	72
65+	76	12.7	198	1	2	8	15	32	43	68
GRAND TOTAL	**2348**	**5.9**	**64**	**1**	**1**	**3**	**7**	**12**	**18**	**48**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.0	4	<1	1	2	4	6	8	10
20-34	200	3.2	10	<1	1	3	4	6	7	16
35-49	66	3.5	7	<1	1	3	5	7	9	13
50-64	45	3.8	11	1	1	3	5	6	6	23
65+	18	3.7	10	<1	<1	2	6	9	10	11
B. *Operated*										
0-19 YRS	1006	2.3	5	<1	1	2	3	4	6	10
20-34	1324	2.5	7	<1	1	2	3	5	7	13
35-49	579	2.8	9	<1	1	2	3	5	7	16
50-64	354	2.6	7	<1	1	2	3	5	8	14
65+	117	3.6	21	<1	1	2	4	9	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	3.9	12	1	1	3	5	7	9	21
20-34	202	4.4	53	<1	1	3	5	7	10	31
35-49	85	5.0	15	<1	1	4	7	11	12	20
50-64	66	4.9	20	1	1	4	5	9	14	26
65+	46	8.8	52	2	2	7	12	20	30	99+
B. *Operated*										
0-19 YRS	671	3.8	31	1	1	2	4	7	11	26
20-34	950	4.0	32	1	1	2	4	8	12	32
35-49	434	4.2	24	1	1	3	5	9	13	22
50-64	284	4.6	45	1	1	3	5	10	14	40
65+	139	8.3	140	1	1	4	10	20	28	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.3	8	<1	1	3	4	6	8	13
B. *Operated*	3380	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	528	4.8	34	1	1	3	6	9	13	28
B. *Operated*	2478	4.3	39	1	1	2	5	9	13	34
1. SINGLE DX	3870	2.6	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	3006	4.4	38	1	1	3	5	9	13	33
A. NOT OPERATED	1018	4.1	22	<1	1	3	5	7	10	22
B. OPERATED	5858	3.3	21	<1	1	2	4	6	10	23
TOTAL 0-19 YRS	1967	2.9	15	<1	1	2	3	6	8	18
20-34	2676	3.3	20	<1	1	2	4	6	9	22
35-49	1164	3.5	16	<1	1	2	4	7	11	20
50-64	749	3.7	24	<1	1	2	4	7	12	28
65+	320	6.4	82	1	1	3	8	15	22	60
GRAND TOTAL	6876	3.4	21	<1	1	2	4	7	10	23

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	3.5	9	<1	1	3	4	7	9	16
20-34	179	3.4	6	<1	1	3	4	6	8	12
35-49	55	3.9	12	1	1	3	5	7	10	18
50-64	24	4.0	17	1	1	2	5	11	13	17
65+	11	4.3	21	1	2	5	10	13	15	15
B. *Operated*										
0-19 YRS	606	3.8	19	<1	1	2	4	7	11	23
20-34	382	5.6	62	1	1	4	6	11	20	37
35-49	148	5.2	39	1	1	4	6	10	17	35
50-64	80	5.9	36	1	1	4	6	15	18	30
65+	44	9.7	137	1	1	5	13	26	37	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.2	23	1	1	4	7	10	13	29
20-34	86	5.9	38	1	2	4	7	12	18	36
35-49	61	6.0	21	1	2	5	7	11	14	27
50-64	51	8.1	73	2	2	5	9	17	26	50
65+	53	13.2	188	3	4	10	15	18	25	78
B. *Operated*										
0-19 YRS	230	8.2	91	1	1	5	9	19	27	48
20-34	254	8.9	116	1	2	6	10	19	31	66
35-49	111	12.9	299	1	2	7	14	34	48	86
50-64	81	13.9	246	2	3	8	16	38	47	74
65+	101	17.7	250	2	3	13	27	44	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	3.6	9	<1	1	3	5	7	9	16
B. *Operated*	1260	4.9	41	1	1	3	5	9	16	33
2. MULTIPLE DX										
A. *Not Operated*	341	7.2	66	1	2	5	9	15	18	42
B. *Operated*	777	10.9	176	1	2	6	13	28	40	76
1. SINGLE DX	1723	4.5	33	<1	1	3	5	8	14	32
2. MULTIPLE DX	1118	9.8	145	1	2	6	11	23	36	72
A. NOT OPERATED	804	5.1	36	1	1	4	6	11	15	26
B. OPERATED	2037	7.2	101	1	1	4	8	17	27	52
TOTAL 0-19 YRS	1120	4.8	35	1	1	3	6	9	18	31
20-34	901	6.1	67	1	1	4	7	12	20	45
35-49	375	7.4	121	1	1	4	7	15	26	70
50-64	236	8.9	128	1	2	5	10	18	33	65
65+	209	14.3	210	2	2	10	17	37	48	92
GRAND TOTAL	2841	6.6	83	1	1	4	7	15	23	60

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	2	1	1	2	2	5	5	5
20-34	3	7.7	36	2	2	7	12	14	14	14
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	17	2.9	4	<1	1	3	4	5	7	8
20-34	29	5.2	34	1	1	3	7	12	14	29
35-49	7	10.1	106	2	2	9	11	28	32	32
50-64	6	6.2	58	<1	<1	3	10	19	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	7	7.0	20	2	2	6	9	14	15	15
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	3	7.3	14	3	3	9	10	10	10	10
65+	4	9.8	105	3	3	5	15	25	25	25
B. *Operated*										
0-19 YRS	31	9.6	200	1	2	4	11	16	40	68
20-34	75	11.5	173	1	2	7	13	27	35	67
35-49	29	13.2	372	1	1	6	14	33	53	93
50-64	18	10.7	191	1	1	5	12	36	47	49
65+	12	11.9	130	1	2	10	16	27	40	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.0	14	1	1	2	5	10	14	14
B. *Operated*	59	5.2	38	<1	1	3	7	11	17	32
2. MULTIPLE DX										
A. *Not Operated*	22	6.1	31	1	1	4	9	12	19	25
B. *Operated*	165	11.4	208	1	2	6	13	27	43	70
1. SINGLE DX	70	5.0	34	1	1	3	6	11	14	31
2. MULTIPLE DX	187	10.8	190	1	1	6	12	27	41	69
A. NOT OPERATED	33	5.4	26	1	1	4	7	11	15	25
B. OPERATED	224	9.8	170	1	1	5	11	24	34	69
TOTAL 0-19 YRS	60	6.2	116	1	1	3	6	12	17	66
20-34	114	9.5	131	1	1	6	11	26	32	63
35-49	38	12.3	302	1	1	7	13	33	44	93
50-64	29	8.9	134	1	1	5	11	19	44	49
65+	16	11.4	117	1	2	8	16	25	37	42
GRAND TOTAL	257	9.2	164	1	1	5	11	23	33	67

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.2	17	<1	1	4	7	12	14	14
20-34	34	6.8	145	1	1	4	6	12	20	70
35-49	16	7.8	17	3	3	7	10	14	16	17
50-64	12	4.5	26	<1	1	2	5	14	17	17
65+	11	9.6	53	3	4	6	12	23	28	28
B. *Operated*										
0-19 YRS	187	3.9	16	1	1	3	5	7	11	28
20-34	359	4.1	29	<1	1	3	4	8	11	28
35-49	156	4.0	10	1	2	3	5	9	11	18
50-64	109	4.5	21	<1	1	3	5	9	12	26
65+	44	6.8	49	<1	1	4	7	20	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	15	1	1	4	7	11	13	17
20-34	54	9.9	183	1	1	5	11	36	42	62
35-49	46	9.7	142	1	2	7	11	18	26	71
50-64	48	9.5	93	2	2	6	12	19	31	90
65+	80	15.7	281	2	3	11	20	32	76	99+
B. *Operated*										
0-19 YRS	182	4.7	40	1	1	3	4	9	10	43
20-34	337	4.9	33	1	2	3	5	11	17	37
35-49	175	5.9	55	1	1	3	6	15	24	50
50-64	124	10.4	176	1	2	5	13	29	40	89
65+	89	11.2	126	2	2	7	17	26	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	6.7	70	1	1	4	9	13	17	61
B. *Operated*	855	4.2	23	<1	1	3	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	268	10.8	175	1	2	7	12	24	40	83
B. *Operated*	907	6.4	74	1	2	3	7	16	26	54
1. SINGLE DX	947	4.5	28	<1	1	3	5	9	12	25
2. MULTIPLE DX	1175	7.4	101	1	2	3	9	18	28	72
A. NOT OPERATED	360	9.8	151	1	2	6	11	21	34	80
B. OPERATED	1762	5.4	51	1	1	3	6	12	19	44
TOTAL 0-19 YRS	428	4.4	30	1	1	3	5	9	13	30
20-34	784	4.9	48	1	1	3	5	10	15	43
35-49	393	5.7	49	1	2	3	7	12	17	42
50-64	293	7.8	106	1	2	4	9	18	30	55
65+	224	11.9	172	2	2	6	17	26	61	99+
GRAND TOTAL	2122	6.1	70	1	1	3	7	14	21	84

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	4.4	3	1	2	4	5	6	7	11
20-34	122	4.0	4	1	2	4	5	6	7	12
35-49	32	4.0	3	1	2	4	5	6	6	8
50-64	19	3.4	4	<1	1	3	5	6	7	8
65+	5	4.8	11	1	1	5	7	9	9	9
B. *Operated*										
0-19 YRS	7	5.1	13	1	1	6	6	11	12	12
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.5	15	1	1	4	6	8	11	21
20-34	98	4.7	12	<1	1	4	6	8	12	19
35-49	40	4.1	6	1	1	4	6	7	8	13
50-64	23	5.3	59	1	1	3	6	10	20	38
65+	43	8.7	96	2	2	6	11	16	21	61
B. *Operated*										
0-19 YRS	19	6.8	29	<1	1	5	9	14	19	23
20-34	23	7.9	105	1	2	4	9	18	38	40
35-49	9	10.2	166	1	1	4	12	33	38	38
50-64	5	7.2	54	2	2	5	9	20	20	20
65+	9	12.1	86	2	2	8	19	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	4.2	4	1	2	4	5	6	7	11
B. *Operated*	8	5.0	12	1	1	5	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	364	5.1	27	1	1	4	6	9	13	25
B. *Operated*	65	8.4	83	1	2	5	10	23	29	40
1. SINGLE DX	549	4.3	4	1	2	4	5	6	7	11
2. MULTIPLE DX	429	5.6	37	1	1	4	6	11	16	37
A. NOT OPERATED	905	4.6	13	1	2	4	5	7	9	18
B. OPERATED	73	8.1	76	1	2	5	9	21	26	40
TOTAL 0-19 YRS	549	4.5	8	1	2	4	5	7	9	14
20-34	243	4.6	17	1	2	4	5	7	11	20
35-49	81	4.7	24	1	1	4	5	7	8	34
50-64	47	4.7	36	1	1	3	5	8	12	38
65+	58	8.8	87	2	2	6	11	18	25	58
GRAND TOTAL	**978**	**4.8**	**19**	**1**	**2**	**4**	**6**	**7**	**11**	**24**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	798	2.1	3	<1	1	2	2	4	5	10
20-34	495	2.8	6	<1	1	2	3	6	8	12
35-49	230	3.5	12	1	1	2	4	7	9	19
50-64	180	3.7	12	<1	1	3	5	7	11	20
65+	246	6.0	50	1	1	4	8	12	15	40
B. *Operated*										
0-19 YRS	116	4.0	19	<1	1	3	5	8	11	23
20-34	83	3.8	8	<1	1	3	5	7	9	16
35-49	50	4.9	40	<1	1	3	5	10	13	38
50-64	47	4.0	13	<1	1	3	5	9	11	18
65+	44	8.6	55	1	2	7	10	17	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1133	3.0	8	1	1	2	4	6	8	13
20-34	1199	4.2	11	<1	1	3	6	8	10	15
35-49	683	5.3	24	1	1	4	7	10	13	23
50-64	763	6.1	34	1	1	5	8	12	15	32
65+	2084	10.3	122	2	2	7	13	21	32	85
B. *Operated*										
0-19 YRS	160	4.5	19	1	1	3	5	10	16	24
20-34	225	6.0	44	1	1	4	7	12	17	31
35-49	114	9.3	150	1	1	6	10	18	37	67
50-64	142	10.8	106	1	2	8	13	26	32	50
65+	267	18.3	316	2	3	13	23	37	56	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1949	3.1	13	<1	1	2	4	6	9	16
B. *Operated*	340	4.7	25	<1	1	3	6	9	14	26
2. MULTIPLE DX										
A. *Not Operated*	5862	6.5	63	1	1	4	8	13	19	48
B. *Operated*	908	10.5	172	1	1	6	13	23	34	73
1. SINGLE DX	2289	3.3	15	<1	1	2	4	7	9	18
2. MULTIPLE DX	6770	7.1	80	1	1	4	8	15	22	55
A. NOT OPERATED	7811	5.7	53	1	1	3	7	12	17	39
B. OPERATED	1248	8.9	139	1	1	5	10	20	30	63
TOTAL 0-19 YRS	2207	2.8	8	<1	1	2	3	6	8	14
20-34	2002	4.0	14	<1	1	3	6	8	10	17
35-49	1077	5.3	37	1	1	4	7	10	13	28
50-64	1132	6.2	43	1	1	4	8	13	18	33
65+	2641	10.7	142	1	2	7	13	23	34	84
GRAND TOTAL	**9059**	**6.1**	**66**	**1**	**1**	**4**	**7**	**13**	**19**	**46**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	13	1	1	2	4	6	7	23
20-34	45	2.9	5	<1	1	2	4	5	7	10
35-49	16	3.1	8	1	1	2	4	9	10	10
50-64	7	4.6	18	1	1	4	6	12	13	13
65+	4	3.5	11	1	[illegible]	3	6	8	8	8
B. *Operated*										
0-19 YRS	26	4.4	22	<1	<1	3	6	10	16	20
20-34	61	7.2	186	1	1	3	7	13	36	84
35-49	41	6.7	70	<1	1	3	9	15	23	42
50-64	22	8.2	153	1	2	4	7	23	45	47
65+	7	7.0	49	<1	<1	3	12	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	20	1	1	3	5	6	16	22
20-34	41	3.9	6	1	1	3	6	7	9	10
35-49	13	4.8	36	1	1	2	6	13	20	22
50-64	12	4.7	27	1	1	3	5	12	19	20
65+	5	9.0	76	2	2	4	15	23	23	23
B. *Operated*										
0-19 YRS	50	6.5	45	1	1	4	9	18	20	31
20-34	108	10.3	187	1	1	5	13	23	39	69
35-49	57	10.4	174	1	1	5	13	33	41	53
50-64	49	11.2	248	1	1	5	12	28	39	76
65+	15	18.9	371	2	3	12	40	57	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.1	9	1	1	2	4	6	9	17
B. *Operated*	157	6.8	117	<1	1	3	7	14	28	47
2. MULTIPLE DX										
A. *Not Operated*	102	4.4	20	1	1	3	5	9	14	23
B. *Operated*	279	10.2	183	1	1	5	13	25	40	74
1. SINGLE DX	270	5.2	75	1	1	3	5	11	15	44
2. MULTIPLE DX	381	8.7	146	1	1	4	9	22	34	66
A. NOT OPERATED	215	3.7	14	1	1	3	4	7	10	22
B. OPERATED	436	9.0	162	1	1	4	10	22	37	69
TOTAL 0-19 YRS	148	4.6	28	1	1	3	5	10	18	23
20-34	255	7.2	134	1	1	3	7	17	25	61
35-49	127	7.7	111	1	1	3	9	21	33	51
50-64	90	9.1	181	1	1	4	9	24	38	73
65+	31	12.6	234	1	2	7	17	45	57	99+
GRAND TOTAL	**651**	**7.2**	**119**	**1**	**1**	**3**	**7**	**18**	**30**	**58**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.4		<1	<1	1	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	2	2
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	7	3.6	18	<1	<1	2	3	11	13	13
20-34	6	2.5	2	1	1	2	4	4	4	4
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.4		<1	<1	1	2	2	3	3
B. *Operated*	23	1.6	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	15	3.1	9	<1	<1	2	4	5	11	13
1. SINGLE DX	48	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	19	2.8	8	<1	<1	2	4	5	9	13
A. NOT OPERATED	29	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	38	2.2	5	<1	<1	1	3	4	6	13
TOTAL 0-19 YRS	40	1.7	4	<1	<1	1	2	3	3	13
20-34	16	2.1	1	<1	1	2	3	4	4	4
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64	5	2.0	5	<1	<1	<1	2	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**67**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**4**	**12**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	565	1.4	1	<1	<1	1	2	2	4	6
20-34	162	1.9	4	<1	<1	1	2	4	6	11
35-49	150	1.5	1	<1	<1	1	2	3	3	7
50-64	140	1.8	5	<1	1	1	2	3	4	15
65+	149	2.0	5	1	1	1	2	4	5	17
B. *Operated*										
0-19 YRS	102	2.5	6	<1	<1	2	3	6	8	12
20-34	44	3.9	29	<1	1	2	4	10	14	29
35-49	24	2.8	8	<1	1	2	3	7	9	12
50-64	25	2.9	8	<1	1	2	3	6	10	12
65+	26	4.8	26	1	1	3	6	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.4	5	<1	<1	2	3	5	7	12
20-34	54	2.7	18	<1	1	1	2	6	12	25
35-49	58	2.9	5	<1	<1	2	4	6	7	10
50-64	111	3.2	19	<1	1	2	3	6	10	28
65+	190	4.8	26	1	1	3	6	11	14	31
B. *Operated*										
0-19 YRS	41	6.0	69	<1	<1	3	6	18	27	39
20-34	35	9.9	225	<1	1	4	9	27	39	74
35-49	30	8.1	78	1	1	5	10	23	27	36
50-64	71	12.6	315	1	1	7	14	29	45	92
65+	121	8.3	99	1	2	5	10	18	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	221	3.1	13	<1	<1	2	3	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	492	3.6	18	<1	1	2	4	7	11	27
B. *Operated*	298	9.2	161	1	1	5	11	22	32	75
1. SINGLE DX	1387	1.9	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX	790	5.7	80	<1	1	3	6	13	20	43
A. NOT OPERATED	1658	2.2	8	<1	<1	1	2	4	7	14
B. OPERATED	519	6.6	107	<1	1	3	7	16	26	58
TOTAL 0-19 YRS	787	1.9	7	<1	<1	1	2	4	5	12
20-34	295	3.3	42	<1	<1	1	3	7	12	34
35-49	262	2.7	15	<1	<1	1	3	6	8	24
50-64	347	4.5	89	<1	1	2	4	10	16	47
65+	486	4.8	43	1	1	3	5	12	16	32
GRAND TOTAL	**2177**	**3.3**	**35**	**<1**	**<1**	**1**	**3**	**7**	**12**	**28**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	7.1	36	1	1	5	9	16	20	27
20-34	18	7.1	46	1	2	4	13	18	21	23
35-49	12	9.8	73	1	3	7	12	22	31	33
50-64	9	11.9	40	5	5	11	17	21	23	23
65+	12	15.6	236	2	2	10	24	38	51	53
B. *Operated*										
0-19 YRS	80	13.4	189	1	2	9	19	32	41	69
20-34	67	12.6	164	1	2	9	17	31	36	59
35-49	27	15.1	237	2	2	13	16	29	59	68
50-64	43	12.6	123	<1	2	9	16	26	30	59
65+	17	20.4	279	6	7	13	31	44	60	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	9.6	74	1	1	7	13	22	29	42
20-34	33	8.1	40	2	3	7	10	17	22	30
35-49	21	14.6	299	2	3	8	18	57	82	99+
50-64	25	15.9	99	3	3	15	20	28	38	43
65+	31	17.4	125	6	7	12	25	31	41	52
B. *Operated*										
0-19 YRS	105	22.9	357	2	4	20	28	53	63	98
20-34	126	20.0	301	3	4	14	27	46	63	84
35-49	96	26.4	595	2	4	20	41	66	93	99+
50-64	87	25.3	360	4	5	20	36	59	71	99+
65+	74	33.1	510	6	9	27	48	69	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	9.0	74	1	2	7	12	19	26	44
B. *Operated*	234	13.7	182	1	2	10	18	30	41	67
2. MULTIPLE DX										
A. *Not Operated*	160	12.4	121	2	3	9	18	27	35	68
B. *Operated*	488	24.8	427	3	5	20	35	58	72	99+
1. SINGLE DX	328	12.4	155	1	2	8	16	28	35	62
2. MULTIPLE DX	648	21.7	380	2	4	16	30	53	69	99+
A. NOT OPERATED	254	11.1	106	1	2	8	15	24	31	53
B. OPERATED	722	21.2	374	2	3	15	29	53	67	99
TOTAL 0-19 YRS	278	15.3	246	1	2	10	22	35	51	82
20-34	244	15.4	233	2	2	10	21	35	52	72
35-49	156	21.6	487	2	3	13	33	58	79	99+
50-64	164	19.8	274	3	4	15	27	48	60	96
65+	134	26.3	420	5	7	22	34	57	71	99
GRAND TOTAL	**976**	**18.6**	**324**	**2**	**3**	**13**	**25**	**45**	**60**	**98**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	448	6.2	31	1	1	5	8	13	18	25
20-34	183	5.4	27	1	1	4	7	14	16	25
35-49	96	6.2	35	<1	1	4	9	15	17	23
50-64	46	6.8	64	1	1	5	8	14	17	51
65+	28	11.9	142	1	2	8	17	38	47	99+
B. *Operated*										
0-19 YRS	79	8.1	71	1	2	5	10	18	25	46
20-34	41	11.3	98	2	3	8	16	28	34	37
35-49	36	9.4	88	1	1	7	13	19	24	50
50-64	14	13.5	146	1	3	11	17	27	43	48
65+	9	28.2	339	6	9	17	48	51	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	6.8	42	1	1	5	9	15	20	33
20-34	372	5.4	28	1	1	3	7	13	17	24
35-49	182	7.2	55	1	1	5	10	17	23	37
50-64	134	9.2	84	1	2	7	12	18	24	53
65+	112	18.8	363	2	4	13	25	41	70	99
B. *Operated*										
0-19 YRS	149	12.3	138	1	2	9	16	23	39	57
20-34	145	12.3	113	1	2	9	18	28	36	99+
35-49	75	16.5	256	1	3	12	23	42	69	99+
50-64	64	19.0	238	3	4	16	26	48	69	99+
65+	56	33.4	611	2	7	27	47	77	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	6.3	38	1	1	4	8	15	18	30
B. *Operated*	179	10.5	116	1	2	7	14	23	36	50
2. MULTIPLE DX										
A. *Not Operated*	1351	7.7	83	1	1	5	10	17	23	43
B. *Operated*	489	16.3	258	1	2	11	21	41	56	99+
1. SINGLE DX	980	7.0	54	1	1	5	9	16	21	44
2. MULTIPLE DX	1840	10.0	143	1	1	6	13	22	34	74
A. NOT OPERATED	2152	7.2	66	1	1	5	9	16	22	42
B. OPERATED	668	14.7	226	1	2	10	19	36	49	99
TOTAL 0-19 YRS	1227	7.3	55	1	1	5	9	16	21	40
20-34	741	7.1	57	1	1	4	9	17	23	37
35-49	389	8.9	105	1	1	6	12	21	26	69
50-64	258	11.4	142	1	2	8	15	25	40	75
65+	205	22.2	452	2	4	15	32	53	78	99+
GRAND TOTAL	**2820**	**9.0**	**114**	**1**	**1**	**6**	**11**	**20**	**29**	**62**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	11	<1	1	2	3	8	12	15
20-34	49	5.2	19	1	1	4	7	10	14	23
35-49	25	6.6	40	1	2	5	8	12	24	26
50-64	13	14.2	497	1	1	7	15	37	75	84
65+	7	3.0	6	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	108	2.5	3	1	1	2	3	4	5	10
20-34	205	2.7	6	<1	1	2	3	4	7	14
35-49	68	3.2	9	1	1	2	4	7	12	15
50-64	47	6.2	151	<1	1	2	5	14	20	80
65+	8	4.0	14	1	1	3	5	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.0	55	1	1	3	5	7	13	44
20-34	42	7.9	203	1	1	4	8	22	92	99+
35-49	45	9.8	125	2	2	7	12	18	23	71
50-64	34	10.6	151	1	2	7	10	29	30	65
65+	63	12.4	108	2	4	8	18	30	40	92
B. *Operated*										
0-19 YRS	88	3.5	15	1	1	2	4	8	11	22
20-34	157	5.2	132	1	1	2	4	11	24	99+
35-49	64	6.2	151	<1	1	3	5	12	21	76
50-64	39	7.0	192	1	1	3	6	21	53	99+
65+	24	20.9	627	1	2	15	33	73	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	5.5	72	1	1	3	7	11	15	35
B. *Operated*	436	3.1	22	1	1	2	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*	232	9.3	129	1	2	6	11	24	32	99+
B. *Operated*	372	6.2	160	1	1	2	5	14	27	99
1. SINGLE DX	571	3.7	35	1	1	2	4	7	12	24
2. MULTIPLE DX	604	7.4	150	1	1	3	7	18	31	99+
A. NOT OPERATED	367	7.9	111	1	1	5	9	19	29	87
B. OPERATED	808	4.5	88	1	1	2	4	8	15	79
TOTAL 0-19 YRS	285	3.3	17	1	1	2	3	6	9	22
20-34	453	4.3	71	1	1	2	4	8	14	97
35-49	202	6.0	89	1	1	3	6	13	19	64
50-64	133	8.3	198	1	1	4	8	19	30	87
65+	102	13.1	239	1	2	7	17	32	66	99+
GRAND TOTAL	**1175**	**5.6**	**97**	**1**	**1**	**3**	**5**	**12**	**21**	**80**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	2.4	4	<1	1	2	3	5	7	12
20-34	220	3.4	13	1	1	2	4	7	9	23
35-49	97	3.6	9	1	1	3	5	6	8	18
50-64	57	5.2	28	<1	1	3	7	12	18	25
65+	61	6.5	28	1	2	5	8	12	20	24
B. *Operated*										
0-19 YRS	67	4.9	16	1	1	3	7	11	14	17
20-34	88	4.5	25	1	1	3	6	10	15	76
35-49	44	6.2	24	1	2	5	8	12	16	26
50-64	27	9.9	268	<1	<1	3	11	34	42	73
65+	11	9.9	127	<1	<1	5	19	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	3.6	17	1	1	2	4	7	9	21
20-34	297	4.9	54	1	1	3	6	9	12	41
35-49	141	4.9	12	1	1	4	7	10	11	15
50-64	159	7.2	72	1	2	5	9	13	24	52
65+	299	10.8	123	2	2	8	13	22	36	78
B. *Operated*										
0-19 YRS	88	9.2	154	1	1	5	11	19	31	66
20-34	178	9.6	102	1	2	6	12	23	33	53
35-49	88	10.5	182	1	2	5	11	25	37	73
50-64	56	14.8	379	2	2	8	18	34	56	95
65+	63	22.0	430	3	4	18	30	64	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	3.5	13	1	1	2	4	7	10	22
B. *Operated*	237	5.8	57	1	1	4	7	13	17	43
2. MULTIPLE DX										
A. *Not Operated*	1159	6.4	68	1	1	4	8	13	19	46
B. *Operated*	473	11.9	220	1	2	7	15	30	45	94
1. SINGLE DX	949	4.0	25	1	1	3	5	8	12	26
2. MULTIPLE DX	1632	8.0	118	1	1	4	9	18	29	69
A. NOT OPERATED	1871	5.3	49	1	1	3	6	11	16	38
B. OPERATED	710	9.9	173	1	1	5	11	24	36	88
TOTAL 0-19 YRS	695	4.0	33	1	1	2	4	8	13	29
20-34	783	5.5	55	1	1	3	6	11	19	47
35-49	370	6.0	59	1	1	4	7	11	17	38
50-64	299	8.5	147	1	1	4	9	20	33	67
65+	434	11.8	173	2	2	8	15	26	38	96
GRAND TOTAL	**2581**	**6.6**	**88**	**1**	**1**	**4**	**7**	**14**	**23**	**55**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1632	2.0	8	<1	1	1	2	4	5	8
20-34	889	2.3	7	<1	1	2	3	4	6	11
35-49	332	2.6	7	<1	1	2	3	5	7	16
50-64	120	3.2	9	<1	1	2	4	8	10	14
65+	95	5.5	30	1	1	4	6	10	17	29
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	6	4.3	12	<1	<1	4	7	9	9	9
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	26.0		26	26	26	26	26	26	26
65+	3	10.7	16	6	6	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1535	4.2	48	<1	1	2	4	9	13	45
20-34	2368	5.1	56	<1	1	3	6	12	19	40
35-49	1208	5.7	51	1	1	3	7	13	19	37
50-64	796	7.8	79	1	1	5	10	17	26	45
65+	959	10.0	95	1	2	7	12	20	29	51
B. *Operated*										
0-19 YRS	13	14.5	435	<1	1	7	13	53	67	70
20-34	62	14.2	187	2	3	12	20	29	38	99
35-49	55	16.1	157	3	5	13	19	36	47	98
50-64	52	20.0	325	3	4	15	27	48	70	99+
65+	104	20.8	276	5	7	16	26	43	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3068	2.3	8	<1	1	2	3	4	6	12
B. *Operated*	15	7.2	42	<1	1	6	9	13	23	26
2. MULTIPLE DX										
A. *Not Operated*	6866	6.0	65	1	1	3	7	14	21	44
B. *Operated*	286	18.0	254	3	4	13	24	42	64	99+
1. SINGLE DX	3083	2.3	9	<1	1	2	3	4	6	13
2. MULTIPLE DX	7152	6.5	78	1	1	3	7	15	24	48
A. NOT OPERATED	9934	4.9	50	<1	1	3	5	11	17	38
B. OPERATED	301	17.5	249	2	4	13	23	40	52	99+
TOTAL 0-19 YRS	3184	3.1	30	<1	1	2	3	5	9	28
20-34	3325	4.6	48	<1	1	2	5	10	17	37
35-49	1596	5.4	51	1	1	3	6	12	18	39
50-64	969	7.9	94	1	1	5	10	18	27	49
65+	1161	10.6	117	1	2	7	13	23	31	65
GRAND TOTAL	**10235**	**5.2**	**61**	**<1**	**1**	**3**	**6**	**12**	**19**	**43**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	703	2.5	10	<1	1	1	3	6	7	13
20-34	234	1.6	1	<1	<1	1	2	3	3	7
35-49	136	2.3	5	<1	1	1	3	5	6	13
50-64	77	2.0	2	1	1	2	3	4	5	6
65+	52	2.4	6	1	1	2	3	5	6	15
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	3	6.3	14	2	2	8	9	9	9	9
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	4.2	38	1	1	2	5	9	13	23
20-34	309	3.8	66	<1	1	2	4	8	11	32
35-49	186	4.8	44	1	1	3	6	11	16	54
50-64	173	5.3	42	1	1	3	6	13	19	31
65+	145	9.5	148	1	1	6	11	21	47	99+
B. *Operated*										
0-19 YRS	7	6.9	61	1	1	5	6	20	24	24
20-34	10	8.6	124	1	2	5	10	63	97	99+
35-49	9	20.6	302	3	3	13	32	48	50	50
50-64	10	23.3	565	2	2	16	24	65	74	74
65+	14	25.5	342	5	7	21	41	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1202	2.3	7	<1	1	1	2	5	7	12
B. *Operated*	9	4.6	10	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1160	5.0	64	1	1	3	6	11	16	52
B. *Operated*	50	18.2	333	2	3	12	31	60	96	99+
1. SINGLE DX	1211	2.3	7	<1	1	1	2	5	7	12
2. MULTIPLE DX	1210	5.6	81	1	1	3	6	12	20	63
A. NOT OPERATED	2362	3.6	37	<1	1	2	4	7	12	33
B. OPERATED	59	16.1	307	1	2	10	24	52	84	99+
TOTAL 0-19 YRS	1061	3.1	20	<1	1	2	4	7	9	18
20-34	556	3.0	41	<1	<1	1	3	6	9	31
35-49	333	4.2	43	<1	1	2	4	9	13	45
50-64	260	5.0	64	1	1	3	5	12	19	50
65+	211	8.8	153	1	1	5	11	22	46	99+
GRAND TOTAL	**2421**	**3.9**	**47**	**<1**	**1**	**2**	**4**	**8**	**13**	**44**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	3.1	10	1	1	2	4	7	9	16
20-34	210	3.0	11	<1	1	2	3	6	10	16
35-49	149	3.0	13	1	1	2	3	7	10	21
50-64	119	4.0	16	1	1	3	5	8	12	23
65+	109	5.7	48	1	1	4	6	13	21	36
B. *Operated*										
0-19 YRS	8	13.6	146	2	2	9	24	31	33	33
20-34	10	15.0	166	2	3	9	25	34	36	36
35-49	3	7.3	44	3	3	9	57	99+	99+	99+
50-64	8	8.5	11	2	4	10	12	65	99+	99+
65+	5	17.0	269	3	3	15	24	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	4.8	30	1	1	3	6	9	13	32
20-34	286	4.0	17	1	1	3	5	8	10	19
35-49	281	5.4	29	1	1	4	7	12	16	24
50-64	377	6.9	83	1	1	5	8	13	18	45
65+	808	9.5	78	2	2	7	12	20	28	64
B. *Operated*										
0-19 YRS	14	8.0	78	1	2	5	11	16	31	35
20-34	27	14.3	346	1	2	9	21	34	94	99+
35-49	33	13.5	247	1	2	7	23	47	93	99+
50-64	53	15.3	236	2	3	9	24	50	90	99+
65+	115	19.2	248	4	6	15	26	59	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	3.4	16	1	1	2	4	7	11	21
B. *Operated*	34	12.8	125	2	2	10	23	36	83	99+
2. MULTIPLE DX										
A. *Not Operated*	2162	6.9	60	1	1	5	8	15	20	42
B. *Operated*	242	16.4	252	2	3	12	25	55	99+	99+
1. SINGLE DX	1078	3.7	22	1	1	2	4	8	12	26
2. MULTIPLE DX	2404	7.8	87	1	1	5	10	18	26	76
A. NOT OPERATED	3206	5.8	48	1	1	4	7	13	18	38
B. OPERATED	276	15.9	237	2	3	12	24	50	99+	99+
TOTAL 0-19 YRS	889	4.0	23	1	1	3	5	8	12	27
20-34	533	4.3	41	1	1	2	5	9	14	33
35-49	466	5.2	45	1	1	3	6	12	19	46
50-64	557	7.1	90	1	1	4	8	14	23	75
65+	1037	10.2	106	1	2	7	13	22	33	99+
GRAND TOTAL	**3482**	**6.6**	**71**	**1**	**1**	**4**	**8**	**15**	**22**	**62**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	21	<1	<1	4	8	12	15	17
20-34	63	3.1	10	<1	1	2	4	8	12	13
35-49	34	4.8	17	<1	<1	3	9	11	11	17
50-64	41	4.7	18	<1	1	3	6	10	15	19
65+	90	7.2	100	1	1	4	9	16	21	61
B. *Operated*										
0-19 YRS	186	6.0	84	<1	<1	3	7	11	16	45
20-34	483	4.0	31	<1	<1	2	4	10	16	30
35-49	350	5.2	54	1	1	3	5	12	17	49
50-64	512	8.2	80	1	2	5	11	19	25	42
65+	1083	8.3	80	1	2	5	11	19	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.2	31	1	1	3	5	12	21	25
20-34	80	5.3	23	<1	1	3	8	12	16	21
35-49	59	7.3	36	1	1	5	11	15	18	29
50-64	130	8.5	94	1	1	5	11	24	34	99+
65+	302	10.6	132	1	2	7	12	26	36	57
B. *Operated*										
0-19 YRS	245	9.8	115	<1	1	6	11	28	37	47
20-34	554	6.7	132	<1	1	3	7	15	25	68
35-49	598	9.2	163	1	1	5	11	23	35	87
50-64	1138	12.1	171	2	2	8	16	29	39	76
65+	2273	13.9	215	2	2	9	18	33	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	5.3	47	<1	1	3	7	12	16	29
B. *Operated*	2614	6.9	71	<1	1	4	9	16	24	41
2. MULTIPLE DX										
A. *Not Operated*	603	8.8	98	1	1	5	11	20	30	57
B. *Operated*	4808	11.9	190	1	2	7	15	29	42	88
1. SINGLE DX	2876	6.8	69	<1	1	4	9	16	23	41
2. MULTIPLE DX	5411	11.5	180	1	2	7	15	28	41	88
A. NOT OPERATED	865	7.7	85	1	1	5	10	17	27	54
B. OPERATED	7422	10.1	153	1	2	6	13	25	36	76
TOTAL 0-19 YRS	497	7.8	96	<1	<1	4	9	18	29	47
20-34	1180	5.3	78	<1	<1	2	5	12	18	45
35-49	1041	7.6	118	1	1	4	9	18	28	72
50-64	1821	10.6	141	1	2	6	14	25	36	67
65+	3748	11.9	173	2	2	8	15	28	41	86
GRAND TOTAL	**8287**	**9.9**	**147**	**1**	**1**	**5**	**12**	**24**	**35**	**73**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	2.2	4	<1	1	2	3	4	5	10
20-34	213	2.9	4	1	1	2	4	6	7	9
35-49	123	3.3	8	1	1	2	4	6	8	16
50-64	135	3.8	8	1	1	3	5	7	8	14
65+	190	4.7	8	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	132	2.0	2	1	1	1	3	4	4	8
20-34	198	3.3	20	1	1	2	4	6	8	20
35-49	103	4.1	16	1	1	3	5	8	13	22
50-64	72	4.6	23	1	1	3	6	10	12	29
65+	67	6.1	36	1	2	4	7	13	16	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	30	1	1	2	4	6	11	29
20-34	89	4.1	15	1	1	3	5	7	11	24
35-49	63	5.0	20	1	2	3	6	10	15	22
50-64	107	5.0	10	2	2	4	6	10	13	51
65+	231	6.3	29	1	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	20	4.4	11	1	1	3	7	10	11	11
20-34	78	6.5	69	1	1	4	7	14	27	46
35-49	59	6.5	35	1	2	5	9	12	15	38
50-64	65	9.8	154	1	2	5	13	17	29	75
65+	114	8.9	76	1	2	6	10	18	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	804	3.4	7	1	1	3	4	7	8	12
B. *Operated*	572	3.6	19	1	1	2	4	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	516	5.4	23	1	1	4	6	10	14	28
B. *Operated*	336	7.8	80	1	2	5	10	15	26	51
1. SINGLE DX	1376	3.5	12	1	1	3	4	7	9	17
2. MULTIPLE DX	852	6.3	47	1	2	4	8	12	17	39
A. NOT OPERATED	1320	4.2	14	1	1	3	5	8	10	21
B. OPERATED	908	5.2	45	1	1	3	6	11	15	37
TOTAL 0-19 YRS	321	2.4	6	1	1	2	3	4	6	12
20-34	578	3.7	21	1	1	3	4	7	9	27
35-49	348	4.4	18	1	1	3	5	9	12	22
50-64	379	5.3	40	1	1	4	6	11	14	35
65+	602	6.3	34	1	2	5	7	11	16	33
GRAND TOTAL	**2228**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**12**	**27**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	13	5.2	9	2	3	4	6	10	12	13
2500+	164	3.1	1	1	2	3	4	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	6	47.8	68	39	39	46	49	62	63	63
1500-1749	3	30.3	57	25	25	27	36	39	39	39
1750-2499	18	9.7	38	3	3	8	15	18	23	25
2500+	76	4.8	10	2	2	4	6	9	11	19
B. *Operated*										
1-999 G	1	76.0		76	76	76	76	76	76	76
1000-1499										
1500-1749	2	32.5	41	28	28	32	37	37	37	37
1750-2499	2	11.5	41	7	7	11	16	16	16	16
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.2	2	1	2	3	4	5	5	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	103	8.9	134	2	3	4	8	22	41	56
B. *Operated*	5	32.8	714	7	7	28	47	76	76	76
1. SINGLE DX	177	3.2	2	1	2	3	4	5	5	9
2. MULTIPLE DX	108	10.0	180	2	3	4	9	26	44	68
A. NOT OPERATED	280	5.3	58	1	2	3	4	8	15	47
B. OPERATED	5	32.8	714	7	7	28	47	76	76	76
TOTAL 1-999 G	1	76.0		76	76	76	76	76	76	76
1000-1499	6	47.8	68	39	39	46	49	62	63	63
1500-1749	5	31.2	40	25	25	28	37	39	39	39
1750-2499	33	8.0	31	3	3	7	10	16	19	25
2500+	240	3.6	5	1	2	3	4	6	7	12
GRAND TOTAL	**285**	**5.8**	**80**	**1**	**2**	**3**	**5**	**9**	**19**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	7	<1	1	2	4	7	10	11
20-34	20	2.6	6	<1	<1	2	3	5	9	12
35-49	8	3.4	9	<1	<1	2	5	8	8	8
50-64	7	3.6	2	2	2	3	5	6	6	6
65+	8	6.5	79	1	1	2	8	22	27	27
B. *Operated*										
0-19 YRS	770	2.7	4	<1	1	2	3	5	6	9
20-34	1131	2.7	3	<1	1	2	3	4	6	9
35-49	483	2.8	3	<1	1	2	3	5	6	11
50-64	451	3.5	10	1	1	3	4	6	8	18
65+	319	5.6	42	1	2	4	7	12	15	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	29	<1	<1	1	2	8	18	20
20-34	14	1.1		<1	<1	1	1	2	2	2
35-49	9	1.3		<1	<1	1	2	2	2	2
50-64	13	7.7	201	<1	<1	2	3	39	40	40
65+	14	6.6	23	1	1	6	7	14	16	17
B. *Operated*										
0-19 YRS	135	3.5	15	<1	1	2	4	5	6	28
20-34	248	4.2	25	1	2	3	5	7	11	27
35-49	130	4.7	22	1	1	3	6	10	13	27
50-64	160	5.5	46	1	2	4	6	11	14	33
65+	190	9.5	99	1	2	6	13	22	31	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.4	15	<1	<1	2	4	8	10	25
B. *Operated*	3154	3.1	9	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	62	4.1	57	<1	<1	1	3	9	18	40
B. *Operated*	863	5.6	48	1	2	3	6	12	17	37
1. SINGLE DX	3220	3.1	9	<1	1	2	4	5	7	14
2. MULTIPLE DX	925	5.5	49	1	1	3	6	12	17	39
A. NOT OPERATED	128	3.8	36	<1	<1	2	3	8	12	39
B. OPERATED	4017	3.7	18	<1	1	3	4	6	10	21
TOTAL 0-19 YRS	940	2.8	6	<1	1	2	3	5	6	12
20-34	1413	3.0	7	<1	1	2	3	5	7	12
35-49	630	3.2	8	<1	1	2	4	5	8	13
50-64	631	4.1	24	1	2	3	5	6	10	27
65+	531	7.1	65	1	2	4	9	15	22	55
GRAND TOTAL	**4145**	**3.7**	**19**	**<1**	**1**	**3**	**4**	**6**	**10**	**22**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	6.5	14	2	3	6	8	12	13	19
20-34	134	6.4	30	2	3	5	7	10	15	36
35-49	134	8.0	70	2	2	6	9	15	23	47
50-64	103	9.6	101	2	3	8	11	15	19	66
65+	79	9.4	54	2	4	8	11	17	25	41
B. *Operated*										
0-19 YRS	77	8.4	48	1	2	7	10	15	25	32
20-34	131	9.1	77	1	2	6	11	21	27	46
35-49	104	10.8	94	2	3	7	14	26	32	47
50-64	106	11.8	110	2	3	9	15	24	36	53
65+	65	13.1	217	2	3	8	15	33	42	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.9	16	1	2	5	7	13	16	16
20-34	104	6.8	40	2	2	5	8	12	14	43
35-49	96	8.6	44	2	3	7	10	17	22	36
50-64	159	11.4	72	3	4	9	14	20	26	50
65+	155	12.1	103	3	4	10	13	23	32	67
B. *Operated*										
0-19 YRS	39	11.4	105	1	1	8	15	26	34	46
20-34	101	13.6	198	2	3	9	17	32	46	66
35-49	99	15.9	241	2	3	10	21	30	53	74
50-64	152	15.3	147	3	4	12	21	38	47	99+
65+	184	19.9	283	3	5	15	26	50	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	7.9	56	2	3	6	9	14	19	39
B. *Operated*	483	10.5	104	2	3	7	13	23	32	48
2. MULTIPLE DX										
A. *Not Operated*	570	9.7	70	2	3	8	12	18	24	47
B. *Operated*	575	16.3	219	2	4	12	22	39	52	99+
1. SINGLE DX	1018	9.1	80	2	3	6	11	18	26	45
2. MULTIPLE DX	1145	13.0	155	2	3	9	16	28	43	71
A. NOT OPERATED	1105	8.8	64	2	3	7	11	16	22	44
B. OPERATED	1058	13.7	174	2	3	9	18	31	45	81
TOTAL 0-19 YRS	257	7.7	41	1	2	6	9	15	20	32
20-34	470	8.8	88	2	2	6	10	18	28	48
35-49	433	10.6	118	2	3	7	13	23	32	56
50-64	520	12.3	111	3	4	9	15	24	38	60
65+	483	14.8	195	3	4	11	18	34	49	91
GRAND TOTAL	**2163**	**11.2**	**124**	**2**	**3**	**8**	**13**	**24**	**35**	**63**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.1	12	1	1	3	5	8	11	18
20-34	65	5.7	18	1	1	4	8	11	14	21
35-49	62	6.3	31	1	1	5	9	11	19	28
50-64	53	7.9	45	2	2	6	10	15	25	32
65+	71	7.7	66	1	2	6	11	14	21	52
B. *Operated*										
0-19 YRS	60	4.0	26	<1	1	2	5	7	8	34
20-34	165	5.4	67	<1	1	3	6	11	15	49
35-49	132	6.9	60	1	1	4	9	16	22	40
50-64	151	7.7	70	<1	2	4	9	21	26	36
65+	185	7.9	92	1	1	4	10	20	25	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.8	22	1	1	3	8	11	15	20
20-34	106	5.1	21	1	1	4	7	11	14	21
35-49	114	8.0	73	1	1	5	11	16	23	45
50-64	159	8.4	42	1	2	7	11	17	21	31
65+	267	10.0	65	2	3	7	14	20	25	38
B. *Operated*										
0-19 YRS	56	7.8	183	<1	1	4	8	16	21	87
20-34	142	10.2	212	1	2	6	10	22	40	90
35-49	186	11.5	126	1	2	8	15	23	38	67
50-64	356	14.5	204	2	2	11	19	32	54	99+
65+	453	14.7	217	2	2	10	21	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	6.5	38	1	1	5	8	12	17	29
B. *Operated*	693	6.8	71	1	1	4	8	16	23	45
2. MULTIPLE DX										
A. *Not Operated*	681	8.3	55	1	1	6	11	18	22	37
B. *Operated*	1193	13.3	201	1	2	9	18	32	48	99+
1. SINGLE DX	985	6.7	61	1	1	4	8	15	22	38
2. MULTIPLE DX	1874	11.5	153	1	2	8	15	26	39	90
A. NOT OPERATED	973	7.7	50	1	1	6	11	16	21	34
B. OPERATED	1886	10.9	163	1	2	6	15	26	40	89
TOTAL 0-19 YRS	192	5.3	70	1	1	3	6	10	16	44
20-34	478	6.8	98	1	1	4	8	13	20	56
35-49	494	8.8	88	1	1	6	12	20	26	56
50-64	719	11.2	138	1	2	8	15	25	35	89
65+	976	11.7	149	1	2	7	16	27	39	86
GRAND TOTAL	**2859**	**9.8**	**127**	**1**	**2**	**6**	**13**	**22**	**33**	**69**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	1	1	1	3	3	4	5	6
20-34	8	4.8	14	1	1	4	6	11	13	13
35-49	5	4.6	11	2	2	4	6	10	10	10
50-64	12	7.0	69	1	2	4	6	21	29	30
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	3	3.3	1	2	2	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.0	16	<1	1	3	5	8	9	24
20-34	15	8.8	60	1	2	6	9	19	27	29
35-49	16	6.7	29	1	1	6	8	13	19	22
50-64	19	8.2	68	1	1	7	8	21	29	32
65+	36	5.5	21	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	2	11.5	5	10	10	11	13	13	13	13
20-34										
35-49	5	7.0	35	2	2	5	9	17	17	17
50-64	13	8.0	43	1	2	6	11	18	22	23
65+	11	12.4	120	3	3	8	24	54	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.9	19	1	1	3	4	6	11	28
B. *Operated*	4	3.5	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	125	6.0	34	1	1	4	8	12	20	30
B. *Operated*	31	9.6	67	2	2	7	15	25	33	99+
1. SINGLE DX	67	3.9	18	1	1	3	4	6	10	28
2. MULTIPLE DX	156	6.7	42	1	1	5	8	17	23	34
A. NOT OPERATED	188	5.3	30	1	1	3	7	10	17	30
B. OPERATED	35	8.9	63	2	2	6	13	23	32	99+
TOTAL 0-19 YRS	76	3.6	11	1	1	3	4	7	9	21
20-34	24	7.3	45	1	2	5	9	19	22	29
35-49	26	6.3	26	1	2	5	8	13	18	22
50-64	47	7.5	56	1	2	5	8	17	26	32
65+	50	6.9	48	1	1	5	9	18	29	99
GRAND TOTAL	**223**	**5.9**	**36**	**1**	**1**	**4**	**7**	**13**	**20**	**33**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.2	1	1	1	2	3	4	4	4
35-49	6	1.8	2	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.1	3	<1	<1	1	2	5	6	7
20-34	6836	2.0	2	<1	<1	2	2	4	4	6
35-49	3262	2.0	1	<1	<1	2	2	3	4	6
50-64	24	1.6	1	<1	<1	<1	2	3	3	4
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	145	1.3	2	<1	<1	1	1	2	2	6
35-49	63	1.3	1	<1	<1	1	1	2	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.3	2	<1	<1	2	3	4	5	6
20-34	3951	2.4	4	<1	<1	2	3	5	6	9
35-49	2460	2.5	5	<1	<1	2	3	5	6	8
50-64	18	2.4	5	<1	1	2	2	5	8	10
65+	2	3.0	8	<1	<1	2	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	10142	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	209	1.3	2	<1	<1	1	1	2	2	5
B. *Operated*	6451	2.4	4	<1	<1	2	3	5	6	9
1. SINGLE DX	10158	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	6660	2.4	4	<1	<1	2	3	5	6	9
A. NOT OPERATED	225	1.3	2	<1	<1	1	1	2	3	5
B. OPERATED	16593	2.2	3	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	38	2.1	2	<1	<1	2	3	5	6	7
20-34	10942	2.1	3	<1	<1	2	3	4	5	7
35-49	5791	2.2	3	<1	<1	2	3	4	5	7
50-64	42	2.0	3	<1	<1	2	2	3	5	10
65+	5	2.8	2	<1	<1	3	4	5	5	5
GRAND TOTAL	**16818**	**2.1**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	8.5	1	8	8	8	9	9	9	9
1000-1499										
1500-1749	3	23.3		23	23	23	24	24	24	24
1750-2499	920	4.0	5	2	2	3	5	6	7	13
2500+	67345	3.6	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	32.0		32	32	32	32	32	32	32
1750-2499	3	14.7	104	3	3	19	21	22	22	22
2500+	31	6.4	57	2	2	3	6	17	26	34
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	29	61.5	428	22	40	74	98	99+	99+	99+
1000-1499	144	45.6	287	15	26	45	58	69	73	99+
1500-1749	192	27.1	117	13	14	25	33	42	46	58
1750-2499	3034	8.5	46	3	3	6	11	18	21	32
2500+	31206	4.6	7	2	3	4	6	7	8	13
B. *Operated*										
1-999 G	15	67.5	403	36	42	78	99+	99+	99+	99+
1000-1499	71	60.7	248	38	41	60	76	96	99+	99+
1500-1749	48	43.6	247	31	31	38	48	80	92	99+
1750-2499	148	18.8	188	5	7	16	24	35	45	99+
2500+	569	9.1	87	3	3	7	11	17	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68270	3.6	2	2	2	3	4	5	6	8
B. *Operated*	35	7.8	79	2	2	4	7	22	30	34
2. MULTIPLE DX										
A. *Not Operated*	34605	5.3	26	2	3	4	6	7	11	28
B. *Operated*	851	18.1	417	3	3	9	24	57	77	99+
1. SINGLE DX	68305	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	35456	5.6	39	2	3	4	6	8	12	37
A. NOT OPERATED	102875	4.2	11	2	2	3	5	6	7	15
B. OPERATED	886	17.7	408	3	3	9	24	56	77	99+
TOTAL 1-999 G	46	61.2	529	10	38	76	99+	99+	99+	99+
1000-1499	215	50.6	324	24	29	52	64	77	92	99+
1500-1749	244	30.3	183	14	16	29	36	46	56	92
1750-2499	4105	7.9	49	2	3	5	10	17	21	33
2500+	99151	3.9	4	2	2	3	5	6	7	10
GRAND TOTAL	**103761**	**4.3**	**16**	**2**	**2**	**3**	**5**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	29.0		29	29	29	29	29	29	29
1750-2499	127	5.4	9	3	3	5	7	7	9	19
2500+	572	5.0	5	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	23.0		23	23	23	23	23	23	23
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	65.4	95	51	52	68	74	76	76	76
1000-1499	34	43.7	339	20	25	40	53	68	97	99+
1500-1749	36	29.4	104	15	15	30	35	41	53	56
1750-2499	473	10.2	44	3	4	8	14	21	23	30
2500+	360	6.0	5	3	4	6	7	9	10	13
B. *Operated*										
1-999 G	4	69.8	392	46	48	84	99+	99+	99+	99+
1000-1499	14	46.9	301	15	27	52	62	68	92	99+
1500-1749	4	39.0	182	21	21	41	49	52	52	52
1750-2499	38	19.9	92	5	8	21	25	32	36	49
2500+	14	11.7	51	3	5	9	18	21	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	5.1	7	3	3	5	6	7	8	14
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	910	10.9	128	3	4	7	12	23	32	62
B. *Operated*	74	27.2	388	5	7	22	44	64	87	99+
1. SINGLE DX	702	5.2	8	3	3	5	6	7	8	15
2. MULTIPLE DX	984	12.2	166	3	4	7	14	27	40	74
A. NOT OPERATED	1611	8.4	84	3	3	6	8	17	25	54
B. OPERATED	75	27.1	383	5	7	22	43	63	86	99+
TOTAL 1-999 G	11	67.0	180	47	50	72	80	99+	99+	99+
1000-1499	48	44.6	323	20	25	44	56	68	98	99+
1500-1749	42	30.3	110	15	16	30	35	46	53	56
1750-2499	639	9.8	50	3	3	7	13	21	24	31
2500+	946	5.5	6	3	3	5	6	8	9	14
GRAND TOTAL	**1686**	**9.3**	**112**	**3**	**3**	**6**	**8**	**20**	**30**	**63**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	1.3	1	<1	<1	1	2	3	3	3
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.3	1	<1	<1	<1	<1	3	3	3
35-49	6	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	15	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	180	1.0		<1	<1	1	1	1	1	3
35-49	227	1.2		<1	<1	1	1	2	2	4
50-64	404	2.2	7	<1	1	2	2	2	4	11
65+	444	1.9	7	1	1	2	2	3	3	8
B. *Operated*										
0-19 YRS	5	4.2	51	<1	<1	<1	5	17	17	17
20-34	142	1.6	25	<1	<1	<1	<1	1	2	14
35-49	98	1.3	1	<1	<1	<1	1	1	4	7
50-64	163	1.7	7	<1	<1	<1	<1	2	5	17
65+	30	8.0	184	1	1	4	8	23	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.3		<1	<1	1	2	2	3	3
B. *Operated*	31	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
A. *Not Operated*	1256	1.8	5	<1	1	1	2	2	3	9
B. *Operated*	438	2.0	26	<1	<1	<1	<1	3	6	26
1. SINGLE DX	47	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	1694	1.8	11	<1	<1	1	2	2	3	11
A. NOT OPERATED	1272	1.7	5	<1	1	1	2	2	3	9
B. OPERATED	469	2.0	24	<1	<1	<1	<1	3	6	24
TOTAL 0-19 YRS	11	2.5	23	<1	<1	<1	1	8	16	17
20-34	329	1.3	11	<1	<1	<1	1	1	1	6
35-49	333	1.2	1	<1	<1	1	1	2	2	5
50-64	576	2.0	7	<1	<1	2	2	2	4	11
65+	492	2.3	19	<1	1	2	2	3	5	16
GRAND TOTAL	**1741**	**1.8**	**10**	**<1**	**<1**	**1**	**2**	**2**	**3**	**10**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1124	2.9	13	<1	<1	2	3	5	9	17
20-34	992	2.5	16	<1	<1	1	3	4	6	22
35-49	482	3.0	21	<1	<1	2	3	5	8	22
50-64	748	3.4	25	<1	1	2	4	7	12	26
65+	653	3.8	41	<1	1	2	4	8	11	32
B. *Operated*										
0-19 YRS	475	3.1	12	<1	<1	2	3	7	11	17
20-34	1424	3.1	14	<1	<1	2	3	7	9	15
35-49	933	3.6	13	<1	1	2	4	9	12	16
50-64	1110	4.4	21	<1	1	2	7	11	13	18
65+	1165	4.6	26	1	1	2	6	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1179	3.5	28	<1	<1	2	4	7	10	23
20-34	1775	4.6	40	<1	<1	2	5	10	16	31
35-49	2280	4.1	37	1	1	2	4	8	13	29
50-64	5738	4.1	42	1	1	2	4	8	14	35
65+	5080	6.3	93	1	1	3	6	15	25	52
B. *Operated*										
0-19 YRS	462	4.3	54	<1	1	2	3	9	18	47
20-34	1471	3.8	30	<1	<1	2	4	8	12	32
35-49	2036	4.1	40	<1	<1	2	4	9	13	38
50-64	3013	5.6	57	1	1	2	7	13	18	42
65+	2991	7.3	93	1	1	3	10	17	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3999	3.1	22	<1	<1	2	3	6	9	23
B. *Operated*	5107	3.8	18	<1	<1	2	5	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	16052	4.8	57	1	1	2	5	10	17	42
B. *Operated*	9973	5.5	62	<1	<1	2	6	13	19	44
1. SINGLE DX	9106	3.5	20	<1	<1	2	4	8	12	20
2. MULTIPLE DX	26025	5.1	59	<1	1	2	5	12	18	42
A. NOT OPERATED	20051	4.4	51	<1	1	2	5	9	16	39
B. OPERATED	15080	4.9	48	<1	<1	2	6	12	16	37
TOTAL 0-19 YRS	3240	3.4	24	<1	<1	2	4	7	10	25
20-34	5662	3.7	27	<1	<1	2	4	8	12	27
35-49	5731	3.9	33	<1	<1	2	4	9	13	27
50-64	10609	4.5	44	1	1	2	5	10	15	35
65+	9889	6.2	83	1	1	3	7	15	23	48
GRAND TOTAL	**35131**	**4.7**	**50**	**<1**	**1**	**2**	**5**	**11**	**16**	**38**

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever